UNIVERSITY OF SWAZILAND **FACULTY OF HEALTH SCIENCES** DEPARTMENT OF GENERAL NURSING

FINAL EXAMINATION, DECEMBER 2017

COURSE TITLE:

HIV PREVENTION, INFECTION AND MANAGEMENT

OF AIDS

COURSE CODE:

GNS/HSC 113

TIME ALLOCATED:

TWO (2) HOURS

MARKS ALLOCATED: 75

• THERE ARE 14 PRINTED PAGES EXCLUDING COVER PAGE

INSTRUCTION:

- ANSWER ALL QUESTIONS ON THE SEPARATE ANSWER SHEET PROVIDED
- CIRCLE THE MOST CORRECT RESPONSE

DO NOT OPEN THIS QUESTION PAPER UNTIL YOU ARE TOLD TO DO SO BY THE INVIGILATOR

Instructions: For each question, choose the most appropriate response and circle your answer in the given answer sheet, e.g. 76 B. Each correct response carries 1 mark.

- Dan is a second year University of Swaziland student who has made a 1. decision not to get married because of his religious commitment. Dan's decision to abstain from sexual activity is referred to as
 - A. Asexual
 - B. Celibacy
 - C. Safer sex
 - D. Confused gender identity
- Tony has been living with HIV for 12 months. His doctor advised him to 2. have a viral load test. Which of the following indicates what the viral load test measures?
 - A. The amount of antibodies in an individual infected with HIV
 - B. The amount of viral particles in an individual living with HIV
 - C. The amount of white blood cells in an individual infected with HIV
 - D. The number of new infections in a population.
- Which of the following signs and symptoms are characteristic of primary 3. syphilis?
 - A. Gummas of the heart
 - B. A painless sore
 - C. Rash on the palms of the hand
 - D. Bone softening
- Which of the following sexually transmitted infections present with 4. sores?
 - A. Gonorrhea
 - B. Chancroid
 - C. Candidiasis
 - D. Genital warts
- Which of the following is a characteristic of people with a positive self 5. concept?
 - A. They are unable to form and maintain relationships
 - B. They are likely to be unsuccessful in life
 - C. They can never be infected with HIV because they value themselves
 - D. They are better able to adapt to changes that occur in their lives

- 6. Women face a greater risk for HIV infection. Which of the following is NOT a biological risk factor associated with HIV transmission among women?
 - A. Thin vaginal lining during menstruation
 - B. Delicate vaginal tissues tear during sexual intercourse
 - C. Poor safer sex negotiating skills
 - D. Immature cervix in women younger than 18 years
- 7. Which of the following explains why people with a negative self concept will engage in risky sexual behaviour?
 - A. They tend to have multiple concurrent sexual partners because everyone likes them
 - B. They are better able to form relationships
 - C. They devalue themselves
 - D. They are mostly poor thus need money to support themselves
- 8. Which of the following is correct about opportunistic infections in Swaziland?
 - A. Meningitis is the most common opportunistic infection
 - B. They have no cure
 - C. Their development depends on the level of the CD4 cell count
 - D. They are common in children
- 9. Which of the following sexual behaviours is associated with a high risk of HIV transmission?
 - A. Masochism
 - B. Vuyourism
 - C. Heterosexual
 - D. Sadism
- 10. What advice would you give to a woman who has vaginal candidiasis on prevention of future episodes?
 - A. Bath less frequently
 - B. Ensure thorough cleaning of the vagina by using jik
 - C. Wear cotton underwear
 - D. Use perfumed soap to keep the area smelling fresh

- 11. Recent research in Swaziland has revealed that the number of new HIV cases has gradually reduced. Which of the following summarizes these findings?
 - A. The prevalence of HIV is gradually reducing
 - B. The incidence of HIV is reducing
 - C. HIV is now an endemic in Swaziland
 - D. The viral load among Swazi people is gradually reducing

Scenario

Ntombizile, 23 year-old, is a 3rd year student of the University of Swaziland. She comes from a disadvantaged background. She uses her allowance to support her younger siblings. She has an older boyfriend, aged 33 years, who supports her financially. In the last three months Ntombizile has been treated for a number of sexually transmitted infections (STIs) and mentions that she and her partner only use the condom towards ejaculation to prevent pregnancy. The following questions (23 & 24) relate to this scenario.

- 12. Which of the following drivers for HIV does Ntombizile present with?
 - i. Gender inequality
 - ii. Intergenerational sex
 - iii. Inconsistent condom use
 - iv. Sexually transmitted infections
 - A. i only
 - B. i & iv
 - C. ii, & iii, iv
 - D. i, ii, iii & iv
- 13. Which of the following is the likely mode in which Ntombizile can acquire HIV infection?
 - A. Mother-to-child transmission
 - B. Needle prick during treatment for STIs
 - C. Inconsistent condom use
 - D. Heterosexual
- 14. Which part of the immune system is directly destroyed by HIV?
 - A. The red blood cells
 - B. The non-specific immunity
 - C. The lymphocytes
 - D. A and C

- 15. Which of the following is correct regarding the pathophysiology of HIV?
 - A. GP 120 and GP41 are the first ones to enter the CD 4
 - B. Only the viral core enters the CD 4
 - C. Reverse transcription occurs inside the CD 4 cell nucleus
 - D. Integration occurs outside the CD4 cell nucleus
- 16. The main enzymes that participate in the pathophysiology of HIV include
 - A. GP 120 and GP 41
 - B. P17 and P24
 - C. RNA and DNA
 - D. Integrase and protease
- 17. Isaac has a CD4 cell of 1200cells/ml. Based on your knowledge of the pathophysiology of HIV, which of the following statement describe Isaac?
 - A. He is likely to be in stage 4 of HIV progression.
 - B. He is likely to have TB of other parts of the body (extrapulmonary TB)
 - C. He may be HIV negative
 - D. A and B
- 18. Which of the following is correct?
 - A. HIV is an opportunistic infection
 - B. HIV is an STI
 - C. All STIs are opportunistic infection and vice versa
 - D. An STI cannot be an opportunistic infection

Scenario:

You have a very sick uncle Mr Mathobela, your mother's only remaining sibling. He lives alone about 15 kilometers away from your homestead. Your mother decides to bring him to live with your family for just four weeks or until he gets better. He will then go back to his home. During his presence in your family you realize that he is on TB treatment and on antiretroviral therapy. From then on you decide to educate your mother on how to handle him. Questions 19-20 relate to the above scenario:

- Your mother must treat people of known HIV status according to the 19. universal precautions.
 - A. Yes
 - B. No
 - C. Maybe
 - D. Sometimes
- Your mother's first line of defense from infections is 20.
 - A. Using household disinfections
 - B. Washing hands
 - C. Using gloves always
 - D. Soaking used items with jik
- Which of the following statements is INCORRECT in the case where both 21. partners are HIV positive?
 - A. It is necessary to use condoms if both partners are HIV positive
 - B. New infections increase viral load resulting in decreased CD4 cells affecting further weakening of immune system
 - C. Re infection can also cause one to contract other sexually transmitted infections
 - D. HIV becomes less dangerous if partners living with HIV trust each other
- 22. __ consists of taking a combination of antiretroviral medications for about a month depending on the type of exposure.
 - A. Prevention of Mother-to-child transmission (PMTCT)
 - B. Post Exposure Prophylaxis (PEP)
 - C. Highly Active Anti-Retroviral Therapy (HAART)
 - D. Treatment as prevention
- The following practices are high risk for getting HIV infection; EXCEPT: 23.
 - A. Swallowing semen
 - B. Using personal sex toys
 - C. Vaginal or anal sex using lubricant (vaseline)
 - D. Contact with menstrual blood
- The most infectious period(s) in an individual with HIV infection is (are) 24.
 - A. Chronic period
 - B. Window period
 - C. Primary infection phase

D. B and C

- 25. The following are maternal factors that increase the risk of mother to child transmission; EXCEPT:
 - A. Low viral load
 - B. Low immunity
 - C. Poor nutrition
 - D. Multiple sexual partners
- 26. Pregnant women infected with HIV_____
 - (i)Can reduce chances of transmitting HIV to her unborn child by maintaining a low viral load.
 - (ii)Can maintain a nutritious diet in order to reduce the risk of mother-to-child transmission during childbirth.
 - (iii)Cannot overlook antiretroviral medications for complimentary management of HIV.
 - (iv)Can increase chances of survival of her baby by augmenting her spiritual health.

A.i only

B. i & iv

C. ii, & iii, iv

D. i, ii, iii & iv

- 27. The following are fat soluble vitamins, with the exception of....
 - (i). Vitamin A
 - (ii). Vitamin B
 - (iii). Vitamin C
 - (iv). Vitamin D

A. i, ii

B. ii, iii

C. iii, iv

D. iii only

Scenario: Mlungisi is 26 years of age and has tested HIV positive with a CD4 count of 350mm³. He has been advised to take Antiretroviral Therapy (ART). After a couple of counselling sessions he finally decided to start ART. However,

he is keeping his status and treatment a secret. Mlungisi who was less interested in religion has suddenly become committed to God's work. Questions 28–33 relate to this situation.

- 28. Since Mlungisi is on ART you would expect his CD4 count to -----.

 A. Increase
 - B. Decrease
 - C. Be unstable
 - D. Remain the same
- 29. Should Mlungisi fail to adhere to ART, his viral load will -----
 - A. Decrease
 - B. Increase
 - C. Be unstable
 - D. Remain the same
- 30. In order for Mlungisi to adhere to ART, he needs all of the following **EXCEPT**;
 - (i). To take six drugs per day
 - (ii). Support group
 - (iii). Friend
 - (iv). A family
 - A. ii only
 - B. i & iii
 - C. ii & iv
 - D. i only
- 31. Which of the following constitute eligibility criteria for initiation of ART in Swaziland
 - A. An individual who has tested HIV positive irrespective of his CD4 count
 - B. A 6 months old HIV positive baby
 - C. A man with a CD4 count of 250 cells/mm3
 - D. All people regardless of HIV status

- Mlungisi's diet comprises of micro and macro-nutrients. Which of the 32. following is NOT a micro-nutrient?
 - (i). Minerals
 - (ii). Vitamins
 - (iii). Water
 - (iv). Carbohydrates
 - A. ii & ii
 - B. iii & iv
 - C. iv only
 - D. i only
- How many glasses of water should Mlungisi consume ideally daily? 33.
 - A. Up to 3
 - B. 5
 - C. 8
 - D. 8 to 10
- Reasons to consider ARV regimen (combination) "switch / change" 34. include:
 - A. Occurrence of nausea and vomiting.
 - B. Reduction in viral load.
 - C. ARV treatment failure
 - D. Increase in CD4 blood level count.
- For ARV's to be effective and to prevent treatment failure, adherence 35.
 - A. Be less than 3 missed doses/month
 - B. Greater than 95%
 - C. 100%
 - D. A and B
- The reasons for using triple therapy include the following **EXCEPT**: 36.
 - A. To produce more CD4 cells
 - B. To prevent resistance
 - C. To stop the production of new HIV copies
 - D. To promote adherence

- 37. One of these statements is **True** about Nutritional requirements in PLWHIV
 - A. During the symptomatic stage of disease, they require an additional full meal/day.
 - B. ARV therapy is adversely affected by good nutrition
 - C. Fats should not be taken by people who receive Stavudine because they become displaced.
 - D. Beef is not the ideal source of protein for people on ART.
- 38. Majaha is having AIDS and is receiving palliative care. The following are necessary for his care at this stage.
 - (i). Pain Management & good nutrition
 - (ii). Enough sleep and rest
 - (iii). Writing a will and relaying his funeral wishes.
 - (iv). Making peace with God or his ancestors.
 - A. i, iii & iv
 - B. i & ii
 - C. iii & iv.
 - D. i, ii, iii & iv
- 39. The following negatively influence adherence to ART, EXCEPT:
 - A. Young age
 - B. Male gender
 - C. Poverty
 - D. Female gender
- 40. The attitude relates to prejudice, whereas the behavior relates to
 - A. Discrimination
 - B. Natural action
 - C. Social norm
 - D. A and C.
- 41. According to Kubler Ross stages, the first few days following the death of a loved one are filled with confusion and disbelief this period is labeled as
 - A. Shock
 - B. Yearning
 - C. Numbness
 - D. Denial

- 42. Family level impact of HIV and AIDS includes all, EXCEPT:
 - A. Dependent family members are converted to the state of destitution
 - B. Impoverishment due to funeral expenses
 - C. Costs of cleansing ceremonies
 - D. Early retirement
- 43. The most important priority of care for a dying person is.
 - A. Pain Management
 - B. Care of individual's family
 - C. Providing lots of water
 - D. Providing food
- 44. A client on hospice who is only on pain relief medication develops pneumonia, as a caregiver what would you do?
 - A. Increase pain medications to decrease respirations
 - B. Ask the medical team to treat the pneumonia; and keep pt comfortable by using prescribed pain medication
 - C. Nothing unless the patient complains of being uncomfortable
 - D. Increase pain medication to decrease pain

Instructions: Match the following stages of grieving in column A according to Kubler Ross, with the explanation thereof in column B.

Column A: Stage of grieving		Column B: Explanation of stage
45.	Bargaining	A. Individual feels overwhelmingly lonely and
46.	Anger	withdraws from interpersonal interactions B. The individual blames others for his/her status
47.	Denial	and wishes to revenge C. The individual admits and understand his/her
48.	Acceptance	ulagnosis of HIV and looks forward to the future
49.	2 opiession	 D. The individual has a feeling that the situation may be reversible miraculously E. The individual does not believe or understand that infection has occurred

- 50. Which of the following cultural practices best help girls to reduce the risk of early involvement in sexual activities?
 - A. The reed dance
 - B. The wearing of the tussel (umcwasho)
 - C. The cutting of the shrub (lusekwane)
 - D. The joining of age regiments
- 51. Which of the following best describe chastity values?
 - A. Abstinence due to age
 - B. Abstinence due religious reasons
 - C. Abstinence due to cultural and public interest reasons
 - D. Abstinence due to religious or cultural reasons
- 52. Culturally, which groups of people are better able to hold meaningful dialogue with youth on sexual conduct?
 - A. Teachers and friends
 - B. Mothers and fathers
 - C. Grandparents and aunts
 - D. Brothers and sisters

Scenario: Zodwa visited you for counselling after being forced by her father to marry a rich farmer in the village. The farmer is an educated young man of 40 years with two wives. Zodwa has not had any sexual activity before even with the farmer she is about to marry. She is afraid there might be HIV in the family but she is afraid to talk with her fiancée about the topic. Base on the scenario above please answer question 53-55.

- 53. Zodwa will marry the farmer in a month. What advice would you give Zodwa?
 - (i) Empower her with knowledge about HIV and AIDS.
 - (ii)Empower her with negotiation skills
 - (iii)Encourage her to be assertive on condom use.
 - (iv)Strongly recommend pre marriage counselling and testing for both.
 - A. i, ii, & iv
 - B. ii, iii, & iv
 - C. i, ii, iii, & iv
 - D. i, ii, & iii