## UNIVERSITY OF SWAZILAND

### FACULTY OF HEALTH SCIENCES

### DEPARTMENT OF GENERAL NURSING

### SEMESTER V

## MAIN EXAMINATION

### **NOVEMBER 2013**

Course Code

GNS 319

Course Title

Sexual and Reproductive Health

No. of Students

43

Duration

Two (2) hours

Total Marks

Seventy-five (75)

## INSTRUCTIONS

- 1 Answer ALL questions.
- 2 Write all your answers in the provided answer booklet.
- 3 Read all questions thoughtfully.
- 4 HANDWRITING MUST BE LEGIBLE to avoid loss of marks.
- 5 Figures in brackets represent marks allocated per question, or a part thereof.
- 6 The paper has a total of 10 pages (excluding this cover page)

DO NOT OPEN THIS PAPER UNTIL PERMISSION HAS BEEN GIVEN BY THE CHIEF INVIGILATOR

# SECTION A

# Multiple Choice Questions

# INSTRUCTION

c. corpus albicans

d. corpus luteum

no n
Select the most appropriate response and write it in the answer book. Example: $1 = a$ , $2 = d$
1. The transition from girlhood to womanhood is marked by:
a. mittelsmertz
b. meconium
c. menses
d. menarche
2. The plays the important role of regulating the menstrual cycle.
a. brain
b. anterior pituitary gland
c. hypothalamus
d. posterior pituitary gland
3 During the phase of the menstrual cycle, oestrogen is secreted in abundance.
a. menstruation
b. post ovulation
c. ovulation
d. pre-ovulation
4. Progesterone is secreted by the:
a. cervical glands
b. ovaries

5. Once the intant is old progesterone only pills are NO1 recommended
for use alone by lactating women.
a. 4 weeks.
b. 4 months.
c. 6 weeks.
d. 6 months.
6. From using micro-ovum, the lactating woman may switch on to:
a. norplant implant
b. nuristerate enanthate
c. Cu-T 280
d. all the above are applicable
7. Severe pain in calf muscles in a client who is on FP is associated with the
FP method.
a. POP
b. COC
c. IUDC
d. NET-EN
8. Which one of the following is <u>NOT</u> classified under non-contraceptive
benefits of NET-EN?
a. galactorrhoea
b. weight gain
c. haemorrhage
d. relief of dysmenorrhoea

b. 5 years c. 2 years d. 12 months only  10. Which of the following FP methods are classified under scientific FP methods? a. LAM b. withdrawal method c. male and female condom methods d. all the above.  11. Which of the following acronyms is associated with the IUCD method? a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	a. 8 years
d. 12 months only  10. Which of the following FP methods are classified under scientific FP methods?  a. LAM  b. withdrawal method  c. male and female condom methods  d. all the above.  11. Which of the following acronyms is associated with the IUCD method?  a. AFASS.  b. PAINS.  c. PAYNES.  d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	b. 5 years
10. Which of the following FP methods are classified under scientific FP methods?  a. LAM  b. withdrawal method  c. male and female condom methods  d. all the above.  11. Which of the following acronyms is associated with the IUCD method?  a. AFASS.  b. PAINS.  c. PAYNES.  d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	c. 2 years
methods?  a. LAM  b. withdrawal method  c. male and female condom methods  d. all the above.  11. Which of the following acronyms is associated with the IUCD method?  a. AFASS.  b. PAINS.  c. PAYNES.  d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	d. 12 months only
methods?  a. LAM  b. withdrawal method  c. male and female condom methods  d. all the above.  11. Which of the following acronyms is associated with the IUCD method?  a. AFASS.  b. PAINS.  c. PAYNES.  d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	
a. LAM b. withdrawal method c. male and female condom methods d. all the above.  11. Which of the following acronyms is associated with the IUCD method? a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	10. Which of the following FP methods are classified under scientific FP
b. withdrawal method c. male and female condom methods d. all the above.  11. Which of the following acronyms is associated with the IUCD method? a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	methods?
c. male and female condom methods d. all the above.  11. Which of the following acronyms is associated with the IUCD method? a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	a. LAM
d. all the above.  11. Which of the following acronyms is associated with the IUCD method?  a. AFASS.  b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	b. withdrawal method
11. Which of the following acronyms is associated with the IUCD method?  a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	c. male and female condom methods
a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	d. all the above.
a. AFASS. b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	
b. PAINS. c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	11. Which of the following acronyms is associated with the IUCD method?
c. PAYNES. d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow. a. 14 a. 28 b. 7 d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025 Mg oestrogen and progesterone is 500 mg is classified under: a. standard dose b. high dose	a. AFASS.
d. CAINS.  12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	b. PAINS.
12. Ovulation always occurs on the days of the next menstrual flow.  a. 14  a. 28  b. 7  d. 30  13. A packet of COC which displays the following hormonal ingredients: 0.025  Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	c. PAYNES.
<ul> <li>a. 14</li> <li>a. 28</li> <li>b. 7</li> <li>d. 30</li> <li>13. A packet of COC which displays the following hormonal ingredients: 0.025</li> <li>Mg oestrogen and progesterone is 500 mg is classified under:</li> <li>a. standard dose</li> <li>b. high dose</li> </ul>	d. CAINS.
<ul> <li>a. 14</li> <li>a. 28</li> <li>b. 7</li> <li>d. 30</li> <li>13. A packet of COC which displays the following hormonal ingredients: 0.025</li> <li>Mg oestrogen and progesterone is 500 mg is classified under:</li> <li>a. standard dose</li> <li>b. high dose</li> </ul>	
<ul> <li>a. 28</li> <li>b. 7</li> <li>d. 30</li> <li>13. A packet of COC which displays the following hormonal ingredients: 0.025</li> <li>Mg oestrogen and progesterone is 500 mg is classified under:</li> <li>a. standard dose</li> <li>b. high dose</li> </ul>	12. Ovulation always occurs on the days of the next menstrual flow.
<ul> <li>b. 7</li> <li>d. 30</li> <li>13. A packet of COC which displays the following hormonal ingredients: 0.025</li> <li>Mg oestrogen and progesterone is 500 mg is classified under:</li> <li>a. standard dose</li> <li>b. high dose</li> </ul>	a. 14
<ul> <li>d. 30</li> <li>13. A packet of COC which displays the following hormonal ingredients: 0.025</li> <li>Mg oestrogen and progesterone is 500 mg is classified under:</li> <li>a. standard dose</li> <li>b. high dose</li> </ul>	a. 28
<ul><li>13. A packet of COC which displays the following hormonal ingredients: 0.025</li><li>Mg oestrogen and progesterone is 500 mg is classified under:</li><li>a. standard dose</li><li>b. high dose</li></ul>	b. 7
Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	d. 30
Mg oestrogen and progesterone is 500 mg is classified under:  a. standard dose  b. high dose	
a. standard dose b. high dose	13. A packet of COC which displays the following hormonal ingredients: 0.025
b. high dose	Mg oestrogen and progesterone is 500 mg is classified under:
_	a. standard dose
4	_
	4

9. The duration of contraceptive effectiveness of Cu-380 is approximately:

- c. low dose
- d. medium dose
- 14. Which of the following FP methods has the highest Pearle Index?
- a. male condom
- b. vasectomy
- c. NET-EN
- d. IUCD
- 15. Hloniphile forgot to swallow her lo-femenal tablets last night. She should:
- a. swallow the forgotten tablets as soon as she remembers them and do not bother about using a back up method
- b. swallow the forgotten tablets as soon as she remembers them and use a back up method
- c. swallow the forgotten tablet together with the one for that day
- d. forget about the rest of the cycle and wait for her next menses
- 16. The correct dosage of NET-EN is:
- a. 200 mg per 1ml
- b. 200 mg per 2 ml
- c. 150 mg per 1 ml
- d. 150 mg per 2 ml
- 17. Which of the following pregnant women is NOT at high risk?
- a. 38-year old Fikile
- b. 16-year old Dudu
- c. 20-year old Lelo
- d. 48-year old Gugu

8. Rebecca, whose first pregnancy is 21 weeks old, is in the trimester.
a. first
b. second
c. third
d. fourth
d. Iourui
19. A positive rapid protein reaction (RPR) test in a pregnant woman is associated with:
a. HIV infection
b. syphilis
c. gonorrhoea
d. all the above
20. The sperm may hibernate in the female genital tract for up to:
a. 3 minutes only
b. 3 hours only
c. 3 three days
d. 3 weeks
21. If in one chiefdom with 280 infants, all of them received their DPT/HepB/HiB dose 1 as expected but only 150 continued going for immunization and got their DPT/HepB/HiB dose 3, the immunization coverage in this chiefdom is best described as
a. good
b. satisfactory
c. fair
d. poor
22. An HIV 'exposed' infant who is breastfeeding and the mother is HIV positive must be:
a. initiated on ART
b. put on NVP prophylaxis
6

c. put on cotrimoxazole prohylaxis
d. none of the above
23. The dosage of albendazole given to a 12 month old infant is:
a. 50 mg
b. 100 mg
c. 150 mg
d. 200 mg
24.If the 2 <sup>nd</sup> dose of TT was administered to a pregnant woman on 28 <sup>th</sup> October 2013, the 3 <sup>rd</sup>
dose will be due on
a. 28 <sup>th</sup> December 2013
b. 28 <sup>th</sup> January 2014
c. 28 <sup>th</sup> April 2014
d. 28 <sup>th</sup> June 2014
25. Which of the following activities is associated with gross motor development in
infants?
a. grasping an object with its fingers.
b. lifting up its arm
c. creating bubbling sounds
d. responding to its mother by smiling
26. Development from simple to complex is seen in:
a. a 2-week old neonate trying to move its head.
b. a 6-month old infant saying ba-ba-ba
c. a 4-month old infant responding through smiling.
d. a 9-month old who can sit without support.
7
•

27. A dropout rate of 4% in DPT/HepB/HiB dose three immuzation of infants
is considered:
a. good
b. bad
c. satisfactory
d. poor.
28. With which categorization of access to immunization services may
infants who receive their DPT/HepB/HiB dose one but never receive
their DPT/HepB/HiB dose 3, be associated?
a. good access and good utilization
b. good access but poor utilization
c. poor access but good utilization
d. poor access and poor utilization
29. One of the following is <u>NOT</u> a component of RED:
a. integration
b. planning and management of resources
c. linking services with communities
d. supportive supervision
30. If the mother is on ART, an HIV 'exposed' infant may breastfeed NOT beyond the age
of:
a. 6 weeks
b. 6 months
c. 12 months

d. 24 months

a. the infant being able to first control its head
b. the infant being able to control its urinary bladder
c. the infant starting to utter ba-ba-ba or ma-ma-ma
d. the infant being able to smile
32. The maximum age for administering the vaccine DPT/HepB/HiB dose three is:
a. 11 months
b. 23 months
c. 18 months
d. 10 years
33. The maximum age for administering BCG in children is
a. 5 years
b. 10 years
c. 15 years
d. 18 years
34. One of the following is <u>NOT</u> a characteristic of a 29 month old child with
severe protein energy malnutrition:
a. flabby inner thigh muscles
b. soft inner thigh muscles
c. brittle sparse hair
d. miserable and listless
35. Severe protein energy malnutrition in infants will lead to
a. slow learning.
b. developmental delay
9

31. Within the context of child development, the principle of caudal acquina is associated

with

- c. stunted growth
- d. all the above

[35 points]

#### SECTION B

### **Guided Questions**

### INSTRUCTION

Answer as directed by each question or a part thereof.

### Question 2

The Government of Swaziland places high priority on maternal health promotion.

- 2.1 Name the millennium developmental goal (MDG) that addresses maternal health promotion (1)
- 2.2 Describe the four components of the maternal health programme. (8)
- 2.3 Describe any four areas antenatal care you would select to empower a group of first time pregnant mothers with regards to promoting their own general health during pregnancy (8)
- 2.4 Write down the <u>ANC schedule</u> from booking to term of a first time pregnant woman who has missed one month of periods and is pregnat. (4)
- 2.5 State any four areas you would choose to empower pregnant women who are infected with HIV with regards to protecting their unborn child. (4)

[25 points]

## Question 3

Mfana is 5 years old and has Down Syndrome.

- 3.1 Describe the condition of Down syndrome to a couple who have just been blessed with a baby with this condition (3)
- 3.2 Describe any two challenges that the family faces as a result of the condition of such a family member. (4)
- 3.3 Describe the roles of the following in ensuring that life is more enjoyable to live for the little boy and his family. The:

- (i) social worker (2)
- (ii) community health nurse (2)
- (iii) pastor (2)
- (iv) community police (2)

(8)

[15 points]