# UNIVERSITY OF SWAZILAND SUPPLEMENTARY EXAMINATION 2006

TITLE OF PAPER

**Introductory Organic Chemistry** 

**COURSE NUMBER** 

C203

:

**TIME** 

Three Hours

**INSTRUCTIONS** 

Answer any FOUR Questions. Each

Question carries 25 Marks.

You must not open this paper until the Chief Invigilator so has granted permission to do.

(l) Sulfur

(a) Write the ground state electron configuration of the following electron	ements.
---	---------

(i) Carbon	(2 marks)
(j) Nitrogen	(2 marks)
(k) Oxygen	(2 marks)

(b) With the aid of appropriate illustrations, explain the following terms and concepts in relation to chemical bonds:

(2 marks)

(i)	Lewis concept of the chemical bond		
(ii)	The molecular orbital theory (VSEPR) of chemical bonding		
(iii)	The hybridization of atomic orbital,	in chemical. (3 marks)	
(iv)	Write a complete Lewis structure and the corresponding equivalent resonance structure for each of the following chemical species.		
	(a) The chlorate ion (ClO <sub>3</sub> )	(2 marks)	
	(b) Isocyanic acid (OCNH)	(2 marks)	
	(c) Nitrylchloride (NO <sub>2</sub> Cl)	(2 marks)	
	(d) Methyl nitrite CH <sub>3</sub> NO <sub>2</sub>	(2 marks)	

## **Question 2**

a) Briefly describe the structure and bonding characteristics in BF3 molecule in terms of the following:

i)	Lewis model	(4 marks)
ii)	Valence Shell Electron pair repulsion theory (VSEPR)	(4 marks)
iii)	Orbital hybridization	(5 marks)

On the basis of the Valence Shell Electron pair Repulsion Theory of bonding, b) predict and draw the shape of the following molecules:

i)	Methyl Cation CH <sub>3</sub> <sup>+</sup>	(4 marks)
ii)	Phosphorous trichloride PCl <sub>3</sub>	(4 marks)
iii)	The Carbonate ion CO <sub>3</sub> <sup>2</sup>	(4 marks)

a) Briefly explain the following terms and concepts and give suitable examples in each case to illustrate your answers.

i)	Meso form	(2 marks)
ii)	Racemic mixture	(2 marks)
iii)	Diastereoisomerism	(2 marks)
iv)	Optical activity	(2 marks)

b) The following sequence of reactions describes a synthesis of 2-hydroxy butanoic acid (2) through cyanohydrin compound (1). The sequence is an efficient method for generating a chiral centre in the molecule. Study the sequence and answer the following questions.

CH<sub>3</sub>CH<sub>2</sub>CHO 
$$\xrightarrow{\text{NaCN}}$$
 CH<sub>3</sub> CH<sub>2</sub> CH(OH) CN  $\xrightarrow{\text{dil H}_2SO_4}$  CH<sub>3</sub>CH<sub>2</sub>CH(OH) COOH

1 2

Synthesis scheme for 2-hydroxy butanoic acid (2)

- i) In what sterochemical form is the 2-hydroxy butanoic acid product (2 marks
- ii) Why is the product 2 obtained in the form identified above? (2 marks)
- iii) Write a three dimensional structure and the equivalent Fisher projection formula of (R) 2 hydroxy butanoic acid. (4 marks)
- c) Specify the configuration as (R) and (S) in each stereogenic centre in the following molecules: (9 marks)

HO 
$$_{0}$$
  $_{0}$ 

- a) The structure of tartaric acid, an important compound in the history of stereochemistry is HOOC CH(OH) CH(OH) COOH
  - i) State the number of all the possible stereoisomers of tartaric acid, and draw the Fisher projection structure of each stereoisomer. (8 marks)
  - ii) There are two naturally occurring forms of tartaric acid that are both optically inactive. Name the forms. (4 marks)
- b) Enantiomerically pure amines such as pure (S) -1 phenylpropylamine are often used to resolve racemic forms of acidic compounds such as ( $\pm$ ) lactic acid II.

$$C_6H_5$$
 $C_6H_5$ 
 $C$ 

i. Briefly describe how (S) - 1 – phenylpropylamine (I) may be used to resolve the racemic form of lactic acid (II) into enantiomerically pure acids.

(10 marks)

ii. In the resolution of lactic acid using (S) - 1 – phenylpropylamine as the resolving agent, the compound obtained by re-crystallization of the mixture of diastereomeric salts is (S) - 1 – phenylpropylammonium (R) lactate. Name the other component of the mixture that (being more soluble) remains in solution in the re-crystallization solvent. (3 marks)

a) Briefly explain the following terms. Give an appropriate example in each case to illustrate your answers

i) Chemical reaction (4 marks)

ii) Reaction profile (4 marks)

iii) Reaction Mechanism (4 marks)

b) Heating 2-methylcyclohexanol (1) in phosphoric acid (H<sub>3</sub>PO<sub>4</sub>) is known to convert compound (1) into two isomeric products A and B (see reaction below)

$$\begin{array}{|c|c|}\hline OH \\ \hline CH_3 & + & \frac{H_3PO_4}{Heat} & A \text{ and } B \end{array}$$

T

i) Write the correct structures for A and B.

(4 marks)

- (ii) Write a suitable mechanism for the conversion of 2-methylcyclohexanol to the isomeric products A and B.
- (iii) Write the sequence of reactions that describe a possible synthesis of cyclohexene in a laboratory using cyclohexanol, sodium metal and methanol among other reactions.

$$\bigcirc^{OH} \longrightarrow \bigcirc$$

- a) Using suitable examples give an outline of one general laboratory method for preparing:
  - i) Alkylhalides (CH<sub>3</sub>CH<sub>2</sub>)<sub>2</sub>CHCH<sub>2</sub>X
  - ii) Alkylamine (CH<sub>3</sub> CH<sub>2</sub> CH<sub>2</sub> NH<sub>2</sub>)
- b) Write the sequence of reactions and show the products when:
  - i) Aqueous solution of sodium nitrite (NaNO<sub>2</sub>) is acidified with dilute hydrochloric acid. (4 marks)
  - ii) Butylamine is treated with acidified solution of sodium nitrite in water.

(5 marks)

iii) Iso propylamine (CH<sub>3</sub> CH (CH<sub>3</sub>) NH<sub>2</sub> reacts with acidified solution of sodium nitrite at 0<sup>o</sup>C. (4 marks)