

THE UNIVERSITY OF SWAZILAND

Department of Mathematics

Supplementary Examination 2006

M313

COMPLEX ANALYSIS

Three (3) hours

INSTRUCTIONS

- | |
|---|
| <ol style="list-style-type: none">1. This paper contains SEVEN questions.2. Answer any FIVE questions. |
|---|

THIS EXAMINATION PAPER SHOULD NOT BE OPENED UNTIL PERMISSION
HAS BEEN GRANTED BY THE INVIGILATOR.

M313 Supplementary Exam 2006

Throughout this paper the symbols \mathbb{R}, \mathbb{C} stand for the real numbers and the complex numbers respectively.

- Question 1.** (a) [7 marks] Find all solutions to the equation $z^4 = -16$, expressing them in both rectangular and polar forms. Indicate their position in the complex plane.
 (b) [6 marks] State *de Moivre's Theorem* and use it to prove the identity

$$\sin 3\theta = 3 \sin \theta \cos^2 \theta - \sin^3 \theta$$

- (c) [7 marks] Describe the set of values of z for which $|z + \frac{3}{2}i| = \frac{3}{2}$ and show that it is the same as the set of values of z for which

$$\frac{|z - 3i|}{|z + i|} = 3$$

- Question 2.** (a) [4 marks] Let $f(z)$ be a complex function. What is meant by saying that f is *differentiable* at a point $z_0 \in \mathbb{C}$? What is meant by saying that f is *analytic* in an open set $S \subseteq \mathbb{C}$?
 (b) [4 marks] Show that the function $f(z) = |z - 1|^2$ is differentiable at the point $z = 1$.
 (c) [4 marks] State the *Cauchy-Riemann equations* for a complex function $f(z) = u(x, y) + iv(x, y)$ that is (complex) differentiable at a point $z_0 \in \mathbb{C}$.
 (d) [4 marks] Find $u(x, y)$ and $v(x, y)$ for the function $f(z) = |z - 1|^2$ and deduce that this function is **not** differentiable at z if $z \neq 1$.
 (e) [4 marks] Let $u(x, y) = y(2 + 3x)$. Find a function $v(x, y)$ such that the complex function $f(z) = u(x, y) + iv(x, y)$ is analytic.

- Question 3.** (a) [6 marks] Give the definition of the complex exponential function $\exp(z) = e^z$ (where $z = x + iy$). Show that

$$|e^z| = e^{\operatorname{Re} z}$$

and

$$e^{\bar{z}} = \overline{e^z}$$

for all z .

- (b) [6 marks] (i) Explain the meaning of the complex logarithmic function $\log z$. Show that $\exp(\log z) = z$ for every value of $\log z$.

(ii) What is meant by the *principal value* $\operatorname{Log} z$ for $z \in \mathbb{C}$? Show by an example that it is not always true that $\operatorname{Log}(e^z) = z$.

- (c) [8 marks] Find

(i) $\log i$

(ii) $\log(-1 - \sqrt{3}i)$

CONT ...

Question 4. (a) [4 marks] State without proof the *Cauchy-Goursat Theorem* and *Cauchy's integral formula* for an analytic function and its derivatives. [Ensure that you state clearly the conditions needed to make your statements true.]

(b) [16 marks] Use the above to evaluate the following:

(i) $\int_C \frac{z^2 \cos \pi iz}{z - 3i} dz$ where C is the circle $|z| = 6$ traversed anticlockwise.

(ii) $\int_C \frac{z^2 \cos \pi iz}{z - 3i} dz$ where C is the circle $|z| = 2$ traversed anticlockwise.

(iii) $\int_C \frac{z^2 \cos \pi iz}{(z - 3i)^2} dz$ where C is the circle $|z| = 5$ traversed anticlockwise.

(iv) $\int_C \frac{z^2}{z^2 + 4} dz$ where C is the circle $|z + i| = 2$ traversed anticlockwise.

Question 5. (a) [6 marks] Prove carefully *Cauchy's inequality*: if $f(z)$ is analytic on and within the circle $|z - z_0| = R$ then $|D^n f(z_0)| \leq n! M_R / R^n$ where $M_R = \max\{|f(z)| : |z - z_0| = R\}$.

(b) [4 marks] State *Liouville's Theorem* and deduce it from Cauchy's inequality.

(c) [10 marks] (i) State *Taylor's Theorem* for a complex function $f(z)$. Find the Taylor series about $z_0 = 0$ for the function $f(z) = \frac{z+1}{1-z}$ and state its domain of validity.

(ii) Use your answer in (i) to show that the Laurent series for $f(z) = \frac{z+1}{1-z}$ in the region $|z| > 1$ is

$$\frac{z+1}{1-z} = -1 - \frac{2}{z} - \frac{2}{z^2} - \dots = 1 - 2 \sum_{n=0}^{\infty} \frac{1}{z^n}$$

valid in the region $D = \{z : |z - 1| > 1\}$.

Question 6. (a) [10 marks] Let $f(z)$ be a complex function and $z_0 \in \mathbb{C}$. What is meant by saying that (i) z_0 is a *singular point* (or *singularity*) of f (ii) z_0 is an *isolated singularity* of f (iii) z_0 is a *pole of order m* (where $m \geq 1$).

(b) [10 marks] Describe all the poles, and find the corresponding residues, of the following functions:

(i) $f(z) = \frac{e^{\pi z}}{z^2 + 9}$ (ii) $f(z) = \frac{z^3 + z}{(z - i)^4}$

(Any theorems you use should be stated clearly.)

Question 7. [20 marks] Use the residue theorem and a suitable contour integral to show that

$$\int_{-\infty}^{\infty} \frac{x^2 + 1}{x^4 + 1} = \sqrt{2}\pi$$

(You may use without proof the fact that if $z_0^4 + 1 = 0$ then

$$z^4 + 1 = (z - z_0)(z^3 + z_0 z^2 + z_0^2 z + z_0^3)$$

for all z).

(END)