

UNIVERSITY OF SWAZILAND**EXAMINATION PAPER 2005**

TITLE OF PAPER : CATEGORICAL DATA ANALYSIS

COURSE CODE : ST 481

TIME ALLOWED : TWO (2) HOURS

REQUIREMENTS : CALCULATOR AND STATISTICAL TABLES

**INSTRUCTIONS : ANSWER QUESTION ONE AND ANY OTHER
THREE QUESTIONS**

(ALL QUESTION CARRY EQUAL MARKS)

Question 1

In the Annual Education Statistics Survey of 1999 it was found that 107761 boys and 102024 girls are enrolled in either government or government-aided primary schools. Private primary schools had enrolled 1626 boys and 1627 girls. Is there any relationship between gender and type of school? What is the extent of the any relationship that may exist?

(25 Marks)

Question 2

The Annual Statistical Bulletin of 1999 gives data on the number of tourists that stayed in Traveller Accommodation Establishments (hotels, guest houses, rest camps, etc) in Swaziland over a two year period by location. The data are given below:

	1998	1999
Mbabane	31, 992	24, 793
Ezulwini	178, 382	184, 394
Manzini	6, 159	3, 026
Rest of Swaziland	67, 573	41, 573

The Swaziland tourism Authority would like to know any significant differences that may be associated with location and period under study. Evaluate these data and come up with a conclusion.

(25 Marks)

Question 3

The Annual Transport and Communications Survey in 2003 tabulated the number of vehicle accidents by type of accident and time of accidents. The data are given in the table below. The Road Safety Council wants to know from you, as a statistician/researcher, if the time of accidents (a.m. & p.m.) is related to the three categories of types of accidents? Analyse and advise appropriately.

Types of accidents are categorized into three, namely:

- A. Nose to tail, side, head on collision & rollover;
- B. Obstacle, pedestrian, domestic animal & wild animal;
- C. Other.

Time of Accident	Type of Accident			Total
	A	B	C	
a.m.	1448	435	472	2355
p.m.	2312	1019	676	4007
Total	3760	1454	1148	6362

(25 Marks)

Question 4

The Physicians' Health Study was a clinical trial performed in the United States of America in the late 1980's and early 1990's. It involved physician subjects over the age of 40 who were divided into three groups according to their smoking history: current smokers, past smokers and those who have never smoked. Each subject was assigned randomly to one of two groups. One group of physicians took a small dose of aspirin daily; physicians in the second group took a placebo instead. These physicians were observed over a period of several years; for each subject a record was kept of whether he had a heart attack during the period under study. The table below gives data for physicians who were past smokers;

	Placebo	Aspirin
Had heart attack	105	63
Did not have heart attack	4276	4310

Derive a model, with estimates, that best describes the association between these two variables for the physicians who are past smokers. (25 Marks)

Question 5

Given the following table with a set of models with values of G^2 (likelihood Ratio Criterion) and p -value which relate to;

- Defendant's race **D** : *W* (White), *B* (Black) = Z variable
- Victim's race **V** : *W* (White), *B* (Black) = Y variable
- Death Penalty **P** : *Y* (yes), *N* (No) = X variable

Model	G^2	p -value
(D,V,P)	137.9	0.001
(DV,P)	8.1	0.04
(VP,DV)	1.9	0.39
(DP,VP,DV)	0.70	0.40
(DVP)	0	---

- a) Select two models that provide the best fit for the data and state the reasons for your choice. (2 Marks)
- b) From the two models select the best model and derive its log-linear model and give reasons for selecting it. (8 Marks)
- c) If $n_{111}=19$, $n_{112}=0$, $n_{121}=11$, $n_{122}=6$, $n_{211}=132$, $n_{212}=9$, $n_{221}=52$, and $n_{222}=97$, for the best model chosen in b) calculate $\hat{u}$, $\hat{u}_{D(1)}$ and $\hat{u}_{DV(11)}$. (15 Marks)





TABLE A.4
Areas Under the Normal Curve

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005
-3.1	0.0010	0.0010	0.0010	0.0009	0.0009	0.0009	0.0009	0.0009	0.0009	0.0008
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0011	0.0010
-2.9	0.0018	0.0018	0.0017	0.0017	0.0016	0.0016	0.0015	0.0015	0.0015	0.0014
-2.8	0.0023	0.0023	0.0022	0.0022	0.0021	0.0021	0.0020	0.0020	0.0020	0.0019
-2.7	0.0028	0.0028	0.0027	0.0027	0.0026	0.0026	0.0025	0.0025	0.0025	0.0024
-2.6	0.0034	0.0034	0.0033	0.0033	0.0032	0.0032	0.0031	0.0031	0.0031	0.0030
-2.5	0.0043	0.0043	0.0042	0.0042	0.0041	0.0041	0.0040	0.0040	0.0040	0.0039
-2.4	0.0054	0.0054	0.0053	0.0053	0.0052	0.0052	0.0051	0.0051	0.0051	0.0050
-2.3	0.0068	0.0068	0.0067	0.0067	0.0066	0.0066	0.0065	0.0065	0.0065	0.0064
-2.2	0.0082	0.0082	0.0081	0.0081	0.0080	0.0080	0.0079	0.0079	0.0079	0.0078
-2.1	0.0107	0.0107	0.0106	0.0106	0.0105	0.0105	0.0104	0.0104	0.0104	0.0103
-2.0	0.0139	0.0139	0.0138	0.0138	0.0137	0.0137	0.0136	0.0136	0.0136	0.0135
-1.9	0.0179	0.0179	0.0178	0.0178	0.0177	0.0177	0.0176	0.0176	0.0176	0.0175
-1.8	0.0228	0.0228	0.0227	0.0227	0.0226	0.0226	0.0225	0.0225	0.0225	0.0224
-1.7	0.0287	0.0287	0.0286	0.0286	0.0285	0.0285	0.0284	0.0284	0.0284	0.0283
-1.6	0.0359	0.0359	0.0358	0.0358	0.0357	0.0357	0.0356	0.0356	0.0356	0.0355
-1.5	0.0446	0.0446	0.0445	0.0445	0.0444	0.0444	0.0443	0.0443	0.0443	0.0442
-1.4	0.0548	0.0548	0.0547	0.0547	0.0546	0.0546	0.0545	0.0545	0.0545	0.0544
-1.3	0.0668	0.0668	0.0667	0.0667	0.0666	0.0666	0.0665	0.0665	0.0665	0.0664
-1.2	0.0808	0.0808	0.0807	0.0807	0.0806	0.0806	0.0805	0.0805	0.0805	0.0804
-1.1	0.0968	0.0968	0.0967	0.0967	0.0966	0.0966	0.0965	0.0965	0.0965	0.0964
-1.0	0.1149	0.1149	0.1148	0.1148	0.1147	0.1147	0.1146	0.1146	0.1146	0.1145
-0.9	0.1357	0.1357	0.1356	0.1356	0.1355	0.1355	0.1354	0.1354	0.1354	0.1353
-0.8	0.1587	0.1587	0.1586	0.1586	0.1585	0.1585	0.1584	0.1584	0.1584	0.1583
-0.7	0.1841	0.1841	0.1840	0.1840	0.1839	0.1839	0.1838	0.1838	0.1838	0.1837
-0.6	0.2120	0.2120	0.2119	0.2119	0.2118	0.2118	0.2117	0.2117	0.2117	0.2116
-0.5	0.2420	0.2420	0.2419	0.2419	0.2418	0.2418	0.2417	0.2417	0.2417	0.2416
-0.4	0.2743	0.2743	0.2742	0.2742	0.2741	0.2741	0.2740	0.2740	0.2740	0.2739
-0.3	0.3085	0.3085	0.3084	0.3084	0.3083	0.3083	0.3082	0.3082	0.3082	0.3081
-0.2	0.3446	0.3446	0.3445	0.3445	0.3444	0.3444	0.3443	0.3443	0.3443	0.3442
-0.1	0.3821	0.3821	0.3820	0.3820	0.3819	0.3819	0.3818	0.3818	0.3818	0.3817
0.0	0.4202	0.4202	0.4201	0.4201	0.4200	0.4200	0.4199	0.4199	0.4199	0.4198
0.1	0.4580	0.4580	0.4580	0.4580	0.4580	0.4580	0.4580	0.4580	0.4580	0.4580
0.2	0.4960	0.4960	0.4960	0.4960	0.4960	0.4960	0.4960	0.4960	0.4960	0.4960
0.3	0.5340	0.5340	0.5340	0.5340	0.5340	0.5340	0.5340	0.5340	0.5340	0.5340
0.4	0.5719	0.5719	0.5719	0.5719	0.5719	0.5719	0.5719	0.5719	0.5719	0.5719
0.5	0.6095	0.6095	0.6095	0.6095	0.6095	0.6095	0.6095	0.6095	0.6095	0.6095
0.6	0.6469	0.6469	0.6469	0.6469	0.6469	0.6469	0.6469	0.6469	0.6469	0.6469
0.7	0.6841	0.6841	0.6841	0.6841	0.6841	0.6841	0.6841	0.6841	0.6841	0.6841
0.8	0.7210	0.7210	0.7210	0.7210	0.7210	0.7210	0.7210	0.7210	0.7210	0.7210
0.9	0.7577	0.7577	0.7577	0.7577	0.7577	0.7577	0.7577	0.7577	0.7577	0.7577
1.0	0.7940	0.7940	0.7940	0.7940	0.7940	0.7940	0.7940	0.7940	0.7940	0.7940
1.1	0.8300	0.8300	0.8300	0.8300	0.8300	0.8300	0.8300	0.8300	0.8300	0.8300
1.2	0.8649	0.8649	0.8649	0.8649	0.8649	0.8649	0.8649	0.8649	0.8649	0.8649
1.3	0.8996	0.8996	0.8996	0.8996	0.8996	0.8996	0.8996	0.8996	0.8996	0.8996
1.4	0.9332	0.9332	0.9332	0.9332	0.9332	0.9332	0.9332	0.9332	0.9332	0.9332
1.5	0.9654	0.9654	0.9654	0.9654	0.9654	0.9654	0.9654	0.9654	0.9654	0.9654
1.6	0.9963	0.9963	0.9963	0.9963	0.9963	0.9963	0.9963	0.9963	0.9963	0.9963
1.7	0.9993	0.9993	0.9993	0.9993	0.9993	0.9993	0.9993	0.9993	0.9993	0.9993
1.8	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
1.9	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.0	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.1	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.2	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.3	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.4	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.5	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.6	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.7	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.8	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
2.9	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.0	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.1	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.2	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.3	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999
3.4	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999	0.9999


TABLE A.5*
Critical Values of the t Distribution



v	α				
	0.10	0.05	0.025	0.01	0.005
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.541	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.583	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.807
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
inf.	1.282	1.645	1.960	2.326	2.576

*Table A.5 is taken from Table IV of R. A. Fisher, *Statistical Methods for Research Workers*, Oliver & Boyd Ltd., Edinburgh, by permission of the author and publishers.


TABLE A.6*
Critical Values of the Chi-Square Distribution



ν	α							
	0.995	0.99	0.975	0.95	0.05	0.025	0.01	0.005
1	0.00493	0.00793	0.0157	0.02393	3.841	5.024	6.635	7.879
2	0.0100	0.0201	0.0506	0.103	5.991	7.378	9.210	10.597
3	0.0717	0.115	0.216	0.352	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	11.070	12.832	15.086	16.750
6	0.676	0.872	1.237	1.635	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	21.026	23.337	26.217	28.300
13	3.565	4.107	5.009	5.892	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	36.415	39.364	42.980	45.558
25	10.520	11.524	13.120	14.611	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	40.113	43.194	46.963	49.645
28	12.461	13.565	15.308	16.928	41.337	44.461	48.278	50.993
29	13.121	14.256	16.047	17.708	42.557	45.722	49.588	52.336
30	13.787	14.953	16.791	18.493	43.773	46.979	50.892	53.672

*Abridged from Table 8 of *Biometrika Tables for Statisticians*, Vol. 1, by permission of E. S. Pearson and the Biometrika Trustees.

TABLE A.7*
Critical Values of the F Distribution



ν_2	ν_1								
	1	2	3	4	5	6	7	8	9
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

*Reproduced from Table 18 of *Biometrika Tables for Statisticians*, Vol. 1, by permission of E. S. Pearson and the Biometrika Trustees.

TABLE A.7 (continued)
Critical Values of the F Distribution
 $f_{\alpha}(v_1, v_2)$

v_2	v_1									
	10	12	15	20	24	30	40	60	120	∞
1	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	8.79	8.74	8.66	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

TABLE A.7 (continued)
Critical Values of the F Distribution
 $f_{\alpha}(v_1, v_2)$

v_2	v_1								
	1	2	3	4	5	6	7	8	9
1	4052	4899.5	5403	5625	5764	5859	5928	5981	6022
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41

TABLE A.7 (continued)
Critical Values of the *F* Distribution
 $f_{\alpha}(v_1, v_2)$

v_2	v_1									
	10	12	15	20	24	30	40	60	120	∞
1	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366
2	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	27.23	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13
4	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46
5	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02
6	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86
9	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36
13	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17
14	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	3.51	3.37	3.23	3.08	2.92	2.84	2.75	2.66	2.57	2.57
19	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42
21	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21
25	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17
26	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06
29	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38
∞	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00