

UNIVERSITY OF SWAZILAND

SUPPLEMENTARY EXAMINATION PAPER 2008

TITLE OF PAPER : TOPICS IN STATISTICS (ADVANCED CATEGORICAL DATA ANALYSIS)

COURSE CODE : ST 405

TIME ALLOWED : THREE (3) HOURS

REQUIREMENTS : CALCULATOR AND STATISTICAL TABLES

INSTRUCTIONS : ANSWER ANY FOUR QUESTIONS

(ALL QUESTION CARRY EQUAL MARKS)

Question 1

An art gallery is due to celebrate its 50th anniversary in 2005. As part of its celebrations, it wishes to commission a new sculpture to be displayed in the gallery. To find a suitable sculpture, it decided to run a competition in which it invited local artists to submit designs. A panel of experts selected a short-list of three designs for the gallery to choose from. To assist in the final decision, the gallery conducted a survey in which a random sample of local adults were sent copies of the three designs and asked to indicate their preference. The replies received from male and female adults are given in the following table.

		Preferred design		
		A	B	C
Males		129	24	47
Females		126	44	55

Carry out a suitable analysis of these data to investigate the scope of the opinion of adults concerning the preferred design is the same for males and females.

(20 Marks)

Question 2

In the UK, all patients surviving a stroke are supposed to have their cholesterol levels measured soon after their stroke and regularly thereafter. A sample of medical records of men and women who had suffered a stroke was examined to determine whether there was a difference between the sexes in the proportions of stroke survivors who had had a recently recorded cholesterol measurement. The following data were obtained.

Sex		Cholesterol level recorded	
		No	Yes
Female		109	22
Male		97	77

Test the null hypothesis that there is no association between an individual's sex and the chance of he or she having a recently recorded cholesterol measurement.

(20 Marks)

Question 3

A logistic model is used to describe how the probability p of voting for the Republican Candidate in a presidential election depends on X = the voter's total family income (in '000) in the previous year. The prediction equation obtained using a particular sample is:

$$\log \frac{p}{1-p} = -1.4 + .05X$$

- At what income is the estimated probability of voting for the Republican candidate equal to .5?
- Over what region of income values is the voter predicted to be more likely to vote Republican than Democrat?

- c) What is the estimated probability of voting for the Republican candidate for various levels of income: \$10,000? \$20,000 and \$50,000?
- d) Use the prediction equation to obtain an interpretation of how the odds of voting Republican depend on family income.
- e) Suppose you add two more variables to explain voting behaviour. Now, X_1 = family income, X_2 = # years of education, and X_3 = sex (1 = male, 0 = female). The model now becomes

$$\log \frac{p}{1-p} = -2.0 + .03X_1 + .08X_2 + .20X_3$$

How will you interpret the coefficients now?

(20 Marks)

Question 4

Births by caesarean section are said to be more frequent in private (fee paying) hospitals as compared to non-fee paying public hospitals. Data about total annual births and the number of caesarean sections carried out were obtained from the records of 4 private hospitals and 16 public hospitals. The response variable 'Caesarean Sections' was regressed against the explanatory variables viz. 'number of births'; 'number of obstetricians', and 'public hospital'(i.e. Public hospital =1; Private Hospital =0) in the analysis. The computer output is given below;

***** Regression Analysis *****

Response variate: CAESAREA
 Distribution: Poisson
 Link function: Log
 Fitted terms: Constant, BIRTHS, HOSP_TYP

*** Summary of analysis ***

	d.f.	mean deviance	deviance ratio
Regression	2	81.951077606	40.975538803
Residual	17	18.039200449	1.061129438
Total	19	99.990278055	5.262646213

Change -2 -81.951077606 40.975538803 40.98

* MESSAGE: ratios are based on dispersion parameter with value 1

* MESSAGE: The following units have large standardized residuals:

5 -2.48

* MESSAGE: The following units have high leverage:

9 0.41

*** Estimates of regression coefficients ***

	estimate	s.e.	t(*)
Constant	1.351	0.249	5.43
BIRTHS	0.0003261	0.0000603	5.41
HOSP_TYP	1.045	0.272	3.84

* MESSAGE: s.e.s are based on dispersion parameter with value 1

Justify the method of analysis, state the model, interpret all relevant estimates and write a short report.

(20 Marks)

Question 5

```
> ftable(dp, row.vars=c("Victim", "Defendant"), col.vars="DeathPen")
   DeathPen yes no
Victim Defendant
white  white      53 414
      black       11 37
black  white       0 16
      black       4 139
> mantelhaen.test(dp)
```

Given the R code above reproduce the value of the test statistic that will be generated using this code. Compare it with the ordinary Chi-square value and rationalize their usefulness.

(20 Marks)

Question 6

```
> fit1=glm(Freq ~ sex*agegrp+polviews*sex+polviews*agegrp,
+           family=poisson, data=DF)
> anova(fit1,test='Chisq')
Analysis of Deviance Table

Model: poisson, link: log

Response: Freq

Terms added sequentially (first to last)
```

	Df	Deviance	Resid.	Df	Resid.	Dev	P(> Chi)
NULL			55		566.00		
sex	1	2.44	54		563.56		0.12
agegrp	3	0.05	51		563.52		1.00
polviews	6	465.25	45		98.27	2.558e-97	
sex:agegrp	3	10.81	42		87.45		0.01
sex:polviews	6	3.66	36		83.79		0.72
agegrp:polviews	18	62.18	18		21.61	9.045e-07	

State model and justify the method used in the above analysis. Also comment on each of the variables in the model.

(20 marks)

I. Cumulative Standard Normal Distribution^a

$$\Phi(z) = \int_{-\infty}^z \frac{1}{\sqrt{2\pi}} e^{-u^2/2} du$$

<i>z</i>	.00	.01	.02	.03	.04	<i>z</i>
.0	.50000	.50399	.50798	.51197	.51595	.0
.1	.53983	.54379	.54776	.55172	.55567	.1
.2	.57926	.58317	.58706	.59095	.59483	.2
.3	.61791	.62172	.62551	.62930	.63307	.3
.4	.65542	.65910	.66276	.66640	.67003	.4
.5	.69146	.69497	.69847	.70194	.70540	.5
.6	.72575	.72907	.73237	.73565	.73891	.6
.7	.75803	.76115	.76424	.76730	.77035	.7
.8	.78814	.79103	.79389	.79673	.79954	.8
.9	.81594	.81859	.82121	.82381	.82639	.9
1.0	.84134	.84375	.84613	.84849	.85083	1.0
1.1	.86433	.86650	.86864	.87076	.87285	1.1
1.2	.88493	.88686	.88877	.89065	.89251	1.2
1.3	.90320	.90490	.90658	.90824	.90988	1.3
1.4	.91924	.92073	.92219	.92364	.92506	1.4
1.5	.93319	.93448	.93574	.93699	.93822	1.5
1.6	.94520	.94630	.94738	.94845	.94950	1.6
1.7	.95543	.95637	.95728	.95818	.95907	1.7
1.8	.96407	.96485	.96562	.96637	.96711	1.8
1.9	.97128	.97193	.97257	.97320	.97381	1.9
2.0	.97725	.97778	.97831	.97882	.97932	2.0
2.1	.98214	.98257	.98300	.98341	.98382	2.1
2.2	.98610	.98645	.98679	.98713	.98745	2.2
2.3	.98928	.98956	.98983	.99010	.99036	2.3
2.4	.99180	.99202	.99224	.99245	.99266	2.4
2.5	.99379	.99396	.99413	.99430	.99446	2.5
2.6	.99534	.99547	.99560	.99573	.99585	2.6
2.7	.99653	.99664	.99674	.99683	.99693	2.7
2.8	.99744	.99752	.99760	.99767	.99774	2.8
2.9	.99813	.99819	.99825	.99831	.99836	2.9
3.0	.99865	.99869	.99874	.99878	.99882	3.0
3.1	.99903	.99906	.99910	.99913	.99916	3.1
3.2	.99931	.99934	.99936	.99938	.99940	3.2
3.3	.99952	.99953	.99955	.99957	.99958	3.3
3.4	.99966	.99968	.99969	.99970	.99971	3.4
3.5	.99977	.99978	.99978	.99979	.99980	3.5
3.6	.99984	.99985	.99985	.99986	.99986	3.6
3.7	.99989	.99990	.99990	.99990	.99991	3.7
3.8	.99993	.99993	.99993	.99994	.99994	3.8
3.9	.99995	.99995	.99996	.99996	.99996	3.9

^aReproduced with permission from *Probability and Statistics in Engineering and Management Science*, 3rd edition, by W. W. Hines and D. C. Montgomery, Wiley, New York, 1990.

II. Percentage Points of the t Distribution^a

ν	α	.40	.25	.10	.05	.025	.01	.005	.0025	.001	.0005
1	.325	1.000	3.078	6.314	12.706	31.821	63.657	127.32	318.31	636.62	
2	.289	.816	1.886	2.920	4.303	6.965	9.925	14.089	23.326	31.598	
3	.277	.765	1.638	2.353	3.182	4.541	5.841	7.453	10.213	12.924	
4	.271	.741	1.533	2.132	2.776	3.747	4.604	5.598	7.173	8.610	
5	.267	.727	1.476	2.015	2.571	3.365	4.032	4.773	5.893	6.869	
6	.265	.727	1.440	1.943	2.447	3.143	3.707	4.317	5.208	5.959	
7	.263	.711	1.415	1.895	2.365	2.998	3.499	4.019	4.785	5.408	
8	.262	.706	1.397	1.860	2.306	2.896	3.355	3.833	4.501	5.041	
9	.261	.703	1.383	1.833	2.262	2.821	3.250	3.690	4.297	4.781	
10	.260	.700	1.372	1.812	2.228	2.764	3.169	3.581	4.144	4.587	
11	.260	.697	1.363	1.796	2.201	2.718	3.106	3.497	4.025	4.437	
12	.259	.695	1.356	1.782	2.179	2.681	3.055	3.428	3.930	4.318	
13	.259	.694	1.350	1.771	2.160	2.650	3.012	3.372	3.852	4.221	
14	.258	.692	1.345	1.761	2.145	2.624	2.977	3.326	3.787	4.140	
15	.258	.691	1.341	1.753	2.131	2.602	2.947	3.286	3.733	4.073	
16	.258	.690	1.337	1.746	2.120	2.583	2.921	3.252	3.686	4.015	
17	.257	.689	1.333	1.740	2.110	2.567	2.898	3.222	3.646	3.965	
18	.257	.688	1.330	1.734	2.101	2.552	2.878	3.197	3.610	3.922	
19	.257	.688	1.328	1.729	2.093	2.539	2.861	3.174	3.579	3.883	
20	.257	.687	1.325	1.725	2.086	2.528	2.845	3.153	3.552	3.850	
21	.257	.686	1.323	1.721	2.080	2.518	2.831	3.135	3.527	3.819	
22	.256	.686	1.321	1.717	2.074	2.508	2.819	3.119	3.505	3.792	
23	.256	.685	1.319	1.714	2.069	2.500	2.807	3.104	3.485	3.767	
24	.256	.685	1.318	1.711	2.064	2.492	2.797	3.091	3.467	3.745	
25	.256	.684	1.316	1.708	2.060	2.485	2.787	3.078	3.450	3.725	
26	.256	.684	1.315	1.706	2.056	2.479	2.779	3.067	3.435	3.707	
27	.256	.684	1.314	1.703	2.052	2.473	2.771	3.057	3.421	3.690	
28	.256	.683	1.313	1.701	2.048	2.467	2.763	3.047	3.408	3.674	
29	.256	.683	1.311	1.699	2.045	2.462	2.756	3.038	3.396	3.659	
30	.256	.683	1.310	1.697	2.042	2.457	2.750	3.030	3.385	3.646	
40	.255	.681	1.303	1.684	2.021	2.423	2.704	2.971	3.307	3.551	
60	.254	.679	1.296	1.671	2.000	2.390	2.660	2.915	3.232	3.460	
120	.254	.677	1.289	1.658	1.980	2.358	2.617	2.860	3.160	3.373	
∞	.253	.674	1.282	1.645	1.960	2.326	2.576	2.807	3.090	3.291	

 ν = degrees of freedom.

^aAdapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition, by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

III. Percentage Points of the χ^2 Distribution*

v	α	.995	.990	.975	.950	.500	.050	.025	.010	.005
1	0.00 +	0.00 +	0.00 +	0.00 +	0.45	3.84	5.02	6.63	7.88	
2	0.01	0.02	0.05	0.10	1.39	5.99	7.38	9.21	10.60	
3	0.07	0.11	0.22	0.35	2.37	7.81	9.35	11.34	12.84	
4	0.21	0.30	0.48	0.71	3.36	9.49	11.14	13.28	14.86	
5	0.41	0.55	0.83	1.15	4.35	11.07	12.38	15.09	16.75	
6	0.68	0.87	1.24	1.64	5.35	12.59	14.45	16.81	18.55	
7	0.99	1.24	1.69	2.17	6.35	14.07	16.01	18.48	20.28	
8	1.34	1.65	2.18	2.73	7.34	15.51	17.53	20.09	21.96	
9	1.73	2.09	2.70	3.33	8.34	16.92	19.02	21.67	23.59	
10	2.16	2.56	3.25	3.94	9.34	18.31	20.48	23.21	25.19	
11	2.60	3.05	3.82	4.57	10.34	19.68	21.92	24.72	26.76	
12	3.07	3.57	4.40	5.23	11.34	21.03	23.34	26.22	28.30	
13	3.57	4.11	5.01	5.89	12.34	22.36	24.74	27.69	29.82	
14	4.07	4.66	5.63	6.57	13.34	23.68	26.12	29.14	31.32	
15	4.60	5.23	6.27	7.26	14.34	25.00	27.49	30.58	32.80	
16	5.14	5.81	6.91	7.96	15.34	26.30	28.85	32.00	34.27	
17	5.70	6.41	7.56	8.67	16.34	27.59	30.19	33.41	35.72	
18	6.26	7.01	8.23	9.39	17.34	28.87	31.53	34.81	37.16	
19	6.84	7.63	8.91	10.12	18.34	30.14	32.85	36.19	38.58	
20	7.43	8.26	9.59	10.85	19.34	31.41	34.17	37.57	40.00	
25	10.52	11.52	13.12	14.61	24.34	37.65	40.65	44.31	46.93	
30	13.79	14.95	16.79	18.49	29.34	43.77	46.98	50.89	53.67	
40	20.71	22.16	24.43	26.51	39.34	55.76	59.34	63.69	66.77	
50	27.99	29.71	32.36	34.76	49.33	67.50	71.42	76.15	79.49	
60	35.53	37.48	40.48	43.19	59.33	79.08	83.30	88.38	91.95	
70	43.28	45.44	48.76	51.74	69.33	90.53	95.02	100.42	104.22	
80	51.17	53.54	57.15	60.39	79.33	101.88	106.63	112.33	116.32	
90	59.20	61.75	65.65	69.13	89.33	113.14	118.14	124.12	128.30	
100	67.33	70.06	74.22	77.93	99.33	124.34	129.56	135.81	140.17	

 v = degrees of freedom*Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

APPENDIX

IV. Percentage Points of the F Distribution^a

n ₁	n ₂	Degrees of Freedom for the Numerator (n ₁)												n ₂					
		1	2	3	4	5	6	7	8	9	10	12	15						
1	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32	9.41	9.49	9.58	9.63	9.67	9.71	9.76	9.80	9.85
2	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38	3.39	3.41	3.43	3.44	3.45	3.46	3.47	3.47	3.48
3	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.45	2.46	2.46	2.46	2.47	2.47	2.47	2.47	2.47	2.47
4	1.81	2.00	2.15	2.16	2.07	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08
5	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.88	1.88	1.88	1.87	1.87	1.87
6	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77	1.77	1.77	1.76	1.75	1.75	1.75	1.74	1.74	1.74
7	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.70	1.69	1.68	1.68	1.67	1.67	1.66	1.66	1.65	1.65	1.65
8	1.54	1.66	1.67	1.66	1.65	1.64	1.64	1.63	1.63	1.62	1.61	1.60	1.59	1.59	1.58	1.58	1.58	1.58	1.58
9	1.51	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.55	1.55	1.54	1.54	1.53	1.53	1.53
10	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.54	1.53	1.52	1.52	1.51	1.51	1.50	1.49	1.48
11	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.53	1.52	1.51	1.50	1.49	1.49	1.48	1.47	1.47	1.46	1.45
12	1.46	1.56	1.56	1.55	1.54	1.53	1.53	1.52	1.51	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42
13	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.49	1.48	1.47	1.46	1.45	1.45	1.44	1.43	1.42	1.41	1.40
14	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.38
15	1.43	1.52	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45	1.44	1.43	1.42	1.41	1.41	1.40	1.39	1.38	1.37
16	1.42	1.51	1.51	1.50	1.49	1.47	1.46	1.45	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35
17	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.44	1.43	1.42	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33
18	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.42	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32
19	1.41	1.49	1.49	1.47	1.46	1.45	1.43	1.42	1.41	1.40	1.38	1.36	1.35	1.35	1.34	1.34	1.33	1.32	1.30
20	1.40	1.49	1.48	1.47	1.45	1.44	1.43	1.42	1.41	1.40	1.39	1.37	1.35	1.35	1.34	1.33	1.32	1.31	1.29
21	1.40	1.48	1.48	1.46	1.44	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.35	1.34	1.33	1.32	1.31	1.30	1.28
22	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.39	1.37	1.36	1.34	1.33	1.32	1.31	1.30	1.29	1.28
23	1.39	1.47	1.47	1.45	1.43	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.28
24	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.29	1.28	1.26
25	1.39	1.47	1.46	1.44	1.42	1.41	1.40	1.39	1.38	1.37	1.36	1.34	1.33	1.32	1.31	1.30	1.29	1.28	1.25
26	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37	1.35	1.34	1.32	1.31	1.30	1.29	1.28	1.26	1.23
27	1.38	1.46	1.45	1.43	1.42	1.40	1.39	1.38	1.37	1.36	1.35	1.33	1.32	1.31	1.30	1.29	1.28	1.27	1.24
28	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.36	1.35	1.34	1.33	1.32	1.31	1.30	1.29	1.27	1.24
29	1.38	1.45	1.45	1.43	1.41	1.40	1.38	1.37	1.36	1.35	1.34	1.32	1.31	1.30	1.29	1.28	1.27	1.25	1.23
30	1.38	1.45	1.44	1.42	1.41	1.39	1.37	1.36	1.35	1.34	1.32	1.30	1.29	1.28	1.27	1.26	1.24	1.23	1.23
40	1.36	1.44	1.42	1.40	1.39	1.37	1.36	1.35	1.34	1.33	1.31	1.29	1.28	1.26	1.25	1.24	1.22	1.21	1.19
60	1.35	1.42	1.41	1.38	1.37	1.35	1.33	1.32	1.31	1.30	1.29	1.27	1.25	1.24	1.22	1.21	1.19	1.17	1.15
120	1.34	1.40	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25	1.24	1.22	1.21	1.19	1.18	1.16	1.15	1.10
m	1.32	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25	1.24	1.22	1.21	1.19	1.18	1.16	1.14	1.12	1.09

^a = degrees of freedom^b Adapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition by R. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

IV. Percentage Points of the F Distribution (continued)

n_1	Degrees of Freedom for the Numerator (n_1)												n						
	1	2	3	4	5	6	7	8	9	10	12	15							
1	39.66	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33
2	8.53	9.00	9.16	9.24	9.29	9.35	9.39	9.41	9.42	9.44	9.46	9.47	9.48	9.48	9.49	9.49	9.49	9.49	9.49
3	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.23	5.22	5.20	5.18	5.17	5.16	5.15	5.14	5.13	5.12	5.11
4	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76
5	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10
6	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72
7	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.56	2.54	2.51	2.49	2.47	2.47
8	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.29
9	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16
10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.06
11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97
12	3.18	2.81	2.61	2.48	2.43	2.35	2.30	2.29	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90
13	3.14	2.76	2.56	2.43	2.35	2.29	2.23	2.20	2.16	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.85	1.83
14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80
15	3.07	2.70	2.69	2.56	2.47	2.37	2.31	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79
16	3.05	2.67	2.46	2.33	2.24	2.15	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72
17	3.03	2.64	2.44	2.31	2.22	2.13	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69
18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.96	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66
19	2.99	2.61	2.40	2.27	2.18	2.11	2.04	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63
20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61
21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.63	1.59
22	2.95	2.56	2.35	2.22	2.13	2.05	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57
23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.96	1.92	1.89	1.84	1.80	1.74	1.71	1.69	1.66	1.63	1.59	1.55
24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.90	1.86	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.53
25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52
26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50
27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.83	1.79	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49
28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.89	1.84	1.79	1.74	1.69	1.65	1.61	1.56	1.52	1.48	1.44	1.40
29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.84	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47
30	2.88	2.49	2.28	2.14	2.03	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46
40	2.64	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38
60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29
120	2.73	2.35	2.13	1.99	1.82	1.77	1.72	1.68	1.64	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19	1.13
240	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.10

IV. Percentage Points of the F Distribution (continued)

n_1	Degrees of Freedom for the Numerator (n_1)												n					
	1	2	3	4	5	6	7	8	9	10	12	15						
16	1.995	2.157	2.246	2.302	2.340	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.35	19.37	19.38	19.40	19.43	19.45	19.46	19.47	19.48	19.49	19.50		
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.73	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40
6	5.99	5.14	4.76	4.53	4.39	4.24	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.33	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81
24	4.26	3.40	3.01	2.79	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.75
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58
60	4.00	3.15	2.76	2.53	2.37	2.29	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.53	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22

IV. Percentage Points of the F Distribution (continued)

n_1	n_2	Degrees of Freedom for the Numerator (n_1)												n
		1	2	3	4	5	6	7	8	9	10	12	15	
1	647.8	799.5	864.2	899.6	921.8	957.1	948.2	956.7	963.3	968.6	976.7	984.9	993.1	1010
2	30.31	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42
8	7.57	6.06	5.42	5.05	4.82	4.63	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.76	3.72	3.62	3.52	3.42	3.37
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17
12	6.53	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.99	2.92	2.82	2.72	2.62	2.56
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73	2.64	2.53	2.42	2.37
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.44	2.38
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	2.30
24	5.72	4.32	3.72	3.38	3.15	2.99	2.89	2.87	2.79	2.70	2.64	2.54	2.44	2.33
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15
30	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.14
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39	2.29	2.18	2.07	2.01
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.88
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.76
8	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.64

IV. Percentage Points of the F Distribution (continued)

v_1	Degrees of Freedom for the Numerator (v_1)												v_2						
	1	2	3	4	5	6	7	8	9	10	12	15							
1	4052	4999.5	5407	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	34.12	36.82	39.46	42.71	44.24	47.91	51.46	57.67	27.35	27.23	27.05	26.87	26.69	26.50	26.41	26.32	26.22	26.13	26.13
4	21.20	18.00	16.69	15.98	15.52	15.21	14.94	14.80	14.66	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.99	9.92	9.85	9.75	9.67	9.58	9.29	9.11	9.02
6	13.73	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.60	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.45	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.28	5.20	5.12	5.03	4.95	4.86	4.86
9	10.36	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.35	5.99	5.64	5.39	5.20	5.06	4.94	4.83	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	9.35	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.57	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.52	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.85	2.78	2.69	2.61	2.52	2.42
21	8.02	5.78	4.87	4.57	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	7.99	5.72	4.82	4.51	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	7.98	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	7.92	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	2.99	2.73	2.57	2.49	2.40	2.31	2.21	2.14	2.03
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.55	2.47	2.39	2.30	2.21	2.01
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.34	2.26	2.17	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.05	1.95	1.86	1.76	1.66	1.53	1.38
m	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00