



UNIVERSITY OF SWAZILAND

SUPPLEMENTARY EXAMINATION PAPER 2009

TITLE OF PAPER : PROBABILITY THEORY

COURSE CODE : ST 201

TIME ALLOWED : THREE (3) HOURS

INSTRUCTIONS : ANSWER ANY FOUR QUESTIONS.

REQUIREMENTS: SCIENTIFIC CALCULATOR.

QUESTION ONE

ATM card holders with a certain bank are each assigned a 4-digit PIN (personal identity number). How many different possible PINs are there under each of the following conditions?

- a) The first digit may not be zero.

(3 Marks)

- b) The first digit may not be zero, and the four digits may not all be the same.

(3 Marks)

- c) No zeros are allowed in any position and all four digits must be different.

(4 Marks)

- d) Zeros are allowed in all positions but sequences of four consecutive digits up (e.g. 2 3 4 5) or down (e.g. 3 2 1 0) are not allowed.

(4 Marks)

- e) Zeros are allowed in all positions but no digit may occur more than twice.

(6 Marks)

QUESTION TWO

The random variable X has probability density function $f(x)$ given by

$$f(x) = kx^2(1-x), \quad 0 \leq x \leq 1$$

- a) Show that $k = 12$.

(2 Marks)

- b) Show that the mode of X is at $x = 2/3$ and draw a graph of $f(x)$.

(5 Marks)

- c) Find the mean and variance of X .

(5 Marks)

- d) Find the cumulative distribution function of X and obtain the probability that X lies within one standard deviation of its mean.

(8 Marks)

QUESTION THREE

The total claim amount X made in one year on a portfolio of insurance policies has probability density function;

$$f(x) = \begin{cases} \lambda^2 x e^{-\lambda x} & x \geq 0, \lambda > 0 \\ 0 & \text{otherwise} \end{cases}$$

a) Show that

i) $E(X) = 2/\lambda$

ii) $\text{Var}(X) = 2/\lambda^2$

iii) $P(X > x) = e^{-\lambda x}(1 + \lambda x)$

(9 Marks)

b) If X is measured in units of E1000, λ may be assumed to take the value 0.01. The company has a total sum (policyholders' premiums + reserves) of E500,000 available to meet the year's claims. Show that the probability that the company is ruined (i.e. $P(X > 500)$) is 0.040 (to 3 decimal places).

(4 Marks)

c) A trainee actuary mistakenly assumes the distribution of total claim amount to be Normal with the same mean and variance as X (taking $\lambda = 0.01$). On this assumption, find the probability of ruin, given that E500,000 is available to meet the year's claims.

(4 Marks)

d) Making this mistaken assumption of Normality, the trainee calculates that E450,000 is the sum to be set aside to meet the year's claims with a probability of ruin of less than 0.04. What is the true probability of ruin, if only E450,000 is available to meet the year's claims?

(3 Marks)

QUESTION FOUR

- a) The random variables $X_1, \dots, X_4$ have a joint p.d.f. given by

$$f(x_1, x_2, x_3, x_4) = \begin{cases} \frac{3}{4}(x_1^2 + x_2^2 + x_3^2 + x_4^2) & 0 < x_i < 1, i = 1, 2, 3, 4 \\ 0 & \text{otherwise} \end{cases}$$

- i) Use the joint probability density function to compute $P(X_1 < 1/2, X_2 < 3/4, X_3 < 1, X_4 > 1/2)$ (8 Marks)
 - ii) Compute the marginal probability density function of (X_1, X_2) (7 Marks)
- b) If X and Y have the joint p.d.f. $f(x, y) = ce^{-x}e^{-2y}$ for $0 < x < 1$ and $x < y < 1$, what the value of the constant is c ? (5 Marks)

QUESTION FIVE

- a) Let X have a uniform(0,1) distribution and Z have a uniform(0,0.1) distribution. Suppose X and Z are independent. Let $Y = X + Z$ and consider the random vector (X, Y) . The joint pdf of (X, Y) is

$$f(x, y) = 10, \quad 0 < x < 1, \quad x < y < x + 0.1$$

Show that $\rho_{xy} = (100/101)^{1/2}$.

(10 Marks)

- b) In a group of 60 people, the numbers who do or do not smoke and do or do not have cancer are reported as shown in table below. Let be the sample space consisting of these 60 people. A person is chosen at random from the group.

	Not smoke	Smoke	Total
Not cancer	40	10	50
Cancer	7	3	10
Totals	47	13	60

- i) Show that smoking and cancer status are independent. (3 Marks)
- ii) Calculate $P(C=1)$ and $P(C=1|S=1)$ (7 Marks)

QUESTION SIX

Let the continuous random vector (X, Y) have joint pdf

$$f(x, y) = e^{-y}, \quad 0 < x < y < \infty$$

Derive the

i) marginal distribution of X ,

(4 Marks)

ii) conditional distribution of Y given X ,

(6 Marks)

iii) conditional mean and variance of Y given X .

(10 Marks)

STATISTICAL TABLES

Cumulative normal distribution


Critical values of the t distribution

Critical values of the F distribution

Critical values of the chi-squared distribution

TABLE A.1

Cumulative Standardized Normal Distribution



$A(z)$ is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:

z	$A(z)$	
1.645	0.9500	Lower limit of right 5% tail
1.960	0.9750	Lower limit of right 2.5% tail
2.326	0.9900	Lower limit of right 1% tail
2.576	0.9950	Lower limit of right 0.5% tail
3.090	0.9990	Lower limit of right 0.1% tail
3.291	0.9995	Lower limit of right 0.05% tail

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999							

TABLE A.2

t Distribution: Critical Values of t

Degrees of freedom	Two-tailed test: One-tailed test:	Significance level					
		10% 5%	5% 2.5%	2% 1%	1% 0.5%	0.2% 0.1%	0.1% 0.05%
1		6.314	12.706	31.821	63.657	318.309	636.619
2		2.920	4.303	6.965	9.925	22.327	31.599
3		2.353	3.182	4.541	5.841	10.215	12.924
4		2.132	2.776	3.747	4.604	7.173	8.610
5		2.015	2.571	3.365	4.032	5.893	6.869
6		1.943	2.447	3.143	3.707	5.208	5.959
7		1.894	2.365	2.998	3.499	4.785	5.408
8		1.860	2.306	2.896	3.355	4.501	5.041
9		1.833	2.262	2.821	3.250	4.297	4.781
10		1.812	2.228	2.764	3.169	4.144	4.587
11		1.796	2.201	2.718	3.106	4.025	4.437
12		1.782	2.179	2.681	3.055	3.930	4.318
13		1.771	2.160	2.650	3.012	3.852	4.221
14		1.761	2.145	2.624	2.977	3.787	4.140
15		1.753	2.131	2.602	2.947	3.733	4.073
16		1.746	2.120	2.583	2.921	3.686	4.015
17		1.740	2.110	2.567	2.898	3.646	3.965
18		1.734	2.101	2.552	2.878	3.610	3.922
19		1.729	2.093	2.539	2.861	3.579	3.883
20		1.725	2.086	2.528	2.845	3.552	3.850
21		1.721	2.080	2.518	2.831	3.527	3.819
22		1.717	2.074	2.508	2.819	3.505	3.792
23		1.714	2.069	2.500	2.807	3.485	3.768
24		1.711	2.064	2.492	2.797	3.467	3.745
25		1.708	2.060	2.485	2.787	3.450	3.725
26		1.706	2.056	2.479	2.779	3.435	3.707
27		1.703	2.052	2.473	2.771	3.421	3.690
28		1.701	2.048	2.467	2.763	3.408	3.674
29		1.699	2.045	2.462	2.756	3.396	3.659
30		1.697	2.042	2.457	2.750	3.385	3.646
32		1.694	2.037	2.449	2.738	3.365	3.622
34		1.691	2.032	2.441	2.728	3.348	3.601
36		1.688	2.028	2.434	2.719	3.333	3.582
38		1.686	2.024	2.429	2.712	3.319	3.566
40		1.684	2.021	2.423	2.704	3.307	3.551
42		1.682	2.018	2.418	2.698	3.296	3.538
44		1.680	2.015	2.414	2.692	3.286	3.526
46		1.679	2.013	2.410	2.687	3.277	3.515
48		1.677	2.011	2.407	2.682	3.269	3.505
50		1.676	2.009	2.403	2.678	3.261	3.496
60		1.671	2.000	2.390	2.660	3.232	3.460
70		1.667	1.994	2.381	2.648	3.211	3.435
80		1.664	1.990	2.374	2.639	3.195	3.416
90		1.662	1.987	2.368	2.632	3.183	3.402
100		1.660	1.984	2.364	2.626	3.174	3.390
120		1.658	1.980	2.358	2.617	3.160	3.373
150		1.655	1.976	2.351	2.609	3.145	3.357
200		1.653	1.972	2.345	2.601	3.131	3.340
300		1.650	1.968	2.339	2.592	3.118	3.323
400		1.649	1.966	2.336	2.588	3.111	3.315
500		1.648	1.965	2.334	2.586	3.107	3.310
600		1.647	1.964	2.333	2.584	3.104	3.307
∞		1.645	1.960	2.326	2.576	3.090	3.291

TABLE A.3

F Distribution: Critical Values of F (5% significance level)

v_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
v_2															
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88	243.91	245.36	246.46	247.32	248.01
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.42	19.43	19.44	19.45
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.71	8.69	8.67	8.66
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.87	5.84	5.82	5.80
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.64	4.60	4.58	4.56
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.96	3.92	3.90	3.87
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.53	3.49	3.47	3.44
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.24	3.20	3.17	3.15
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.03	2.99	2.96	2.94
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.86	2.83	2.80	2.77
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.74	2.70	2.67	2.65
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.64	2.60	2.57	2.54
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.55	2.51	2.48	2.46
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.48	2.44	2.41	2.39
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.42	2.38	2.35	2.33
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.37	2.33	2.30	2.28
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.33	2.29	2.26	2.23
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.29	2.25	2.22	2.19
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.26	2.21	2.18	2.16
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.22	2.18	2.15	2.12
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.20	2.16	2.12	2.10
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.17	2.13	2.10	2.07
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.15	2.11	2.08	2.05
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.13	2.09	2.05	2.03
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.11	2.07	2.04	2.01
26	4.22	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.09	2.05	2.02	1.99
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.08	2.04	2.00	1.97
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.06	2.02	1.99	1.96
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.05	2.01	1.97	1.94
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.04	1.99	1.96	1.93
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.04	1.99	1.94	1.91	1.88
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.95	1.90	1.87	1.84
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.95	1.89	1.85	1.81	1.78
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.86	1.82	1.78	1.75
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.89	1.84	1.79	1.75	1.72
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.88	1.82	1.77	1.73	1.70
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.86	1.80	1.76	1.72	1.69
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.85	1.79	1.75	1.71	1.68
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.78	1.73	1.69	1.66
150	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.82	1.76	1.71	1.67	1.64
200	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.80	1.74	1.69	1.66	1.62
250	3.88	3.03	2.64	2.41	2.25	2.13	2.05	1.98	1.92	1.87	1.79	1.73	1.68	1.65	1.61
300	3.87	3.03	2.63	2.40	2.24	2.13	2.04	1.97	1.91	1.86	1.78	1.72	1.68	1.64	1.61
400	3.86	3.02	2.63	2.39	2.24	2.12	2.03	1.96	1.90	1.85	1.78	1.72	1.67	1.63	1.60
500	3.86	3.01	2.62	2.39	2.23	2.12	2.03	1.96	1.90	1.85	1.77	1.71	1.66	1.62	1.59
600	3.86	3.01	2.62	2.39	2.23	2.11	2.02	1.95	1.90	1.85	1.77	1.71	1.66	1.62	1.59
750	3.85	3.01	2.62	2.38	2.23	2.11	2.02	1.95	1.89	1.84	1.77	1.70	1.66	1.62	1.58
1000	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89	1.84	1.76	1.70	1.65	1.61	1.58

TABLE A.3 (continued)

F Distribution: Critical Values of F (5% significance level)

v_1	25	30	35	40	50	60	75	100	150	200
v_2										
1	249.26	250.10	250.69	251.14	251.77	252.20	252.62	253.04	253.46	253.68
2	19.46	19.46	19.47	19.47	19.48	19.48	19.48	19.49	19.49	19.49
3	8.63	8.62	8.60	8.59	8.58	8.57	8.56	8.55	8.54	8.54
4	5.77	5.75	5.73	5.72	5.70	5.69	5.68	5.66	5.65	5.65
5	4.52	4.50	4.48	4.46	4.44	4.43	4.42	4.41	4.39	4.39
6	3.83	3.81	3.79	3.77	3.75	3.74	3.73	3.71	3.70	3.69
7	3.40	3.38	3.36	3.34	3.32	3.30	3.29	3.27	3.26	3.25
8	3.11	3.08	3.06	3.04	3.02	3.01	2.99	2.97	2.96	2.95
9	2.89	2.86	2.84	2.83	2.80	2.79	2.77	2.76	2.74	2.73
10	2.73	2.70	2.68	2.66	2.64	2.62	2.60	2.59	2.57	2.56
11	2.60	2.57	2.55	2.53	2.51	2.49	2.47	2.46	2.44	2.43
12	2.50	2.47	2.44	2.43	2.40	2.38	2.37	2.35	2.33	2.32
13	2.41	2.38	2.36	2.34	2.31	2.30	2.28	2.26	2.24	2.23
14	2.34	2.31	2.28	2.27	2.24	2.22	2.21	2.19	2.17	2.16
15	2.28	2.25	2.22	2.20	2.18	2.16	2.14	2.12	2.10	2.10
16	2.23	2.19	2.17	2.15	2.12	2.11	2.09	2.07	2.05	2.04
17	2.18	2.15	2.12	2.10	2.08	2.06	2.04	2.02	2.00	1.99
18	2.14	2.11	2.08	2.06	2.04	2.02	2.00	1.98	1.96	1.95
19	2.11	2.07	2.05	2.03	2.00	1.98	1.96	1.94	1.92	1.91
20	2.07	2.04	2.01	1.99	1.97	1.95	1.93	1.91	1.89	1.88
21	2.05	2.01	1.98	1.96	1.94	1.92	1.90	1.88	1.86	1.84
22	2.02	1.98	1.96	1.94	1.91	1.89	1.87	1.85	1.83	1.82
23	2.00	1.96	1.93	1.91	1.88	1.86	1.84	1.82	1.80	1.79
24	1.97	1.94	1.91	1.89	1.86	1.84	1.82	1.80	1.78	1.77
25	1.96	1.92	1.89	1.87	1.84	1.82	1.80	1.78	1.76	1.75
26	1.94	1.90	1.87	1.85	1.82	1.80	1.78	1.76	1.74	1.73
27	1.92	1.88	1.86	1.84	1.81	1.79	1.76	1.74	1.72	1.71
28	1.91	1.87	1.84	1.82	1.79	1.77	1.75	1.73	1.70	1.69
29	1.89	1.85	1.83	1.81	1.77	1.75	1.73	1.71	1.69	1.67
30	1.88	1.84	1.81	1.79	1.76	1.74	1.72	1.70	1.67	1.66
35	1.82	1.79	1.76	1.74	1.70	1.68	1.66	1.63	1.61	1.60
40	1.78	1.74	1.72	1.69	1.66	1.64	1.61	1.59	1.56	1.55
50	1.73	1.69	1.66	1.63	1.60	1.58	1.55	1.52	1.50	1.48
60	1.69	1.65	1.62	1.59	1.56	1.53	1.51	1.48	1.45	1.44
70	1.66	1.62	1.59	1.57	1.53	1.50	1.48	1.45	1.42	1.40
80	1.64	1.60	1.57	1.54	1.51	1.48	1.45	1.43	1.39	1.38
90	1.63	1.59	1.55	1.53	1.49	1.46	1.44	1.41	1.38	1.36
100	1.62	1.57	1.54	1.52	1.48	1.45	1.42	1.39	1.36	1.34
120	1.60	1.55	1.52	1.50	1.46	1.43	1.40	1.37	1.33	1.32
150	1.58	1.54	1.50	1.48	1.44	1.41	1.38	1.34	1.31	1.29
200	1.56	1.52	1.48	1.46	1.41	1.39	1.35	1.32	1.28	1.26
250	1.55	1.50	1.47	1.44	1.40	1.37	1.34	1.31	1.27	1.25
300	1.54	1.50	1.46	1.43	1.39	1.36	1.33	1.30	1.26	1.23
400	1.53	1.49	1.45	1.42	1.38	1.35	1.32	1.28	1.24	1.22
500	1.53	1.48	1.45	1.42	1.38	1.35	1.31	1.28	1.23	1.21
600	1.52	1.48	1.44	1.41	1.37	1.34	1.31	1.27	1.23	1.20
750	1.52	1.47	1.44	1.41	1.37	1.34	1.30	1.26	1.22	1.20
1000	1.52	1.47	1.43	1.41	1.36	1.33	1.30	1.26	1.22	1.19

TABLE A.3 (continued)

F Distribution: Critical Values of F (1% significance level)

ν_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
ν_2															
1	4052.18	4999.50	5403.35	5624.58	5763.65	5858.99	5928.36	5981.07	6022.47	6055.85	6106.32	6142.67	6170.10	6191.53	6208.73
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.44	99.44	99.45
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.92	26.83	26.75	26.69
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.25	14.15	14.08	14.02
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.77	9.68	9.61	9.55
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.60	7.52	7.45	7.40
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.36	6.28	6.21	6.16
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.56	5.48	5.41	5.36
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	5.01	4.92	4.86	4.81
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.60	4.52	4.46	4.41
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.29	4.21	4.15	4.10
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.05	3.97	3.91	3.86
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.86	3.78	3.72	3.66
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.70	3.62	3.56	3.51
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.56	3.49	3.42	3.37
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.45	3.37	3.31	3.26
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.35	3.27	3.21	3.16
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.27	3.19	3.13	3.08
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.19	3.12	3.05	3.00
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.13	3.05	2.99	2.94
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.07	2.99	2.93	2.88
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	3.02	2.94	2.88	2.83
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.97	2.89	2.83	2.78
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.93	2.85	2.79	2.74
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.89	2.81	2.75	2.70
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.86	2.78	2.72	2.66
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.82	2.75	2.68	2.63
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.79	2.72	2.65	2.60
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.77	2.69	2.63	2.57
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.74	2.66	2.60	2.55
35	7.42	5.27	4.40	3.91	3.59	3.37	3.20	3.07	2.96	2.88	2.74	2.64	2.56	2.50	2.44
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.56	2.48	2.42	2.37
50	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78	2.70	2.56	2.46	2.38	2.32	2.27
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.39	2.31	2.25	2.20
70	7.01	4.92	4.07	3.60	3.29	3.07	2.91	2.78	2.67	2.59	2.45	2.35	2.27	2.20	2.15
80	6.96	4.88	4.04	3.56	3.26	3.04	2.87	2.74	2.64	2.55	2.42	2.31	2.23	2.17	2.12
90	6.93	4.85	4.01	3.53	3.23	3.01	2.84	2.72	2.61	2.52	2.39	2.29	2.21	2.14	2.09
100	6.90	4.82	3.98	3.51	3.21	2.99	2.82	2.69	2.59	2.50	2.37	2.27	2.19	2.12	2.07
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.23	2.15	2.09	2.03
150	6.81	4.75	3.91	3.45	3.14	2.92	2.76	2.63	2.53	2.44	2.31	2.20	2.12	2.06	2.00
200	6.76	4.71	3.88	3.41	3.11	2.89	2.73	2.60	2.50	2.41	2.27	2.17	2.09	2.03	1.97
250	6.74	4.69	3.86	3.40	3.09	2.87	2.71	2.58	2.48	2.39	2.26	2.15	2.07	2.01	1.95
300	6.72	4.68	3.85	3.38	3.08	2.86	2.70	2.57	2.47	2.38	2.24	2.14	2.06	1.99	1.94
400	6.70	4.66	3.83	3.37	3.06	2.85	2.68	2.56	2.45	2.37	2.23	2.13	2.05	1.98	1.92
500	6.69	4.65	3.82	3.36	3.05	2.84	2.68	2.55	2.44	2.36	2.22	2.12	2.04	1.97	1.92
600	6.68	4.64	3.81	3.35	3.05	2.83	2.67	2.54	2.44	2.35	2.21	2.11	2.03	1.96	1.91
750	6.67	4.63	3.81	3.34	3.04	2.83	2.66	2.53	2.43	2.34	2.21	2.11	2.02	1.96	1.90
1000	6.66	4.63	3.80	3.34	3.04	2.82	2.66	2.53	2.43	2.34	2.20	2.10	2.02	1.95	1.90

TABLE A.3 (continued)

F Distribution: Critical Values of F (1% significance level)

ν_1	25	30	35	40	50	60	75	100	150	200
ν_2										
1	6239.83	6260.65	6275.57	6286.78	6302.52	6313.03	6323.56	6334.11	6344.68	6349.97
2	99.46	99.47	99.47	99.47	99.48	99.48	99.49	99.49	99.49	99.49
3	26.58	26.50	26.45	26.41	26.35	26.32	26.28	26.24	26.20	26.18
4	13.91	13.84	13.79	13.75	13.69	13.65	13.61	13.58	13.54	13.52
5	9.45	9.38	9.33	9.29	9.24	9.20	9.17	9.13	9.09	9.08
6	7.30	7.23	7.18	7.14	7.09	7.06	7.02	6.99	6.95	6.93
7	6.06	5.99	5.94	5.91	5.86	5.82	5.79	5.75	5.72	5.70
8	5.26	5.20	5.15	5.12	5.07	5.03	5.00	4.96	4.93	4.91
9	4.71	4.65	4.60	4.57	4.52	4.48	4.45	4.41	4.38	4.36
10	4.31	4.25	4.20	4.17	4.12	4.08	4.05	4.01	3.98	3.96
11	4.01	3.94	3.89	3.86	3.81	3.78	3.74	3.71	3.67	3.66
12	3.76	3.70	3.65	3.62	3.57	3.54	3.50	3.47	3.43	3.41
13	3.57	3.51	3.46	3.43	3.38	3.34	3.31	3.27	3.24	3.22
14	3.41	3.35	3.30	3.27	3.22	3.18	3.15	3.11	3.08	3.06
15	3.28	3.21	3.17	3.13	3.08	3.05	3.01	2.98	2.94	2.92
16	3.16	3.10	3.05	3.02	2.97	2.93	2.90	2.86	2.83	2.81
17	3.07	3.00	2.96	2.92	2.87	2.83	2.80	2.76	2.73	2.71
18	2.98	2.92	2.87	2.84	2.78	2.75	2.71	2.68	2.64	2.62
19	2.91	2.84	2.80	2.76	2.71	2.67	2.64	2.60	2.57	2.55
20	2.84	2.78	2.73	2.69	2.64	2.61	2.57	2.54	2.50	2.48
21	2.79	2.72	2.67	2.64	2.58	2.55	2.51	2.48	2.44	2.42
22	2.73	2.67	2.62	2.58	2.53	2.50	2.46	2.42	2.38	2.36
23	2.69	2.62	2.57	2.54	2.48	2.45	2.41	2.37	2.34	2.32
24	2.64	2.58	2.53	2.49	2.44	2.40	2.37	2.33	2.29	2.27
25	2.60	2.54	2.49	2.45	2.40	2.36	2.33	2.29	2.25	2.23
26	2.57	2.50	2.45	2.42	2.36	2.33	2.29	2.25	2.21	2.19
27	2.54	2.47	2.42	2.38	2.33	2.29	2.26	2.22	2.18	2.16
28	2.51	2.44	2.39	2.35	2.30	2.26	2.23	2.19	2.15	2.13
29	2.48	2.41	2.36	2.33	2.27	2.23	2.20	2.16	2.12	2.10
30	2.45	2.39	2.34	2.30	2.25	2.21	2.17	2.13	2.09	2.07
35	2.35	2.28	2.23	2.19	2.14	2.10	2.06	2.02	1.98	1.96
40	2.27	2.20	2.15	2.11	2.06	2.02	1.98	1.94	1.90	1.87
50	2.17	2.10	2.05	2.01	1.95	1.91	1.87	1.82	1.78	1.76
60	2.10	2.03	1.98	1.94	1.88	1.84	1.79	1.75	1.70	1.68
70	2.05	1.98	1.93	1.89	1.83	1.78	1.74	1.70	1.65	1.62
80	2.01	1.94	1.89	1.85	1.79	1.75	1.70	1.65	1.61	1.58
90	1.99	1.92	1.86	1.82	1.76	1.72	1.67	1.62	1.57	1.55
100	1.97	1.89	1.84	1.80	1.74	1.69	1.65	1.60	1.55	1.52
120	1.93	1.86	1.81	1.76	1.70	1.66	1.61	1.56	1.51	1.48
150	1.90	1.83	1.77	1.73	1.66	1.62	1.57	1.52	1.46	1.43
200	1.87	1.79	1.74	1.69	1.63	1.58	1.53	1.48	1.42	1.39
250	1.85	1.77	1.72	1.67	1.61	1.56	1.51	1.46	1.40	1.36
300	1.84	1.76	1.70	1.66	1.59	1.55	1.50	1.44	1.38	1.35
400	1.82	1.75	1.69	1.64	1.58	1.53	1.48	1.42	1.36	1.32
500	1.81	1.74	1.68	1.63	1.57	1.52	1.47	1.41	1.34	1.31
600	1.80	1.73	1.67	1.63	1.56	1.51	1.46	1.40	1.34	1.30
750	1.80	1.72	1.66	1.62	1.55	1.50	1.45	1.39	1.33	1.29
1000	1.79	1.72	1.66	1.61	1.54	1.50	1.44	1.38	1.32	1.28

TABLE A.3 (continued)

F Distribution: Critical Values of F (0.1% significance level)

ν_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
ν_2															
1	4.05e05	5.00e05	5.40e05	5.62e05	5.76e05	5.86e05	5.93e05	5.98e05	6.02e05	6.06e05	6.11e05	6.14e05	6.17e05	6.19e05	6.21e05
2	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39	999.40	999.42	999.43	999.44	999.44	999.45
3	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86	129.25	128.32	127.64	127.14	126.74	126.42
4	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47	48.05	47.41	46.95	46.60	46.32	46.10
5	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	26.92	26.42	26.06	25.78	25.57	25.39
6	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	18.41	17.99	17.68	17.45	17.27	17.12
7	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	14.08	13.71	13.43	13.23	13.06	12.93
8	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	11.54	11.19	10.94	10.75	10.60	10.48
9	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11	9.89	9.57	9.33	9.15	9.01	8.90
10	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96	8.75	8.45	8.22	8.05	7.91	7.80
11	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12	7.92	7.63	7.41	7.24	7.11	7.01
12	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29	7.00	6.79	6.63	6.51	6.40
13	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80	6.52	6.31	6.16	6.03	5.93
14	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	6.40	6.13	5.93	5.78	5.66	5.56
15	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08	5.81	5.62	5.46	5.35	5.25
16	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	5.81	5.55	5.35	5.20	5.09	4.99
17	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58	5.32	5.13	4.99	4.87	4.78
18	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39	5.13	4.94	4.80	4.68	4.59
19	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39	5.22	4.97	4.78	4.64	4.52	4.43
20	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	5.08	4.82	4.64	4.49	4.38	4.29
21	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95	4.70	4.51	4.37	4.26	4.17
22	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83	4.58	4.40	4.26	4.15	4.06
23	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73	4.48	4.30	4.16	4.05	3.96
24	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64	4.39	4.21	4.07	3.96	3.87
25	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	4.56	4.31	4.13	3.99	3.88	3.79
26	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48	4.24	4.06	3.92	3.81	3.72
27	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41	4.17	3.99	3.86	3.75	3.66
28	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35	4.11	3.93	3.80	3.69	3.60
29	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29	4.05	3.88	3.74	3.63	3.54
30	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.24	4.00	3.82	3.69	3.58	3.49
35	12.90	8.47	6.79	5.88	5.30	4.89	4.59	4.36	4.18	4.03	3.79	3.62	3.48	3.38	3.29
40	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02	3.87	3.64	3.47	3.34	3.23	3.14
50	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82	3.67	3.44	3.27	3.14	3.04	2.95
60	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	3.54	3.32	3.15	3.02	2.91	2.83
70	11.80	7.64	6.06	5.20	4.66	4.28	3.99	3.77	3.60	3.45	3.23	3.06	2.93	2.83	2.74
80	11.67	7.54	5.97	5.12	4.58	4.20	3.92	3.70	3.53	3.39	3.16	3.00	2.87	2.76	2.68
90	11.57	7.47	5.91	5.06	4.53	4.15	3.87	3.65	3.48	3.34	3.11	2.95	2.82	2.71	2.63
100	11.50	7.41	5.86	5.02	4.48	4.11	3.83	3.61	3.44	3.30	3.07	2.91	2.78	2.68	2.59
120	11.38	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38	3.24	3.02	2.85	2.72	2.62	2.53
150	11.27	7.24	5.71	4.88	4.35	3.98	3.71	3.49	3.32	3.18	2.96	2.80	2.67	2.56	2.48
200	11.15	7.15	5.63	4.81	4.29	3.92	3.65	3.43	3.26	3.12	2.90	2.74	2.61	2.51	2.42
250	11.09	7.10	5.59	4.77	4.25	3.88	3.61	3.40	3.23	3.09	2.87	2.71	2.58	2.48	2.39
300	11.04	7.07	5.56	4.75	4.22	3.86	3.59	3.38	3.21	3.07	2.85	2.69	2.56	2.46	2.37
400	10.99	7.03	5.53	4.71	4.19	3.83	3.56	3.35	3.18	3.04	2.82	2.66	2.53	2.43	2.34
500	10.96	7.00	5.51	4.69	4.18	3.81	3.54	3.33	3.16	3.02	2.81	2.64	2.52	2.41	2.33
600	10.94	6.99	5.49	4.68	4.16	3.80	3.53	3.32	3.15	3.01	2.80	2.63	2.51	2.40	2.32
750	10.91	6.97	5.48	4.67	4.15	3.79	3.52	3.31	3.14	3.00	2.78	2.62	2.49	2.39	2.31
1000	10.89	6.96	5.46	4.65	4.14	3.78	3.51	3.30	3.13	2.99	2.77	2.61	2.48	2.38	2.30

TABLE A.3 (continued)

F Distribution: Critical Values of F (0.1% significance level)

v_1	25	30	35	40	50	60	75	100	150	200
v_2										
1	6.24e05	6.26e05	6.28e05	6.29e05	6.30e05	6.31e05	6.32e05	6.33e05	6.35e05	6.35e05
2	999.46	999.47	999.47	999.47	999.48	999.48	999.49	999.49	999.49	999.49
3	125.84	125.45	125.17	124.96	124.66	124.47	124.27	124.07	123.87	123.77
4	45.70	45.43	45.23	45.09	44.88	44.75	44.61	44.47	44.33	44.26
5	25.08	24.87	24.72	24.60	24.44	24.33	24.22	24.12	24.01	23.95
6	16.85	16.67	16.54	16.44	16.31	16.21	16.12	16.03	15.93	15.89
7	12.69	12.53	12.41	12.33	12.20	12.12	12.04	11.95	11.87	11.82
8	10.26	10.11	10.00	9.92	9.80	9.73	9.65	9.57	9.49	9.45
9	8.69	8.55	8.46	8.37	8.26	8.19	8.11	8.04	7.96	7.93
10	7.60	7.47	7.37	7.30	7.19	7.12	7.05	6.98	6.91	6.87
11	6.81	6.68	6.59	6.52	6.42	6.35	6.28	6.21	6.14	6.10
12	6.22	6.09	6.00	5.93	5.83	5.76	5.70	5.63	5.56	5.52
13	5.75	5.63	5.54	5.47	5.37	5.30	5.24	5.17	5.10	5.07
14	5.38	5.25	5.17	5.10	5.00	4.94	4.87	4.81	4.74	4.71
15	5.07	4.95	4.86	4.80	4.70	4.64	4.57	4.51	4.44	4.41
16	4.82	4.70	4.61	4.54	4.45	4.39	4.32	4.26	4.19	4.16
17	4.60	4.48	4.40	4.33	4.24	4.18	4.11	4.05	3.98	3.95
18	4.42	4.30	4.22	4.15	4.06	4.00	3.93	3.87	3.80	3.77
19	4.26	4.14	4.06	3.99	3.90	3.84	3.78	3.71	3.65	3.61
20	4.12	4.00	3.92	3.86	3.77	3.70	3.64	3.58	3.51	3.48
21	4.00	3.88	3.80	3.74	3.64	3.58	3.52	3.46	3.39	3.36
22	3.89	3.78	3.70	3.63	3.54	3.48	3.41	3.35	3.28	3.25
23	3.79	3.68	3.60	3.53	3.44	3.38	3.32	3.25	3.19	3.16
24	3.71	3.59	3.51	3.45	3.36	3.29	3.23	3.17	3.10	3.07
25	3.63	3.52	3.43	3.37	3.28	3.22	3.15	3.09	3.03	2.99
26	3.56	3.44	3.36	3.30	3.21	3.15	3.08	3.02	2.95	2.92
27	3.49	3.38	3.30	3.23	3.14	3.08	3.02	2.96	2.89	2.86
28	3.43	3.32	3.24	3.18	3.09	3.02	2.96	2.90	2.83	2.80
29	3.38	3.27	3.18	3.12	3.03	2.97	2.91	2.84	2.78	2.74
30	3.33	3.22	3.13	3.07	2.98	2.92	2.86	2.79	2.73	2.69
35	3.13	3.02	2.93	2.87	2.78	2.72	2.66	2.59	2.52	2.49
40	2.98	2.87	2.79	2.73	2.64	2.57	2.51	2.44	2.38	2.34
50	2.79	2.68	2.60	2.53	2.44	2.38	2.31	2.25	2.18	2.14
60	2.67	2.55	2.47	2.41	2.32	2.25	2.19	2.12	2.05	2.01
70	2.58	2.47	2.39	2.32	2.23	2.16	2.10	2.03	1.95	1.92
80	2.52	2.41	2.32	2.26	2.16	2.10	2.03	1.96	1.89	1.85
90	2.47	2.36	2.27	2.21	2.11	2.05	1.98	1.91	1.83	1.79
100	2.43	2.32	2.24	2.17	2.08	2.01	1.94	1.87	1.79	1.75
120	2.37	2.26	2.18	2.11	2.02	1.95	1.88	1.81	1.73	1.68
150	2.32	2.21	2.12	2.06	1.96	1.89	1.82	1.74	1.66	1.62
200	2.26	2.15	2.07	2.00	1.90	1.83	1.76	1.68	1.60	1.55
250	2.23	2.12	2.03	1.97	1.87	1.80	1.72	1.65	1.56	1.51
300	2.21	2.10	2.01	1.94	1.85	1.78	1.70	1.62	1.53	1.48
400	2.18	2.07	1.98	1.92	1.82	1.75	1.67	1.59	1.50	1.45
500	2.17	2.05	1.97	1.90	1.80	1.73	1.65	1.57	1.48	1.43
600	2.16	2.04	1.96	1.89	1.79	1.72	1.64	1.56	1.46	1.41
750	2.15	2.03	1.95	1.88	1.78	1.71	1.63	1.55	1.45	1.40
1000	2.14	2.02	1.94	1.87	1.77	1.69	1.62	1.53	1.44	1.38

TABLE A.4

 χ^2 (Chi-Squared) Distribution: Critical Values of χ^2

<i>Degrees of freedom</i>	<i>Significance level</i>		
	5%	1%	0.1%
1	3.841	6.635	10.828
2	5.991	9.210	13.816
3	7.815	11.345	16.266
4	9.488	13.277	18.467
5	11.070	15.086	20.515
6	12.592	16.812	22.458
7	14.067	18.475	24.322
8	15.507	20.090	26.124
9	16.919	21.666	27.877
10	18.307	23.209	29.588