

UNIVERSITY OF SWAZILAND

FINAL EXAMINATION PAPER 2010

TITLE OF PAPER : LINEAR STATISTICAL METHODS
COURSE CODE : ST204
TIME ALLOWED : 2 (TWO) HOURS
**REQUIRMENTS : STATISTICAL TABLES
AND CALCULATOR**
**INSTRUCTIONS : ANSWER ANY 4 (FOUR) QUESTIONS.
ALL QUESTIONS CARRY EQUAL MARKS.**

**THIS PAPER IS NOT TO BE OPENED UNTIL PERMISSION HAS BEEN
GRANTED BY THE INVIGILATOR**

QUESTION ONE.

[3 + 8 + 3 + 6 + 5 marks]

- 1.1 What is Statistical Relation between two variables? Explain.
- 1.2 Define Simple Linear Regression Model and discuss the important features of the model.
- 1.3 Assume that $X = 0$ is within the scope of the model defined in part 1.2. What is the implication for the regression function if $\beta_0 = 0$?
- 1.4 Consider the model defined in part 1.2 with $\beta_0 = 200$ and $\beta_1 = 5.0$; explain the meaning of the parameters β_0 and β_1 when the scope of the model does not include $X = 0$.
- 1.5 Discuss the importance of the normality assumption in regression model.

QUESTION TWO.

[8 + 6 + 4 + 7 marks]

- 2.1 State the single-factor ANOVA model and discuss its important features.
- 2.2 Find the least squares estimator of μ_i of the model in part 2.1.
- 2.3 State, how one can interpret the Factor level means μ_i of the model in part 2.1 for an observational study and for an experimental study.
- 2.4 Show how we can decompose the total deviation into two components: variation between treatments and variation within treatments, in a single factor analysis of variance model.

QUESTION THREE.

[5 + 4 + 2 + 6 + 4 + 4 marks]

- 3.1 Discuss the role of the coefficient of determination, including the limitations, to describe the degree of linear association between two variables.
- 3.2 For $n = 6$ data points, the following quantities have been calculated:

$$\sum x = 40 \quad \sum y = 76 \quad \sum xy = 400 \quad \sum x^2 = 346 \quad \sum y^2 = 1160 \quad \sum (y - \hat{y})^2 = 52.334$$

- a. Determine the least-square regression line, $Y_i = \beta_0 + \beta_1 X_i$.
- b. Estimate σ^2 .
- c. Construct a 99% confidence interval for β_1 .
- d. Construct a 95% confidence interval for σ^2 .
- e. Compute the coefficient of correlation and interpret the value.

QUESTION FOUR.

[3 + 6 + 1 + 5 + 2 + 1 + 1 + 6 marks]

- 4.1 An accounting firm has developed three methods to guide its seasonal employees in preparing individual income tax returns. In comparing the effectiveness of these three methods, a test is set up in which each of 10 seasonal employees is randomly assigned to use one of the three methods. The preparation times (in minutes) are shown below:

<u>Method 1</u>	<u>Method 2</u>	<u>Method 3</u>
15	10	18
20	15	19
19	11	23
14		

- Identify the dependent variable, factor studied and factor levels.
 - Complete the computation of the ANOVA table and conduct the F test. Clearly state all the steps in the test including the conclusion. Use $\alpha = 0.025$.
 - Which tax-preparation method would you prefer for your tax return? Explain.
- 4.2 An aircraft firm is considering three different alloys for use in the wing construction of a new airplane. Each alloy can be produced in four different thicknesses (1 = thinnest, 4 = thickest). Two test samples are constructed for each combination of alloy type and thickness, and then each of the 24 test samples is subjected to a laboratory device that severely flexes it until failure occurs. For each test sample, the number of flexes before failure is recorded and then analyzed using SPSS. The following ANOVA table is a part of the output from that analysis:

ANOVA TABLE

Source of Variation	Sum of Squares	df	Mean Square	F
Between treatments	2808.50			
Factor A	232.50	3		
Factor B	421.00			
A X B	2155.00			
Within treatments	334.00			
Total	3142.50			

- Complete the ANOVA Table
- What are the treatments in this experiment?
- Which one is the Factor A?
- Which one is the Factor B?
- Using 5% level of significance, state only the conclusions (based on F-test) when testing:
 - whether the alloy thickness has an effect on durability.
 - whether the alloy type has an effect on durability.
 - whether the durability is influenced by interactions between alloy thickness and alloy type.

QUESTION FIVE.

[2 + 2 + 3 + 1 + 3 + 5 + 5 + 4 marks]

The following output was obtained from running the model, $Y_i = \beta_1 + \beta_2 X_i + \varepsilon_i$, using SPSS:

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.847	1	4.847	26.482	.000 ^a
	Residual	2.563	14	.183		
	Total	7.410	15			

a. Predictors: (Constant), X

b. Dependent Variable: Y

Coefficients^a


Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1.571	.822		-1.911	.077
	X	.819	.159	.809	5.146	.000

a. Dependent Variable: Y

- State the fitted regression line.
- State the null and alternative hypotheses for the F-test of the above ANOVA table.
- Perform the F-test and clearly state the conclusion.
- What is the estimated value of σ^2 ?
- Test $\beta_2 = 0$ against $\beta_2 \neq 0$ at $\alpha = 0.01$.
- Test $\beta_1 = -2$ against $\beta_1 > -2$ at $\alpha = 0.05$.
- Test $\beta_2 = 1$ against $\beta_2 < 1$ at $\alpha = 0.05$.
- Compute coefficient of determination, R^2 and explain the nature and strength of the relationship between dependent and independent variables.

TABLE A.2 Percentiles of the *t* Distribution

Entry is *t*(*A*; *v*) where *P*{*t*(*v*) ≤ *t*(*A*; *v*)} = *A*




<i>v</i>	<i>A</i>							
	.60	.70	.80	.85	.90	.95	.975	
1	0.325	0.727	1.376	1.963	3.078	6.314	12.706	
2	0.289	0.617	1.061	1.386	1.886	2.920	4.303	
3	0.277	0.584	0.978	1.250	1.638	2.353	3.182	
4	0.271	0.569	0.941	1.190	1.533	2.132	2.776	
5	0.267	0.559	0.920	1.156	1.476	2.015	2.571	
6	0.265	0.553	0.906	1.134	1.440	1.943	2.447	
7	0.263	0.549	0.896	1.119	1.415	1.895	2.365	
8	0.262	0.546	0.889	1.108	1.397	1.860	2.306	
9	0.261	0.543	0.883	1.100	1.383	1.833	2.262	
10	0.260	0.542	0.879	1.093	1.372	1.812	2.228	
11	0.260	0.540	0.876	1.088	1.363	1.796	2.201	
12	0.259	0.539	0.873	1.083	1.356	1.782	2.179	
13	0.259	0.537	0.870	1.079	1.350	1.771	2.160	
14	0.258	0.537	0.868	1.076	1.345	1.761	2.145	
15	0.258	0.536	0.866	1.074	1.341	1.753	2.131	
16	0.258	0.535	0.865	1.071	1.337	1.746	2.120	
17	0.257	0.534	0.863	1.069	1.333	1.740	2.110	
18	0.257	0.534	0.862	1.067	1.330	1.734	2.101	
19	0.257	0.533	0.861	1.066	1.328	1.729	2.093	
20	0.257	0.533	0.860	1.064	1.325	1.725	2.086	
21	0.257	0.532	0.859	1.063	1.323	1.721	2.080	
22	0.256	0.532	0.858	1.061	1.321	1.717	2.074	
23	0.256	0.532	0.858	1.060	1.319	1.714	2.069	
24	0.256	0.531	0.857	1.059	1.318	1.711	2.064	
25	0.256	0.531	0.856	1.058	1.316	1.708	2.060	
26	0.256	0.531	0.856	1.058	1.315	1.706	2.056	
27	0.256	0.531	0.855	1.057	1.314	1.703	2.052	
28	0.256	0.530	0.855	1.056	1.313	1.701	2.048	
29	0.256	0.530	0.854	1.055	1.311	1.699	2.045	
30	0.256	0.530	0.854	1.055	1.310	1.697	2.042	
40	0.255	0.529	0.851	1.050	1.303	1.684	2.021	
60	0.254	0.527	0.848	1.045	1.296	1.671	2.000	
120	0.254	0.526	0.845	1.041	1.289	1.658	1.980	
∞	0.253	0.524	0.842	1.036	1.282	1.645	1.960	

TABLE A.2 (continued) Percentiles of the *t* Distribution

<i>v</i>	<i>A</i>							
	.98	.985	.99	.9925	.995	.9975	.9995	
1	15.895	21.205	31.821	42.434	63.657	127.322	636.590	
2	4.849	5.643	6.965	8.073	9.925	14.089	31.598	
3	3.482	3.896	4.541	5.047	5.841	7.453	12.924	
4	2.999	3.298	3.747	4.088	4.604	5.598	8.610	
5	2.757	3.003	3.365	3.634	4.032	4.775	6.869	
6	2.612	2.829	3.143	3.372	3.707	4.317	5.959	
7	2.517	2.715	2.998	3.203	3.499	4.029	5.408	
8	2.449	2.634	2.886	3.085	3.355	3.833	5.041	
9	2.398	2.574	2.821	2.998	3.250	3.690	4.781	
10	2.359	2.527	2.764	2.932	3.169	3.581	4.587	
11	2.328	2.491	2.718	2.879	3.106	3.497	4.437	
12	2.303	2.461	2.681	2.836	3.055	3.428	4.318	
13	2.282	2.436	2.650	2.801	3.012	3.372	4.221	
14	2.264	2.415	2.624	2.771	2.977	3.326	4.140	
15	2.249	2.397	2.602	2.746	2.947	3.286	4.073	
16	2.235	2.382	2.583	2.724	2.921	3.252	4.015	
17	2.224	2.368	2.567	2.706	2.898	3.222	3.965	
18	2.214	2.356	2.552	2.689	2.878	3.197	3.922	
19	2.205	2.346	2.539	2.674	2.861	3.174	3.883	
20	2.197	2.336	2.528	2.661	2.845	3.153	3.849	
21	2.189	2.328	2.518	2.649	2.831	3.135	3.819	
22	2.183	2.320	2.508	2.639	2.819	3.119	3.792	
23	2.177	2.313	2.500	2.629	2.807	3.104	3.768	
24	2.172	2.307	2.492	2.620	2.797	3.091	3.745	
25	2.167	2.301	2.485	2.612	2.787	3.078	3.725	
26	2.162	2.296	2.479	2.605	2.779	3.067	3.707	
27	2.158	2.291	2.473	2.598	2.771	3.057	3.690	
28	2.154	2.286	2.467	2.592	2.763	3.047	3.674	
29	2.150	2.282	2.462	2.586	2.756	3.038	3.659	
30	2.147	2.278	2.457	2.581	2.750	3.030	3.646	
40	2.123	2.250	2.423	2.542	2.704	2.971	3.551	
60	2.099	2.223	2.390	2.504	2.660	2.915	3.460	
120	2.076	2.196	2.358	2.468	2.617	2.860	3.373	
∞	2.054	2.170	2.326	2.432	2.576	2.807	3.291	

TABLE A.3 Percentiles of the χ^2 Distribution

Entry is $\chi^2(A; \nu)$ where $P\{\chi^2(\nu) \leq \chi^2(A; \nu)\} = A$




ν	A									
	.005	.010	.025	.050	.100	.900	.950	.975	.990	.995
1	0.00493	0.0157	0.00982	0.0393	0.0158	2.71	3.84	5.02	6.63	7.88
2	0.0100	0.0201	0.0506	0.103	0.211	4.61	5.99	7.38	9.21	10.60
3	0.072	0.115	0.216	0.352	0.584	6.25	7.81	9.35	11.34	12.84
4	0.207	0.297	0.484	0.711	1.064	7.78	9.49	11.14	13.28	14.86
5	0.412	0.554	0.831	1.145	1.61	9.24	11.07	12.83	15.09	16.75
6	0.676	0.872	1.24	1.64	2.20	10.64	12.59	14.45	16.81	18.55
7	0.989	1.24	1.69	2.17	2.83	12.02	14.07	16.01	18.48	20.28
8	1.34	1.65	2.18	2.73	3.49	13.36	15.51	17.53	20.09	21.96
9	1.73	2.09	2.70	3.33	4.17	14.68	16.92	19.02	21.67	23.59
10	2.16	2.56	3.25	3.94	4.87	15.99	18.31	20.48	23.21	25.19
11	2.60	3.05	3.82	4.57	5.58	17.28	19.68	21.92	24.73	26.76
12	3.07	3.57	4.40	5.23	6.30	18.55	21.03	23.34	26.22	28.30
13	3.57	4.11	5.01	5.89	7.04	19.81	22.36	24.74	27.69	29.82
14	4.07	4.66	5.63	6.57	7.79	21.06	23.68	26.12	29.14	31.32
15	4.60	5.23	6.26	7.26	8.55	22.31	25.00	27.49	30.58	32.80
16	5.14	5.81	6.91	7.96	9.31	23.54	26.30	28.85	32.00	34.27
17	5.70	6.41	7.56	8.67	10.09	24.77	27.59	30.19	33.41	35.72
18	6.26	7.01	8.23	9.39	10.86	25.99	28.87	31.53	34.81	37.16
19	6.84	7.63	8.91	10.12	11.65	27.20	30.14	32.85	36.19	38.58
20	7.43	8.26	9.59	10.85	12.44	28.41	31.41	34.17	37.57	40.00
21	8.03	8.90	10.28	11.59	13.24	29.62	32.67	35.48	38.93	41.40
22	8.64	9.54	10.98	12.34	14.04	30.81	33.92	36.78	40.29	42.80
23	9.26	10.20	11.69	13.09	14.85	32.01	35.17	38.08	41.64	44.18
24	9.89	10.86	12.40	13.85	15.66	33.20	36.42	39.36	42.98	45.56
25	10.52	11.52	13.12	14.61	16.47	34.38	37.65	40.65	44.31	46.93
26	11.16	12.20	13.84	15.38	17.29	35.56	38.89	41.92	45.64	48.29
27	11.81	12.88	14.57	16.15	18.11	36.74	40.11	43.19	46.96	49.64
28	12.46	13.56	15.31	16.93	18.94	37.92	41.34	44.46	48.28	50.99
29	13.12	14.26	16.05	17.71	19.77	39.09	42.56	45.72	49.59	52.34
30	13.79	14.95	16.79	18.49	20.60	40.26	43.77	46.98	50.89	53.67
40	20.71	22.16	24.43	26.51	29.05	51.81	55.76	59.34	63.69	66.77
50	27.99	29.71	32.36	34.76	37.69	63.17	67.50	71.42	76.15	79.49
60	35.53	37.48	40.48	43.19	46.46	74.40	79.08	83.30	88.38	91.95
70	43.28	45.44	48.76	51.74	55.33	85.53	90.53	95.02	100.4	104.2
80	51.17	53.54	57.15	60.39	64.28	96.58	101.9	106.6	112.3	116.3
90	59.20	61.75	65.65	69.13	73.29	107.6	113.1	118.1	124.1	128.3
100	67.33	70.06	74.22	77.93	82.36	118.5	124.3	129.6	135.8	140.2

Source: Reprinted, with permission, from C. M. Thompson, "Table of Percentage Points of the Chi-Square Distribution," *Biometrika* 32 (1941), pp. 188-89.

TABLE A.4 Percentiles of the F Distribution

Entry is $F(A; \nu_1, \nu_2)$ where $P\{F(\nu_1, \nu_2) \leq F(A; \nu_1, \nu_2)\} = A$



$F(A; \nu_1, \nu_2) = \frac{1}{F(1-A; \nu_2, \nu_1)}$

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df								
	1	2	3	4	5	6	7	8	9
1	1.00	1.50	1.71	1.82	1.89	1.94	1.98	2.00	2.03
.50	39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9
.90	161	200	216	225	230	234	237	239	241
.95	648	860	900	922	937	948	957	963	967
.99	4052	5000	5403	5625	5764	5859	5928	5981	6022
.995	16211	20000	21615	22500	23056	23437	23715	23925	24091
.999	403,280	500,000	540,380	562,500	576,400	585,940	592,870	598,140	602,280
2	0.667	1.00	1.13	1.21	1.25	1.28	1.30	1.32	1.33
.50	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
.90	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4
.95	38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4
.99	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4
.995	199	199	199	199	199	199	199	199	199
.999	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4
3	0.585	0.881	1.00	1.06	1.10	1.13	1.15	1.16	1.17
.50	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
.90	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
.95	17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.5
.99	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3
.995	55.6	49.8	47.5	46.2	45.4	44.8	44.4	44.1	43.9
.999	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9
4	0.549	0.828	0.941	1.00	1.04	1.06	1.08	1.09	1.10
.50	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
.90	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
.95	12.2	10.6	9.98	9.60	9.36	9.20	9.07	8.98	8.90
.99	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7
.995	31.3	26.3	24.3	23.2	22.5	22.0	21.6	21.4	21.1
.999	74.1	61.2	56.2	53.4	51.7	50.5	49.7	49.0	48.5
5	0.528	0.799	0.907	0.965	1.00	1.02	1.04	1.05	1.06
.50	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
.90	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
.95	10.0	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68
.99	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2
.995	22.8	18.3	16.5	15.6	14.9	14.5	14.2	14.0	13.8
.999	47.2	37.1	33.2	31.1	29.8	28.8	28.2	27.6	27.2
6	0.515	0.780	0.886	0.942	0.977	1.00	1.02	1.03	1.04
.50	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
.90	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
.95	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52
.99	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98
.995	18.6	14.5	12.9	12.0	11.5	11.1	10.8	10.6	10.4
.999	35.5	27.0	23.7	21.9	20.8	20.0	19.5	19.0	18.7
7	0.506	0.767	0.871	0.926	0.960	0.983	1.00	1.01	1.02
.50	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
.90	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
.95	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82
.99	12.2	9.53	8.43	7.85	7.46	7.19	6.99	6.84	6.72
.995	16.2	12.4	10.9	10.1	9.52	9.16	8.89	8.68	8.51
.999	29.2	21.7	18.8	17.2	16.2	15.5	15.0	14.6	14.3

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df										
	10	12	15	20	24	30	60	120	∞		
1	2.04	2.07	2.09	2.12	2.13	2.15	2.17	2.18	2.20		
.50	60.2	60.7	61.2	61.7	62.0	62.3	62.8	63.1	63.3		
.90	242	244	246	248	249	250	252	253	254		
.95	969	977	985	993	997	1001	1010	1014	1018		
.99	6056	6106	6157	6209	6235	6261	6313	6339	6366		
.995	24,224	24,426	24,630	24,836	24,940	25,044	25,253	25,359	25,464		
.999	605,620	610,670	615,760	620,910	623,500	626,100	631,340	633,970	636,620		
2	1.34	1.36	1.38	1.39	1.40	1.41	1.43	1.43	1.44		
.50	9.39	9.41	9.42	9.46	9.45	9.47	9.47	9.48	9.49		
.90	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5		
.95	39.4	39.4	39.4	39.4	39.5	39.5	39.5	39.5	39.5		
.99	99.4	99.4	99.4	99.4	99.5	99.5	99.5	99.5	99.5		
.995	199	199	199	199	199	199	199	199	200		
.999	999.4	999.4	999.4	999.4	999.5	999.5	999.5	999.5	999.5		
3	1.18	1.20	1.21	1.23	1.23	1.24	1.25	1.26	1.27		
.50	5.23	5.22	5.20	5.18	5.18	5.17	5.15	5.14	5.13		
.90	8.79	8.74	8.70	8.66	8.64	8.62	8.57	8.55	8.53		
.95	14.4	14.3	14.3	14.2	14.1	14.1	14.0	13.9	13.9		
.99	27.2	27.1	26.9	26.7	26.6	26.5	26.3	26.2	26.1		
.995	43.7	43.4	43.1	42.8	42.6	42.5	42.1	42.0	41.8		
.999	129.2	128.3	127.4	126.4	125.9	125.4	124.5	124.0	123.5		
4	1.11	1.13	1.14	1.15	1.16	1.16	1.18	1.18	1.19		
.50	3.92	3.90	3.87	3.84	3.82	3.82	3.78	3.78	3.76		
.90	5.96	5.91	5.86	5.80	5.77	5.75	5.69	5.66	5.63		
.95	8.84	8.75	8.66	8.56	8.51	8.46	8.36	8.31	8.26		
.99	14.5	14.4	14.2	14.0	13.9	13.7	13.6	13.5	13.5		
.995	21.0	20.7	20.4	20.2	20.0	19.9	19.6	19.5	19.3		
.999	48.1	47.4	46.8	46.1	45.8	45.4	44.7	44.4	44.1		
5	1.07	1.09	1.10	1.11	1.12	1.12	1.14	1.14	1.15		
.50	3.30	3.27	3.24	3.21	3.19	3.17	3.14	3.12	3.11		
.90	4.74	4.68	4.62	4.56	4.53	4.50	4.43	4.40	4.37		
.95	6.62	6.52	6.43	6.33	6.28	6.23	6.12	6.07	6.02		
.99	10.1	9.89	9.72	9.55	9.47	9.38	9.20	9.11	9.02		
.995	13.6	13.4	13.1	12.9	12.8	12.7	12.4	12.3	12.1		
.999	26.9	26.4	25.9	25.4	25.1	24.9	24.3	24.1	23.8		
6	1.05	1.06	1.07	1.08	1.09	1.10	1.11	1.12	1.12		
.50	2.94	2.90	2.87	2.84	2.82	2.80	2.76	2.74	2.72		
.90	4.06	4.00	3.94	3.87	3.84	3.81	3.74	3.70	3.67		
.95	5.46	5.37	5.27	5.17	5.12	5.07	4.96	4.90	4.85		
.99	7.87	7.72	7.56	7.40	7.31	7.23	7.06	6.97	6.88		
.995	10.2	10.0	9.81	9.59	9.47	9.36	9.12	9.00	8.88		
.999	18.4	18.0	17.6	17.1	16.9	16.7	16.2	16.0	15.7		
7	1.03	1.04	1.05	1.07	1.07	1.08	1.09	1.10	1.10		
.50	2.70	2.67	2.63	2.59	2.58	2.56	2.51	2.49	2.47		
.90	3.64	3.57	3.51	3.44	3.41	3.38	3.30	3.27	3.23		
.95	4.76	4.67	4.57	4.47	4.42	4.36	4.25	4.20	4.14		
.99	6.82	6.67	6.51	6.36	6.27	6.16	5.99	5.82	5.65		
.995	8.38	8.18	7.97	7.75	7.65	7.53	7.31	7.19	7.08		
.999	14.1	13.7	13.3	12.9	12.7	12.5	12.1	11.9	11.7		

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df								
	1	2	3	4	5	6	7	8	9
8	.50 3.46 5.32 7.57 9.95 14.7 25.4	0.499 0.757 1.11 1.46 1.85	0.757 1.11 1.46 1.85	0.860 1.22 1.58 1.94	0.915 1.27 1.63 2.00	0.948 1.30 1.66 2.03	0.971 1.33 1.69 2.06	0.988 1.36 1.72 2.09	1.00 1.39 1.75 2.12
9	.50 3.36 5.12 7.21 9.95 13.6 22.9	0.494 0.749 1.10 1.45 1.80	0.749 1.10 1.45 1.80	0.852 1.21 1.57 1.93	0.906 1.26 1.62 1.98	0.939 1.31 1.67 2.03	0.962 1.34 1.70 2.06	0.978 1.37 1.73 2.09	1.00 1.40 1.76 2.12
10	.50 3.29 5.06 7.15 9.95 12.8 21.0	0.490 0.743 1.09 1.44 1.79	0.743 1.09 1.44 1.79	0.845 1.20 1.56 1.92	0.899 1.25 1.61 1.97	0.932 1.30 1.66 2.02	0.954 1.33 1.69 2.05	0.971 1.36 1.72 2.08	0.983 1.39 1.75 2.11
12	.50 3.18 4.95 7.04 9.95 11.8 18.6	0.484 0.735 1.08 1.43 1.78	0.735 1.08 1.43 1.78	0.835 1.19 1.55 1.91	0.888 1.24 1.60 1.96	0.921 1.29 1.65 2.01	0.943 1.32 1.68 2.04	0.959 1.35 1.71 2.07	0.972 1.38 1.74 2.10
15	.50 3.07 4.84 6.93 9.95 10.8 16.6	0.478 0.726 1.07 1.42 1.77	0.726 1.07 1.42 1.77	0.826 1.18 1.54 1.90	0.878 1.23 1.59 1.95	0.911 1.28 1.64 2.00	0.933 1.31 1.67 2.03	0.949 1.34 1.70 2.06	0.960 1.37 1.73 2.09
20	.50 2.97 4.73 6.82 9.95 10.6 16.4	0.472 0.718 1.06 1.41 1.76	0.718 1.06 1.41 1.76	0.816 1.17 1.53 1.89	0.868 1.22 1.58 1.94	0.900 1.27 1.63 1.99	0.922 1.30 1.66 2.02	0.938 1.33 1.69 2.05	0.950 1.36 1.72 2.08
24	.50 2.93 4.70 6.79 9.95 10.5 16.3	0.469 0.714 1.05 1.40 1.75	0.714 1.05 1.40 1.75	0.812 1.16 1.52 1.88	0.863 1.21 1.57 1.93	0.895 1.26 1.62 1.98	0.917 1.29 1.65 2.01	0.932 1.32 1.68 2.04	0.944 1.35 1.71 2.07

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df									
	10	12	15	20	24	30	60	120	∞	
8	.50	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.08	
	.90	2.54	2.50	2.46	2.42	2.40	2.38	2.34	2.32	
	.95	3.35	3.28	3.22	3.15	3.12	3.08	3.01	2.97	
	.975	4.30	4.20	4.10	4.00	3.95	3.78	3.73	3.67	
	.99	5.81	5.67	5.52	5.36	5.28	5.20	5.03	4.95	
9	.995	7.21	7.01	6.81	6.61	6.50	6.40	6.18	6.06	
	.999	11.5	11.2	10.8	10.5	10.3	10.1	9.73	9.53	
	.50	1.01	1.02	1.03	1.04	1.05	1.05	1.07	1.08	
	.90	2.42	2.38	2.34	2.30	2.28	2.25	2.21	2.18	
	.95	3.14	3.07	3.01	2.94	2.90	2.82	2.79	2.75	
10	.975	3.96	3.87	3.77	3.67	3.61	3.56	3.45	3.39	
	.99	5.26	5.11	4.96	4.81	4.73	4.65	4.48	4.40	
	.995	6.42	6.23	6.03	5.83	5.73	5.62	5.41	5.30	
	.999	9.89	9.57	9.24	8.90	8.72	8.53	8.19	8.00	
	.50	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.06	
12	.90	2.32	2.28	2.24	2.20	2.18	2.16	2.11	2.08	
	.95	2.98	2.91	2.84	2.77	2.74	2.70	2.62	2.58	
	.975	3.72	3.62	3.52	3.42	3.37	3.31	3.20	3.14	
	.99	4.85	4.71	4.56	4.41	4.33	4.25	4.08	4.00	
	.995	5.85	5.66	5.47	5.27	5.17	5.07	4.86	4.75	
15	.999	8.75	8.45	8.13	7.80	7.64	7.47	7.12	6.94	
	.50	0.989	1.00	1.01	1.02	1.03	1.03	1.05	1.05	
	.90	2.19	2.15	2.10	2.06	2.04	2.01	1.96	1.93	
	.95	2.75	2.69	2.62	2.54	2.51	2.47	2.38	2.34	
	.975	3.37	3.28	3.18	3.07	3.02	2.96	2.85	2.79	
20	.99	4.30	4.16	4.01	3.86	3.78	3.70	3.54	3.45	
	.995	5.09	4.91	4.72	4.53	4.43	4.33	4.12	4.01	
	.999	7.29	7.00	6.71	6.40	6.25	6.09	5.76	5.59	
	.50	0.977	0.989	1.00	1.01	1.02	1.02	1.03	1.04	
	.90	2.06	2.02	1.97	1.92	1.90	1.87	1.82	1.79	
24	.95	2.54	2.48	2.40	2.33	2.29	2.25	2.16	2.11	
	.975	3.06	2.96	2.86	2.76	2.70	2.64	2.52	2.46	
	.99	3.80	3.67	3.52	3.37	3.30	3.21	3.05	2.96	
	.995	4.42	4.25	4.07	3.88	3.79	3.69	3.48	3.37	
	.999	6.08	5.81	5.54	5.25	5.10	4.95	4.64	4.48	
30	.50	0.966	0.977	0.989	1.00	1.01	1.01	1.02	1.03	
	.90	1.94	1.89	1.84	1.79	1.77	1.74	1.68	1.64	
	.95	2.35	2.28	2.20	2.12	2.08	2.04	1.95	1.90	
	.975	2.77	2.68	2.57	2.46	2.41	2.35	2.22	2.16	
	.99	3.37	3.23	3.09	2.94	2.86	2.78	2.61	2.52	
40	.995	3.85	3.68	3.50	3.32	3.22	3.12	2.92	2.81	
	.999	5.08	4.82	4.56	4.29	4.15	4.00	3.70	3.54	
	.50	0.961	0.972	0.983	0.994	1.00	1.01	1.02	1.02	
	.90	1.88	1.83	1.78	1.73	1.70	1.67	1.61	1.57	
	.95	2.25	2.18	2.11	2.03	1.98	1.94	1.84	1.79	
60	.975	2.64	2.54	2.44	2.33	2.27	2.21	2.08	2.01	
	.99	3.17	3.03	2.89	2.74	2.66	2.58	2.40	2.31	
	.995	3.59	3.42	3.25	3.06	2.97	2.87	2.66	2.55	
	.999	4.64	4.39	4.14	3.87	3.74	3.59	3.29	3.14	
	.50	2.97								

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	Numerator df								
	1	2	3	4	5	6	7	8	9
30	0.466	0.709	0.807	0.858	0.890	0.912	0.927	0.939	0.948
.50	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
.90	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
.95	5.29	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
.975	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
.99	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45
.995	13.3	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39
60	0.461	0.701	0.798	0.849	0.880	0.901	0.917	0.928	0.937
.50	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
.90	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
.95	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
.975	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
.99	8.49	5.80	4.73	4.14	3.76	3.49	3.29	3.13	3.01
.995	12.0	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69
120	0.458	0.697	0.793	0.844	0.875	0.896	0.912	0.923	0.932
.50	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
.90	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96
.95	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22
.975	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
.99	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81
.995	11.4	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38
∞	0.455	0.693	0.789	0.839	0.870	0.891	0.907	0.918	0.927
.50	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
.90	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88
.95	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11
.975	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41
.99	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62
.995	10.8	6.91	5.42	4.62	4.10	3.74	3.47	3.27	3.10

TABLE A.4 (concluded) Percentiles of the F Distribution

Den. df	Numerator df									
	10	12	15	20	24	30	60	120	∞	
30	0.955	0.966	0.978	0.989	0.994	1.00	1.01	1.02	1.02	
.50	1.82	1.77	1.72	1.67	1.64	1.61	1.54	1.50	1.46	
.90	2.16	2.09	2.01	1.93	1.89	1.84	1.74	1.68	1.62	
.95	2.51	2.41	2.31	2.20	2.14	2.07	1.94	1.87	1.79	
.975	2.98	2.84	2.70	2.55	2.47	2.39	2.21	2.11	2.01	
.99	3.34	3.18	3.01	2.82	2.73	2.63	2.42	2.30	2.18	
.995	4.24	4.00	3.75	3.49	3.36	3.22	2.92	2.76	2.59	
60	0.945	0.956	0.967	0.978	0.983	0.989	1.00	1.01	1.01	
.50	1.71	1.66	1.60	1.54	1.51	1.48	1.40	1.35	1.29	
.90	1.99	1.92	1.84	1.75	1.70	1.65	1.53	1.47	1.39	
.95	2.27	2.17	2.06	1.94	1.88	1.82	1.67	1.58	1.48	
.975	2.63	2.50	2.35	2.20	2.12	2.03	1.84	1.73	1.60	
.99	2.90	2.74	2.57	2.39	2.29	2.19	1.96	1.83	1.69	
.995	3.54	3.32	3.08	2.83	2.69	2.55	2.25	2.08	1.89	
120	0.939	0.950	0.961	0.972	0.978	0.983	0.994	1.00	1.01	
.50	1.65	1.60	1.55	1.48	1.45	1.41	1.32	1.26	1.19	
.90	1.91	1.83	1.75	1.66	1.61	1.55	1.43	1.35	1.25	
.95	2.16	2.05	1.95	1.82	1.76	1.69	1.53	1.43	1.31	
.975	2.47	2.34	2.19	2.03	1.95	1.86	1.66	1.53	1.38	
.99	2.71	2.54	2.37	2.19	2.09	1.98	1.75	1.61	1.43	
.995	3.24	3.02	2.78	2.53	2.40	2.26	1.95	1.77	1.54	
∞	0.934	0.945	0.956	0.967	0.972	0.978	0.989	0.994	1.00	
.50	1.60	1.55	1.49	1.42	1.38	1.34	1.24	1.17	1.00	
.90	1.83	1.75	1.67	1.57	1.52	1.46	1.32	1.22	1.00	
.95	2.03	1.94	1.83	1.71	1.64	1.57	1.39	1.27	1.00	
.975	2.32	2.18	2.04	1.88	1.79	1.70	1.47	1.32	1.00	
.99	2.52	2.36	2.19	2.00	1.90	1.79	1.53	1.36	1.00	
.995	2.96	2.74	2.51	2.27	2.13	1.99	1.66	1.45	1.00	

Source: Reprinted from Table 5 of Pearson and Hartley, *Biometrika Tables for Statisticians*, Volume 2, 1972, published by the Cambridge University Press, on behalf of The Biometrika Society, by permission of the authors and publishers.