

UNIVERSITY OF SWAZILAND

FINAL EXAMINATION PAPER 2012

TITLE OF PAPER : LINEAR STATISTICAL METHODS

COURSE CODE : ST204

TIME ALLOWED : 2 (TWO) HOURS

**REQUIRMENTS : STATISTICAL TABLES
AND CALCULATOR**

**INSTRUCTIONS : ANSWER ANY 4 (FOUR) QUESTIONS.
ALL QUESTIONS CARRY EQUAL MARKS.**

**THIS PAPER IS NOT TO BE OPENED UNTIL PERMISSION HAS BEEN
GRANTED BY THE INVIGILATOR**

QUESTION ONE.

[6 + 4 + 6 + 3 + 6 marks]

- 1.1 State the Simple Linear Regression Model with distribution of error terms unspecified. If we add the normality assumption in the model, how will it change the statement of the model. Explain.
- 1.2 From the above statement of the model (after change), list the four assumptions we already made in the model.
- 1.3 Show that the least square estimate of the regression coefficient, β_1 as follows:

$$\hat{\beta}_1 = \frac{n \sum X_i Y_i - \sum X_i \sum Y_i}{n \sum X_i^2 - (\sum X_i)^2}$$

- 1.4 Define residuals. Explain how it differs from the model error term, ϵ .
- 1.5 The residuals are used to detect the departure from the simple linear regression model. List the six different types of departure.

QUESTION TWO.

[5 + 2 + 4 + 2 + 4 + 4 + 4 marks]

- 2.1 Assume that $X = 0$ is within the scope of the simple linear regression model. What is the implication for the regression function if the regression coefficient (intercept), $\beta_0 = 0$? How would the regression function plot on a graph?
- 2.2 A researcher selected seven students randomly from a statistics class to investigate the relationship between absenteeism and the final marks. The following quantities have been calculated from the data:

$$\sum x = 57 \quad \sum y = 511 \quad \sum xy = 3745 \quad \sum x^2 = 579 \quad \sum y^2 = 38993 \quad \sum (y - \hat{y})^2 = 183.29$$

- a. Identify the response variable and the predictor variable.
- b. Find the least-square regression line, $Y_i = \beta_0 + \beta_1 X_i$.
- c. Estimate σ^2 .
- d. Construct a 90% confidence interval for β_1 .
- e. Construct a 95% confidence interval for σ^2 .
- f. Compute the correlation coefficient and explain the nature and strength of the relationship between dependent and independent variables.

QUESTION THREE.

[4 + 2 + 1 + 1 + 1 + 2 + 6 + 2 + 2 + 2 + 2 marks]

- 3.1 Define the Factor Effects Model for two-factor studies.
- 3.2 Suppose there is only one case for each treatment. What would be the new form of the model defined in question 3.1? Explain.
- 3.3 Hyperactivity in children is usually treated by counseling, or by drugs, or both. An experiment was designed to evaluate the effectiveness of these different treatments. The data on the attention span, that is, how long each child was able to concentrate on a specific task were collected using a sample of 32 children and analyzed using SPSS. The following ANOVA table is a part of the output from that analysis:

ANOVA TABLE

Source of Variation	Sum of Squares	df	Mean Square	F
Between treatments	102.25			
Factor A	6.13	1		
Factor B	78.13	1		
A X B	18.00			
Within treatments	179.75			
Total	282.00			

Answer the following questions:

- How many children were used in this experiment?
- Which one is the Factor A in this experiment?
- Which one is the Factor B in this experiment?
- What are the treatments in this experiment?
- Complete the ANOVA Table.

For the following tests:

Based on the F-test, state the decision (Reject H_0 or Do not reject H_0) and explain the conclusions. Use $\alpha = 0.05$ for all tests. **You do not need to write all steps of the F-test.**

- Test whether the attention span is influenced by the drug.
- Test whether the attention span is influenced by the counseling.
- Test whether the attention span is influenced by the interactions between drug and counseling.
- Test whether the treatment has an effect on attention span.

QUESTION FOUR.

[6 + 1 + 4 + 1 + 5 + 5 + 3 marks]

4.1 Define

- Coefficient of Correlation.
- Coefficient of Determination.

State the ranges of (a) and (b) and interpret the extreme values of these ranges.

4.2 The following output was obtained from running the model, $Y_i = \beta_0 + \beta_1 X_i + \varepsilon_i$ using SPSS:

ANOVA

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	26.450	1	26.450	37.451	.000
	Residual	5.650	8	.706		
	Total	32.100	9			

Coefficients

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	Constant	10.100	.797		12.668	.000
	X	1.150	.188	.908	6.120	.000

- Find the fitted regression line.
- Perform the F-test from the above ANOVA table clearly stating the null and the alternative hypotheses. What is your conclusion for this F-test.
- What is the estimated value of σ^2 ?
- Test $\beta_0 = 10$ against $\beta_0 > 10$ at $\alpha = 0.05$.
- Test $\beta_1 = 1$ against $\beta_1 \neq 1$ at $\alpha = 0.01$.
- Compute coefficient of determination, r^2 and interpret the value.

QUESTION FIVE.

[8 + 4 + 6 + 5 + 2 marks]


- 5.1 State the Cell Means Model for single-factor studies with all its important features.
- 5.2 An investor has consulted four different financial advisors (ranging from very conservative, advisor A to very optimistic, advisor D) with regard to the expected annual rate of return for each of three portfolio possibilities she is considering. The advisor's respective estimates (in %) are as follows:

Advisor	Portfolio		
	1	2	3
A	8	8	5
B	12	10	8
C	8	11	10
D	15	12	11

- Identify the dependent variable, factor studied and factor levels.
- Complete the computation of the ANOVA table.
- Conduct the F test. Clearly state all the steps in the test from the hypotheses to the conclusion.
- What do you think about the consultation? Was it worth?

TABLE A.2 Percentiles of the *t* Distribution

Entry is $t(A; \nu)$ where $P\{t(\nu) \leq t(A; \nu)\} = A$




ν	A						
	.60	.70	.80	.85	.90	.95	.975
1	0.325	0.727	1.376	1.963	3.078	6.314	12.706
2	0.289	0.617	1.061	1.386	1.886	2.920	4.303
3	0.277	0.584	0.978	1.250	1.638	2.353	3.182
4	0.271	0.569	0.941	1.190	1.533	2.132	2.776
5	0.267	0.559	0.920	1.156	1.476	2.015	2.571
6	0.265	0.553	0.906	1.134	1.440	1.943	2.447
7	0.263	0.549	0.896	1.119	1.415	1.895	2.365
8	0.262	0.546	0.889	1.108	1.397	1.860	2.306
9	0.261	0.543	0.883	1.100	1.383	1.833	2.262
10	0.260	0.542	0.879	1.093	1.372	1.812	2.228
11	0.260	0.540	0.876	1.088	1.363	1.796	2.201
12	0.259	0.539	0.873	1.083	1.356	1.782	2.179
13	0.259	0.537	0.870	1.079	1.350	1.771	2.160
14	0.258	0.537	0.868	1.076	1.345	1.761	2.145
15	0.258	0.536	0.866	1.074	1.341	1.753	2.131
16	0.258	0.535	0.865	1.071	1.337	1.746	2.120
17	0.257	0.534	0.863	1.069	1.333	1.740	2.110
18	0.257	0.534	0.862	1.067	1.330	1.734	2.101
19	0.257	0.533	0.861	1.066	1.328	1.729	2.093
20	0.257	0.533	0.860	1.064	1.325	1.725	2.086
21	0.257	0.532	0.859	1.063	1.323	1.721	2.080
22	0.256	0.532	0.858	1.061	1.321	1.717	2.074
23	0.256	0.532	0.858	1.060	1.319	1.714	2.069
24	0.256	0.531	0.857	1.059	1.318	1.711	2.064
25	0.256	0.531	0.856	1.058	1.316	1.708	2.060
26	0.256	0.531	0.856	1.058	1.315	1.706	2.056
27	0.256	0.531	0.855	1.057	1.314	1.703	2.052
28	0.256	0.530	0.855	1.056	1.313	1.701	2.048
29	0.256	0.530	0.854	1.055	1.311	1.699	2.045
30	0.256	0.530	0.854	1.055	1.310	1.697	2.042
40	0.255	0.529	0.851	1.050	1.303	1.684	2.021
60	0.254	0.527	0.848	1.045	1.296	1.671	2.000
120	0.254	0.526	0.845	1.041	1.289	1.658	1.980
∞	0.253	0.524	0.842	1.036	1.282	1.645	1.960

TABLE A.2 (concluded) Percentiles of the *t* Distribution

ν	A						
	.98	.985	.99	.9925	.995	.9975	.9995
1	15.895	21.205	31.821	42.434	63.657	127.322	636.590
2	4.849	5.643	6.965	8.073	9.925	14.089	31.598
3	3.482	3.896	4.541	5.047	5.841	7.453	12.924
4	2.999	3.298	3.747	4.088	4.604	5.598	8.610
5	2.757	3.003	3.365	3.634	4.032	4.773	6.869
6	2.612	2.829	3.143	3.372	3.707	4.317	5.959
7	2.517	2.715	2.998	3.203	3.499	4.029	5.408
8	2.449	2.634	2.896	3.085	3.355	3.833	5.041
9	2.398	2.574	2.821	2.998	3.250	3.690	4.781
10	2.359	2.527	2.764	2.932	3.169	3.581	4.587
11	2.328	2.491	2.718	2.879	3.106	3.497	4.437
12	2.303	2.461	2.681	2.836	3.055	3.428	4.318
13	2.282	2.436	2.650	2.801	3.012	3.372	4.221
14	2.264	2.415	2.624	2.771	2.977	3.326	4.140
15	2.249	2.397	2.602	2.746	2.947	3.286	4.073
16	2.235	2.382	2.583	2.724	2.921	3.252	4.015
17	2.224	2.368	2.567	2.706	2.898	3.222	3.965
18	2.214	2.356	2.552	2.689	2.878	3.197	3.922
19	2.205	2.346	2.539	2.674	2.861	3.174	3.883
20	2.197	2.336	2.528	2.661	2.845	3.153	3.849
21	2.189	2.328	2.518	2.649	2.831	3.135	3.819
22	2.183	2.320	2.508	2.639	2.819	3.119	3.792
23	2.177	2.313	2.500	2.629	2.807	3.104	3.768
24	2.172	2.307	2.492	2.620	2.797	3.091	3.745
25	2.167	2.301	2.485	2.612	2.787	3.078	3.725
26	2.162	2.296	2.479	2.605	2.779	3.067	3.707
27	2.158	2.291	2.473	2.598	2.771	3.057	3.690
28	2.154	2.286	2.467	2.592	2.763	3.047	3.674
29	2.150	2.282	2.462	2.586	2.756	3.038	3.659
30	2.147	2.278	2.457	2.581	2.750	3.030	3.646
40	2.123	2.250	2.423	2.542	2.704	2.971	3.551
60	2.099	2.223	2.390	2.504	2.660	2.915	3.460
120	2.076	2.196	2.358	2.468	2.617	2.860	3.373
∞	2.054	2.170	2.326	2.432	2.576	2.807	3.291

TABLE A.3 Percentiles of the χ^2 Distribution

Entry is $\chi^2(A; \nu)$ where $P\{\chi^2(\nu) \leq \chi^2(A; \nu)\} = A$




ν	A									
	.005	.010	.025	.050	.100	.900	.950	.975	.990	.995
1	0.004393	0.008537	0.017538	0.034482	0.071714	2.71	3.84	5.02	6.63	7.88
2	0.0100	0.0201	0.0406	0.103	0.211	4.61	5.99	7.38	9.21	10.60
3	0.072	0.115	0.216	0.352	0.584	6.25	7.81	9.35	11.34	12.84
4	0.207	0.297	0.484	0.711	1.064	7.78	9.49	11.14	13.28	14.86
5	0.412	0.534	0.831	1.145	1.61	9.24	11.07	12.83	15.09	16.75
6	0.676	0.872	1.24	1.64	2.20	10.64	12.59	14.45	16.81	18.55
7	0.989	1.24	1.69	2.17	2.83	12.02	14.07	16.01	18.48	20.28
8	1.34	1.65	2.18	2.73	3.49	13.36	15.51	17.53	20.09	21.96
9	1.73	2.09	2.70	3.33	4.17	14.68	16.92	19.02	21.67	23.59
10	2.16	2.56	3.25	3.94	4.87	15.99	18.31	20.48	23.21	25.19
11	2.60	3.05	3.82	4.57	5.58	17.28	19.68	21.92	24.73	26.76
12	3.07	3.57	4.40	5.23	6.30	18.55	21.03	23.34	26.22	28.30
13	3.57	4.11	5.01	5.89	7.04	19.81	22.36	24.74	27.69	29.82
14	4.07	4.66	5.63	6.57	7.79	21.06	23.68	26.12	29.14	31.32
15	4.60	5.23	6.26	7.26	8.55	22.31	25.00	27.49	30.58	32.80
16	5.14	5.81	6.91	7.96	9.31	23.54	26.30	28.85	32.00	34.27
17	5.70	6.41	7.56	8.67	10.09	24.77	27.59	30.19	33.41	35.72
18	6.26	7.01	8.23	9.39	10.86	25.99	28.87	31.53	34.81	37.16
19	6.84	7.63	8.91	10.12	11.65	27.20	30.14	32.85	36.19	38.58
20	7.43	8.26	9.59	10.85	12.44	28.41	31.41	34.17	37.57	40.00
21	8.03	8.90	10.28	11.59	13.24	29.62	32.67	35.48	38.93	41.40
22	8.64	9.54	10.98	12.34	14.04	30.81	33.92	36.78	40.29	42.80
23	9.26	10.20	11.69	13.09	14.85	32.01	35.17	38.08	41.64	44.18
24	9.89	10.86	12.40	13.85	15.66	33.20	36.42	39.36	42.98	45.56
25	10.52	11.52	13.12	14.61	16.47	34.38	37.65	40.65	44.31	46.93
26	11.16	12.20	13.84	15.38	17.29	35.56	38.89	41.92	45.64	48.29
27	11.81	12.88	14.57	16.15	18.11	36.74	40.11	43.19	46.96	49.64
28	12.46	13.56	15.31	16.93	18.94	37.92	41.34	44.46	48.28	50.99
29	13.12	14.26	16.05	17.71	19.77	39.09	42.56	45.72	49.59	52.34
30	13.79	14.95	16.79	18.49	20.60	40.26	43.77	46.98	50.89	53.67
40	20.71	22.16	24.43	26.51	29.05	51.81	55.76	59.34	63.69	66.77
50	27.99	29.71	32.36	34.76	37.69	63.17	67.50	71.42	76.15	79.49
60	35.33	37.48	40.48	43.19	46.46	74.40	79.08	83.30	88.38	91.93
70	43.28	45.44	48.76	51.74	55.33	85.53	90.33	95.02	100.4	104.2
80	51.17	53.54	57.15	60.39	64.28	96.58	101.9	106.6	112.3	116.3
90	59.20	61.75	65.65	69.13	73.29	107.6	113.1	118.1	124.1	128.3
100	67.33	70.06	74.22	77.93	82.36	118.5	124.3	129.6	135.8	140.2

Source: Reprinted, with permission, from C. M. Thompson, "Table of Percentage Points of the Chi-Square Distribution," *Biometrika* 32 (1945), pp. 188-89.

TABLE A.4 Percentiles of the F Distribution

Entry is $F(A; \nu_1, \nu_2)$ where $P\{F(\nu_1, \nu_2) \leq F(A; \nu_1, \nu_2)\} = A$



$$F(A; \nu_1, \nu_2) = \frac{1}{F(1-A; \nu_2, \nu_1)}$$




TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
1	.50	1.00	1.50	1.71	1.82	1.89	1.94	1.98	2.00	2.03
	.90	39.9	49.3	53.6	55.8	57.2	58.2	58.9	59.4	59.9
	.95	161	200	216	225	230	234	237	239	241
	.975	648	800	864	900	922	937	948	957	963
	.99	4,052	5,000	5,403	5,625	5,764	5,859	5,928	5,981	6,022
	.995	16,211	20,000	21,615	22,500	23,056	23,437	23,715	23,925	24,091
.999	405,280	500,000	540,380	562,500	576,400	585,940	592,870	598,140	602,280	
2	.50	0.667	1.00	1.13	1.21	1.25	1.28	1.30	1.32	1.33
	.90	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
	.95	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4
	.975	38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4
	.99	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4
	.995	199	199	199	199	199	199	199	199	199
.999	999.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4	
3	.50	0.585	0.881	1.00	1.06	1.10	1.13	1.15	1.16	1.17
	.90	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
	.95	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
	.975	17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.5
	.99	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3
	.995	55.6	49.8	47.5	46.2	45.4	44.8	44.4	44.1	43.9
.999	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9	
4	.50	0.549	0.828	0.941	1.00	1.04	1.06	1.08	1.09	1.10
	.90	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
	.95	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
	.975	12.2	10.6	9.98	9.60	9.36	9.20	9.07	8.98	8.90
	.99	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7
	.995	31.3	26.3	24.3	23.2	22.5	22.0	21.6	21.4	21.1
.999	74.1	61.2	56.2	53.4	51.7	50.5	49.7	49.0	48.5	
5	.50	0.528	0.799	0.907	0.965	1.00	1.02	1.04	1.05	1.06
	.90	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
	.95	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
	.975	10.0	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68
	.99	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2
	.995	22.8	18.3	16.5	15.6	14.9	14.5	14.2	14.0	13.8
.999	47.2	37.1	33.2	31.1	29.8	28.8	28.2	27.6	27.2	
6	.50	0.515	0.780	0.886	0.942	0.977	1.00	1.02	1.03	1.04
	.90	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
	.95	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
	.975	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52
	.99	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98
	.995	18.6	14.5	12.9	12.0	11.5	11.1	10.8	10.6	10.4
.999	35.5	27.0	23.7	21.9	20.8	20.0	19.5	19.0	18.7	
7	.50	0.506	0.767	0.871	0.926	0.960	0.983	1.00	1.01	1.02
	.90	3.39	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
	.95	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
	.975	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82
	.99	12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
	.995	16.2	12.4	10.9	10.1	9.52	9.16	8.89	8.68	8.51
.999	29.2	21.7	18.8	17.2	16.2	15.5	15.0	14.6	14.3	

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
1	.50	2.04	2.07	2.09	2.12	2.13	2.15	2.17	2.18	2.20
	.90	60.2	60.7	61.2	61.7	62.0	62.3	62.8	63.1	63.3
	.95	242	244	246	248	249	250	252	253	254
	.975	969	977	985	993	997	1,001	1,010	1,014	1,018
	.99	6,056	6,106	6,157	6,209	6,233	6,261	6,313	6,339	6,366
	.995	24,224	24,426	24,630	24,836	24,940	25,044	25,253	25,359	25,464
.999	605,620	610,670	615,760	620,910	623,500	626,100	631,340	633,970	636,620	
2	.50	1.34	1.36	1.38	1.39	1.40	1.41	1.43	1.43	1.44
	.90	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.48	9.49
	.95	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5
	.975	39.4	39.4	39.4	39.4	39.5	39.5	39.5	39.5	39.5
	.99	99.4	99.4	99.4	99.4	99.5	99.5	99.5	99.5	99.5
	.995	199	199	199	199	199	199	199	199	200
.999	999.4	999.4	999.4	999.4	999.5	999.5	999.5	999.5	999.5	
3	.50	1.18	1.20	1.21	1.23	1.23	1.24	1.25	1.26	1.27
	.90	5.23	5.22	5.20	5.18	5.18	5.17	5.15	5.14	5.13
	.95	8.79	8.74	8.70	8.66	8.64	8.62	8.57	8.55	8.53
	.975	14.4	14.3	14.3	14.2	14.1	14.1	14.0	13.9	13.9
	.99	27.2	27.1	26.9	26.7	26.6	26.5	26.3	26.2	26.1
	.995	43.7	43.4	43.1	42.8	42.6	42.5	42.1	42.0	41.8
.999	129.2	128.3	127.4	126.4	125.9	125.4	124.5	124.0	123.5	
4	.50	1.11	1.13	1.14	1.15	1.16	1.16	1.18	1.18	1.19
	.90	3.92	3.90	3.87	3.84	3.83	3.82	3.79	3.78	3.76
	.95	5.96	5.91	5.86	5.80	5.77	5.75	5.69	5.66	5.63
	.975	8.84	8.75	8.66	8.56	8.51	8.46	8.36	8.31	8.26
	.99	14.5	14.4	14.2	14.0	13.9	13.8	13.7	13.6	13.5
	.995	21.0	20.7	20.4	20.2	20.0	19.9	19.6	19.5	19.3
.999	48.1	47.4	46.8	46.1	45.8	45.4	44.7	44.4	44.1	
5	.50	1.07	1.09	1.10	1.11	1.12	1.12	1.14	1.14	1.15
	.90	3.30	3.27	3.24	3.21	3.19	3.17	3.14	3.12	3.11
	.95	4.74	4.68	4.62	4.56	4.53	4.50	4.43	4.40	4.37
	.975	6.62	6.52	6.43	6.33	6.28	6.23	6.12	6.07	6.02
	.99	10.1	9.89	9.72	9.55	9.47	9.38	9.20	9.11	9.02
	.995	13.6	13.4	13.1	12.9	12.8	12.7	12.4	12.3	12.1
.999	26.9	26.4	25.9	25.4	25.1	24.9	24.3	24.1	23.8	
6	.50	1.05	1.06	1.07	1.08	1.09	1.10	1.11	1.12	1.12
	.90	2.94	2.90	2.87	2.84	2.82	2.80	2.76	2.74	2.72
	.95	4.06	4.00	3.94	3.87	3.84	3.81	3.74	3.70	3.67
	.975	5.46	5.37	5.27	5.17	5.12	5.07	4.96	4.90	4.85
	.99	7.87	7.72	7.56	7.40	7.31	7.23	7.06	6.97	6.88
	.995	10.2	10.0	9.81	9.59	9.47	9.36	9.12	9.00	8.88
.999	18.4	18.0	17.6	17.1	16.9	16.7	16.2	16.0	15.7	
7	.50	1.03	1.04	1.05	1.07	1.07	1.08	1.09	1.10	1.10
	.90	2.70	2.67	2.63	2.59	2.58	2.56	2.51	2.49	2.47
	.95	3.64	3.57	3.51	3.44	3.41	3.38	3.30	3.27	3.23
	.975	4.76	4.67	4.57	4.47	4.42	4.36	4.23	4.20	4.14
	.99	6.62	6.47	6.31	6.16	6.07	5.99	5.82	5.74	5.65
	.995	8.38	8.18	7.97	7.75	7.65	7.53	7.31	7.19	7.08
.999	14.1	13.7	13.3	12.9	12.7	12.5	12.1	11.9	11.7	

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	4	Numerator df								
		1	2	3	4	5	6	7	8	9
8	.50	0.499	0.757	0.860	0.915	0.948	0.971	0.988	1.00	1.01
	.90	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56
	.95	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
	.975	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36
	.99	11.3	8.65	7.59	7.01	6.83	6.37	6.18	6.03	5.91
	.995	14.7	11.0	9.60	8.81	8.30	7.95	7.69	7.50	7.34
.999	25.4	18.5	15.8	14.4	13.5	12.9	12.4	12.0	11.8	
9	.50	0.494	0.749	0.852	0.906	0.939	0.962	0.978	0.990	1.00
	.90	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
	.95	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
	.975	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
	.99	10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
	.995	13.6	10.1	8.72	7.96	7.47	7.13	6.88	6.69	6.54
.999	22.9	16.4	13.9	12.6	11.7	11.1	10.7	10.4	10.1	
10	.50	0.490	0.743	0.845	0.899	0.932	0.954	0.971	0.983	0.992
	.90	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
	.95	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
	.975	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
	.99	10.0	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
	.995	12.8	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97
.999	21.0	14.9	12.6	11.3	10.5	9.93	9.52	9.20	8.96	
12	.50	0.484	0.735	0.835	0.888	0.921	0.943	0.959	0.972	0.981
	.90	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
	.95	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
	.975	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44
	.99	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
	.995	11.8	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20
.999	18.6	13.0	10.8	9.63	8.89	8.38	8.00	7.71	7.48	
15	.50	0.478	0.726	0.826	0.878	0.911	0.933	0.949	0.960	0.970
	.90	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
	.95	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
	.975	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12
	.99	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
	.995	10.8	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54
.999	16.6	11.3	9.34	8.25	7.57	7.09	6.74	6.47	6.26	
20	.50	0.472	0.718	0.816	0.868	0.900	0.922	0.938	0.950	0.959
	.90	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
	.95	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
	.975	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84
	.99	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
	.995	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96
.999	14.8	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	
24	.50	0.469	0.714	0.812	0.863	0.895	0.917	0.932	0.944	0.953
	.90	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91
	.95	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
	.975	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70
	.99	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
	.995	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69
.999	14.0	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	4	Numerator df								
		10	12	15	20	24	30	60	120	∞
8	.50	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.08	1.09
	.90	2.54	2.50	2.46	2.42	2.40	2.38	2.34	2.32	2.29
	.95	3.35	3.28	3.22	3.15	3.12	3.08	3.01	2.97	2.93
	.975	4.30	4.20	4.10	4.00	3.95	3.89	3.78	3.73	3.67
	.99	5.81	5.67	5.52	5.36	5.28	5.20	5.03	4.95	4.86
	.995	7.21	7.01	6.81	6.61	6.50	6.40	6.18	6.06	5.95
.999	11.5	11.2	10.8	10.5	10.3	10.1	9.73	9.53	9.33	
9	.50	1.01	1.02	1.03	1.04	1.05	1.05	1.07	1.07	1.08
	.90	2.42	2.38	2.34	2.30	2.28	2.25	2.21	2.18	2.16
	.95	3.14	3.07	3.01	2.94	2.90	2.86	2.79	2.75	2.71
	.975	3.96	3.87	3.77	3.67	3.61	3.56	3.43	3.39	3.33
	.99	5.26	5.11	4.96	4.81	4.73	4.65	4.48	4.40	4.31
	.995	6.42	6.23	6.03	5.83	5.73	5.62	5.41	5.30	5.19
.999	9.89	9.57	9.24	8.90	8.72	8.53	8.19	8.00	7.81	
10	.50	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.06	1.07
	.90	2.32	2.28	2.24	2.20	2.18	2.16	2.11	2.08	2.06
	.95	2.98	2.91	2.84	2.77	2.74	2.70	2.62	2.58	2.54
	.975	3.72	3.62	3.52	3.42	3.37	3.31	3.20	3.14	3.08
	.99	4.85	4.71	4.56	4.41	4.33	4.25	4.08	4.00	3.91
	.995	5.85	5.66	5.47	5.27	5.17	5.07	4.86	4.75	4.64
.999	8.75	8.45	8.13	7.80	7.64	7.47	7.12	6.94	6.76	
12	.50	0.989	1.00	1.01	1.02	1.03	1.03	1.05	1.05	1.06
	.90	2.19	2.15	2.10	2.06	2.04	2.01	1.96	1.93	1.90
	.95	2.75	2.69	2.62	2.54	2.51	2.47	2.38	2.34	2.30
	.975	3.37	3.28	3.18	3.07	3.02	2.96	2.85	2.79	2.72
	.99	4.30	4.16	4.01	3.86	3.78	3.70	3.54	3.45	3.36
	.995	5.09	4.91	4.72	4.53	4.43	4.33	4.12	4.01	3.90
.999	7.29	7.00	6.71	6.40	6.25	6.09	5.76	5.59	5.42	
15	.50	0.977	0.989	1.00	1.01	1.02	1.02	1.03	1.04	1.05
	.90	2.06	2.02	1.97	1.92	1.90	1.87	1.82	1.79	1.76
	.95	2.54	2.48	2.40	2.33	2.29	2.25	2.16	2.11	2.07
	.975	3.06	2.96	2.86	2.76	2.70	2.64	2.52	2.46	2.40
	.99	3.80	3.67	3.52	3.37	3.29	3.21	3.05	2.96	2.87
	.995	4.42	4.25	4.07	3.88	3.79	3.69	3.48	3.37	3.26
.999	6.08	5.81	5.54	5.25	5.10	4.95	4.64	4.48	4.31	
20	.50	0.966	0.977	0.989	1.00	1.01	1.01	1.02	1.03	1.03
	.90	1.94	1.89	1.84	1.79	1.77	1.74	1.68	1.64	1.61
	.95	2.35	2.28	2.20	2.12	2.08	2.04	1.95	1.90	1.84
	.975	2.77	2.68	2.57	2.46	2.41	2.35	2.22	2.16	2.09
	.99	3.37	3.23	3.09	2.94	2.86	2.78	2.61	2.52	2.42
	.995	3.85	3.68	3.50	3.32	3.22	3.12	2.92	2.81	2.69
.999	5.08	4.82	4.56	4.29	4.15	4.00	3.70	3.54	3.38	
24	.50	0.961	0.972	0.983	0.994	1.00	1.01	1.02	1.02	1.03
	.90	1.88	1.83	1.78	1.73	1.70	1.67	1.61	1.57	1.53
	.95	2.25	2.18	2.11	2.03	1.98	1.94	1.84	1.79	1.73
	.975	2.64	2.54	2.44	2.33	2.27	2.21	2.08	2.01	1.94
	.99	3.17	3.03	2.89	2.74	2.66	2.58	2.40	2.31	2.21
	.995	3.59	3.42	3.25	3.06	2.97	2.87	2.66	2.55	2.43
.999	4.64	4.39	4.14	3.87	3.74	3.59	3.29	3.14	2.97	

TABLE A.4 (continued) Percentiles of the F Distribution

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
30	.50	0.466	0.709	0.807	0.858	0.890	0.912	0.927	0.939	0.948
	.90	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
	.95	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
	.975	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
	.99	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
	.995	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45
.999	13.3	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	
60	.50	0.461	0.701	0.798	0.849	0.880	0.901	0.917	0.928	0.937
	.90	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
	.95	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
	.975	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
	.99	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
	.995	8.49	5.80	4.73	4.14	3.76	3.49	3.29	3.13	3.01
.999	12.0	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	
120	.50	0.458	0.697	0.793	0.844	0.875	0.896	0.912	0.923	0.932
	.90	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
	.95	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96
	.975	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22
	.99	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
	.995	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81
.999	11.4	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38	
∞	.50	0.455	0.693	0.789	0.839	0.870	0.891	0.907	0.918	0.927
	.90	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
	.95	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88
	.975	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11
	.99	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41
	.995	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62
.999	10.8	6.91	5.42	4.62	4.10	3.74	3.47	3.27	3.10	

TABLE A.4 (concluded) Percentiles of the F Distribution

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
30	.50	0.955	0.966	0.978	0.989	0.994	1.00	1.01	1.02	1.02
	.90	1.82	1.77	1.72	1.67	1.64	1.61	1.54	1.50	1.46
	.95	2.16	2.09	2.01	1.93	1.89	1.84	1.74	1.68	1.62
	.975	2.51	2.41	2.31	2.20	2.14	2.07	1.94	1.87	1.79
	.99	2.98	2.84	2.70	2.55	2.47	2.39	2.21	2.11	2.01
	.995	3.34	3.18	3.01	2.82	2.73	2.63	2.42	2.30	2.18
.999	4.24	4.00	3.75	3.49	3.36	3.22	2.92	2.76	2.59	
60	.50	0.945	0.956	0.967	0.978	0.983	0.989	1.00	1.01	1.01
	.90	1.71	1.66	1.60	1.54	1.51	1.48	1.40	1.35	1.29
	.95	1.99	1.92	1.84	1.75	1.70	1.65	1.53	1.47	1.39
	.975	2.27	2.17	2.06	1.94	1.88	1.82	1.67	1.58	1.48
	.99	2.63	2.50	2.35	2.20	2.12	2.03	1.84	1.73	1.60
	.995	2.90	2.74	2.57	2.39	2.29	2.19	1.96	1.83	1.69
.999	3.54	3.32	3.08	2.83	2.69	2.55	2.25	2.08	1.89	
120	.50	0.939	0.950	0.961	0.972	0.978	0.983	0.994	1.00	1.01
	.90	1.65	1.60	1.55	1.48	1.45	1.41	1.32	1.26	1.19
	.95	1.91	1.83	1.75	1.66	1.61	1.55	1.43	1.35	1.25
	.975	2.16	2.05	1.95	1.82	1.76	1.69	1.53	1.43	1.31
	.99	2.47	2.34	2.19	2.03	1.95	1.86	1.66	1.53	1.38
	.995	2.71	2.54	2.37	2.19	2.09	1.98	1.75	1.61	1.43
.999	3.24	3.02	2.78	2.53	2.40	2.26	1.95	1.77	1.54	
∞	.50	0.934	0.945	0.956	0.967	0.972	0.978	0.989	0.994	1.00
	.90	1.60	1.55	1.49	1.42	1.38	1.34	1.24	1.17	1.00
	.95	1.83	1.75	1.67	1.57	1.52	1.46	1.32	1.22	1.00
	.975	2.05	1.94	1.83	1.71	1.64	1.57	1.39	1.27	1.00
	.99	2.32	2.18	2.04	1.88	1.79	1.70	1.47	1.32	1.00
	.995	2.52	2.36	2.19	2.00	1.90	1.79	1.53	1.36	1.00
.999	2.96	2.74	2.51	2.27	2.13	1.99	1.66	1.45	1.00	

Source: Reprinted from Table 5 of Pearson and Hartley, *Biometrika Tables for Statisticians*, Volume 2, 1972, published by the Cambridge University Press, on behalf of The Biometrika Society, by permission of the authors and publishers.