

UNIVERSITY OF SWAZILAND



SUPPLEMENTARY EXAMINATION PAPER 2014

TITLE OF PAPER : PROBABILITY THEORY

COURSE CODE : ST 201

TIME ALLOWED : THREE (3) HOURS

INSTRUCTIONS : ANSWER ANY FIVE QUESTIONS.

REQUIREMENTS: SCIENTIFIC CALCULATOR AND STATISTICAL TABLE.

Question 1

A Personal Identification Number (PIN) consists of four digits in order, each of which may be any one of 0, 1, 2, ..., 9.

- a) Find the number of PINs satisfying each of the following requirements.
- (i) All four digits are different.
 - (ii) There are exactly three different digits.
 - (iii) There are two different digits, each of which occurs twice.
 - (iv) There are exactly three digits the same.
- (9 Marks)
- b) Two PINs are chosen independently and at random, and you are given that each PIN consists of four different digits. Let X be the random variable denoting the number of digits that the two PINs have in common.

(i) Explain clearly why $P(X = k) = \frac{\binom{4}{k} \binom{6}{4-k}}{\binom{10}{4}}$, for $k = 0, 1, 2, 3, 4$.

(4 Marks)

- (ii) Hence write down the values of the probability mass function of X , and find its mean and variance.

(7 Marks)

Question 2

The continuous random variable X has probability density function given by

$$f_X(x) = c(1 - x^2), \quad -1 \leq x \leq 1,$$

where c is a suitable constant.

- a) Show that $c = 3/4$ and plot the graph of $f_X(x)$ against x .
- b) Show that the cumulative distribution function of X is given by

(6 Marks)

$$F_X(x) = \begin{cases} 0 & , x < -1, \\ \frac{2 + 3x + x^3}{4} & , -1 \leq x < 1, \\ 1 & , x \geq 1. \end{cases}$$

Also find $P(-1/2 \leq X \leq 1/2)$

(6 Marks)

- c) Obtain the mean and variance of X , giving your answer correct to 3 significant figures.

(8 Marks)

Question 3

- a) Consider the sample space

$$\{(a, b, c), (a, c, b), (b, a, c), (b, c, a), (c, a, b), (c, b, a), (a, a, a), (b, b, b), (c, c, c)\}$$

Assign the probability of $1/9$ to each sample point. Let A_i be the event that the i^{th} place in a sample point is occupied by the letter a. Show that the events A_1, A_2, A_3 are pairwise independent but not completely independent.

(8 Marks)

- b) Suppose a rare disease occurs by chance in 1 per 10,000 people. Suppose there is a diagnostic test with the following properties : if a person has the disease, the test will diagnose this correctly with probability 0.95; if a person does not have the disease, the test will diagnose this correctly with probability 0.995.

If the test says that a person has the disease, calculate the probability that this is a correct diagnosis.

(12 Marks)

Question 4

- a) Consider a study in which scientists are interested in finding out the number of children with side effects after a vaccine, out of 200 children. Assume that the probability of having side effect is 5%. Suppose that scientists consider the vaccine "successful" if the number of children affected by side effects is no more than 15. What is the (approximate) probability that the vaccine will be successful?

(4 Marks)

- b) Researchers in Great Britain studied the incidence of childhood leukaemia over a 16-year period and determined that the rate was (approximately) 1.50 children per square mile area and that the numbers followed an approximate Poisson process. What is the probability that more than 3 leukaemia cases will be observed?

(4 Marks)

- c) A firm that produces certain toys and has a demand represented by the function

$$X = \alpha I/P,$$

where P is the unit price, α is a preference parameter equal to 0.5, and I stands for the consumer's income which is uniformly distributed between E1,000 and E2,000 per week.

- i) If total costs (TC) are fixed and equal to E1,000, find the expected profits of this firm.

(5 Marks)

- ii) Find the standard deviation of the Firm's profits.

(7 Marks)

Question 5

- a) The continuous random variable X has probability density function

$$f_X(x) = \frac{1}{\sqrt{2\pi x}} \exp\left\{-\frac{x}{2}\right\}, \quad x > 0.$$

Show that X has moment generating function (mgf)

$$M_X(t) = \frac{1}{\sqrt{1-2t}}, \quad t < \frac{1}{2}.$$

Hence find the expected value and variance of X .

(10 Marks)

- b) Suppose that the discrete random variable X has the probability function

$$P(X=x) = (1-\theta)^{x-1} \theta, \quad x = 1, 2, \dots$$

Show that X has moment generating function (mgf)

$$M_X(t) = \frac{e^{\theta}}{1 - e^{\theta}(1-\theta)}, \quad t < -\ln(1-\theta).$$

Hence find the expected value and variance of X .

(10 Marks)

Question 6

Suppose the random variables X and Y are independent and are Gamma distributed with parameters (α, λ) and (β, λ) respectively

$$\text{i.e. } f_X(x) = \frac{\lambda^\alpha x^{\alpha-1} \exp(-\lambda x)}{\Gamma(\alpha)}, \quad x \geq 0; \quad \alpha, \lambda > 0,$$

with a similar expression for $f_Y(y)$.

By calculating the joint probability density function of $X+Y$ and X/Y , show that these random variables are independent and that $X+Y$ has the Gamma $(\alpha + \beta, \lambda)$ distribution. Find the probability density function of X/Y . Why are $X+Y$ and Y/X independent? What is the probability density function of Y/X ?

(20 marks)

Question 7

The continuous random variables X and Y have the joint probability density function

$$\frac{\Gamma(\alpha + \beta + \gamma)}{\Gamma(\alpha)\Gamma(\beta)\Gamma(\gamma)} x^{\alpha-1} y^{\beta-1} (1-x-y)^{\gamma-1}, \quad 0 < x < 1, 0 < y < 1, 0 < x+y < 1,$$

where $\alpha > 0$, $\beta > 0$, $\gamma > 0$ and $\Gamma(\cdot)$ is the gamma function.

- a) Let r and s be non-negative integers. Show that the expected value of $X^r Y^s$ is

$$E(X^r Y^s) = \frac{\Gamma(\alpha + r)}{\Gamma(\alpha)} \cdot \frac{\Gamma(\beta + s)}{\Gamma(\beta)} \cdot \frac{\Gamma(\alpha + \beta + \gamma)}{\Gamma(\alpha + \beta + \gamma + r + s)}$$

(8 Marks)

- b) Hence determine the expected value and variance of X..

(6 Marks)

- c) Find the correlation between X and Y.

(6 Marks)

STATISTICAL TABLES

Cumulative normal distribution


Critical values of the *t* distribution

Critical values of the *F* distribution

Critical values of the chi-squared distribution

TABLE A.1

Cumulative Standardized Normal Distribution



$A(z)$ is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:

z	$A(z)$	
1.645	0.9500	Lower limit of right 5% tail
1.960	0.9750	Lower limit of right 2.5% tail
2.326	0.9900	Lower limit of right 1% tail
2.576	0.9950	Lower limit of right 0.5% tail
3.090	0.9990	Lower limit of right 0.1% tail
3.291	0.9995	Lower limit of right 0.05% tail

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999							

TABLE A.2
t Distribution: Critical Values of t

Degrees of freedom	Two-tailed test: One-tailed test:	Significance level					
		10% 5%	5% 2.5%	2% 1%	1% 0.5%	0.2% 0.1%	0.1% 0.05%
1		6.314	12.706	31.821	63.657	318.309	636.619
2		2.920	4.303	6.965	9.925	22.327	31.599
3		2.353	3.182	4.541	5.841	10.215	12.924
4		2.132	2.776	3.747	4.604	7.173	8.610
5		2.015	2.571	3.365	4.032	5.893	6.869
6		1.943	2.447	3.143	3.707	5.208	5.959
7		1.894	2.365	2.998	3.499	4.785	5.408
8		1.860	2.306	2.896	3.355	4.501	5.041
9		1.833	2.262	2.821	3.250	4.297	4.781
10		1.812	2.228	2.764	3.169	4.144	4.587
11		1.796	2.201	2.718	3.106	4.025	4.437
12		1.782	2.179	2.681	3.055	3.930	4.318
13		1.771	2.160	2.650	3.012	3.852	4.221
14		1.761	2.145	2.624	2.977	3.787	4.140
15		1.753	2.131	2.602	2.947	3.733	4.073
16		1.746	2.120	2.583	2.921	3.686	4.015
17		1.740	2.110	2.567	2.898	3.646	3.965
18		1.734	2.101	2.552	2.878	3.610	3.922
19		1.729	2.093	2.539	2.861	3.579	3.883
20		1.725	2.086	2.528	2.845	3.552	3.850
21		1.721	2.080	2.518	2.831	3.527	3.819
22		1.717	2.074	2.508	2.819	3.505	3.792
23		1.714	2.069	2.500	2.807	3.485	3.768
24		1.711	2.064	2.492	2.797	3.467	3.745
25		1.708	2.060	2.485	2.787	3.450	3.725
26		1.706	2.056	2.479	2.779	3.435	3.707
27		1.703	2.052	2.473	2.771	3.421	3.690
28		1.701	2.048	2.467	2.763	3.408	3.674
29		1.699	2.045	2.462	2.756	3.396	3.659
30		1.697	2.042	2.457	2.750	3.385	3.646
32		1.694	2.037	2.449	2.738	3.365	3.622
34		1.691	2.032	2.441	2.728	3.348	3.601
36		1.688	2.028	2.434	2.719	3.333	3.582
38		1.686	2.024	2.429	2.712	3.319	3.566
40		1.684	2.021	2.423	2.704	3.307	3.551
42		1.682	2.018	2.418	2.698	3.296	3.538
44		1.680	2.015	2.414	2.692	3.286	3.526
46		1.679	2.013	2.410	2.687	3.277	3.515
48		1.677	2.011	2.407	2.682	3.269	3.505
50		1.676	2.009	2.403	2.678	3.261	3.496
60		1.671	2.000	2.390	2.660	3.232	3.460
70		1.667	1.994	2.381	2.648	3.211	3.435
80		1.664	1.990	2.374	2.639	3.195	3.416
90		1.662	1.987	2.368	2.632	3.183	3.402
100		1.660	1.984	2.364	2.626	3.174	3.390
120		1.658	1.980	2.358	2.617	3.160	3.373
150		1.655	1.976	2.351	2.609	3.145	3.357
200		1.653	1.972	2.345	2.601	3.131	3.340
300		1.650	1.968	2.339	2.592	3.118	3.323
400		1.649	1.966	2.336	2.588	3.111	3.315
500		1.648	1.965	2.334	2.586	3.107	3.310
600		1.647	1.964	2.333	2.584	3.104	3.307
∞		1.645	1.960	2.326	2.576	3.090	3.291

TABLE A.3
F Distribution: Critical Values of F (5% significance level)

v_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88	243.91	245.36	246.46	247.32	248.01
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.42	19.43	19.44	19.45
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.71	8.69	8.67	8.66
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.87	5.84	5.82	5.80
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.64	4.60	4.58	4.56
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.96	3.92	3.90	3.87
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.53	3.49	3.47	3.44
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.24	3.20	3.17	3.15
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.03	2.99	2.96	2.94
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.86	2.83	2.80	2.77
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.74	2.70	2.67	2.65
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.64	2.60	2.57	2.54
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.55	2.51	2.48	2.46
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.48	2.44	2.41	2.39
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.42	2.38	2.35	2.33
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.37	2.33	2.30	2.28
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.33	2.29	2.26	2.23
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.29	2.25	2.22	2.19
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.26	2.21	2.18	2.16
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.22	2.18	2.15	2.12
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.20	2.16	2.12	2.10
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.17	2.13	2.10	2.07
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.15	2.11	2.08	2.05
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.13	2.09	2.05	2.03
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.11	2.07	2.04	2.01
26	4.22	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.09	2.05	2.02	1.99
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.08	2.04	2.00	1.97
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.06	2.02	1.99	1.96
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.05	2.01	1.97	1.94
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.04	1.99	1.96	1.93
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.04	1.99	1.94	1.91	1.88
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.95	1.90	1.87	1.84
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.95	1.89	1.85	1.81	1.78
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.86	1.82	1.78	1.75
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.89	1.84	1.79	1.75	1.72
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.88	1.82	1.77	1.73	1.70
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.86	1.80	1.76	1.72	1.69
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.85	1.79	1.75	1.71	1.68
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.78	1.73	1.69	1.66
150	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89	1.82	1.76	1.71	1.67	1.64
200	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.80	1.74	1.69	1.66	1.62
250	3.88	3.03	2.64	2.41	2.25	2.13	2.05	1.98	1.92	1.87	1.79	1.73	1.68	1.65	1.61
300	3.87	3.03	2.63	2.40	2.24	2.13	2.04	1.97	1.91	1.86	1.78	1.72	1.68	1.64	1.61
400	3.86	3.02	2.63	2.39	2.24	2.12	2.03	1.96	1.90	1.85	1.78	1.72	1.67	1.63	1.60
500	3.86	3.01	2.62	2.39	2.23	2.12	2.03	1.96	1.90	1.85	1.77	1.71	1.66	1.62	1.59
600	3.86	3.01	2.62	2.39	2.23	2.11	2.02	1.95	1.90	1.85	1.77	1.71	1.66	1.62	1.59
750	3.85	3.01	2.62	2.38	2.23	2.11	2.02	1.95	1.89	1.84	1.77	1.70	1.66	1.62	1.58
1000	3.85	3.00	2.61	2.38	2.22	2.11	2.02	1.95	1.89	1.84	1.76	1.70	1.65	1.61	1.58

TABLE A.3 (continued)											
F Distribution: Critical Values of F (5% significance level)											
v_1	25	30	35	40	50	60	75	100	150	200	
v_2	1	2	3	4	5	6	7	8	9	10	
1	249.26	250.10	250.69	251.14	251.77	252.20	252.62	253.04	253.46	253.68	
2	19.46	19.46	19.47	19.47	19.48	19.48	19.48	19.49	19.49	19.49	
3	8.63	8.62	8.60	8.59	8.58	8.57	8.56	8.55	8.54	8.54	
4	5.77	5.75	5.73	5.72	5.70	5.69	5.68	5.66	5.65	5.65	
5	4.52	4.50	4.48	4.46	4.44	4.43	4.42	4.41	4.39	4.39	
6	3.83	3.81	3.79	3.77	3.75	3.74	3.73	3.71	3.70	3.69	
7	3.40	3.38	3.36	3.34	3.32	3.30	3.29	3.27	3.26	3.25	
8	3.11	3.08	3.06	3.04	3.02	3.01	2.99	2.97	2.96	2.95	
9	2.89	2.86	2.84	2.83	2.80	2.79	2.77	2.76	2.74	2.73	
10	2.73	2.70	2.68	2.66	2.64	2.62	2.60	2.59	2.57	2.56	
11	2.60	2.57	2.55	2.53	2.51	2.49	2.47	2.46	2.44	2.43	
12	2.50	2.47	2.44	2.43	2.40	2.38	2.37	2.35	2.33	2.32	
13	2.41	2.38	2.36	2.34	2.31	2.30	2.28	2.26	2.24	2.23	
14	2.34	2.31	2.28	2.27	2.24	2.22	2.21	2.19	2.17	2.16	
15	2.28	2.25	2.22	2.20	2.18	2.16	2.14	2.12	2.10	2.10	
16	2.23	2.19	2.17	2.15	2.12	2.11	2.09	2.07	2.05	2.04	
17	2.18	2.15	2.12	2.10	2.08	2.06	2.04	2.02	2.00	1.99	
18	2.14	2.11	2.08	2.06	2.04	2.02	2.00	1.98	1.96	1.95	
19	2.11	2.07	2.05	2.03	2.00	1.98	1.96	1.94	1.92	1.91	
20	2.07	2.04	2.01	1.99	1.97	1.95	1.93	1.91	1.89	1.88	
21	2.05	2.01	1.98	1.96	1.94	1.92	1.90	1.88	1.86	1.84	
22	2.02	1.98	1.96	1.94	1.91	1.89	1.87	1.85	1.83	1.82	
23	2.00	1.96	1.93	1.91	1.88	1.86	1.84	1.82	1.80	1.79	
24	1.97	1.94	1.91	1.89	1.86	1.84	1.82	1.80	1.78	1.77	
25	1.96	1.92	1.89	1.87	1.84	1.82	1.80	1.78	1.76	1.75	
26	1.94	1.90	1.87	1.85	1.82	1.80	1.78	1.76	1.74	1.73	
27	1.92	1.88	1.86	1.84	1.81	1.79	1.76	1.74	1.72	1.71	
28	1.91	1.87	1.84	1.82	1.79	1.77	1.75	1.73	1.70	1.69	
29	1.89	1.85	1.83	1.81	1.77	1.75	1.73	1.71	1.69	1.67	
30	1.88	1.84	1.81	1.79	1.76	1.74	1.72	1.70	1.67	1.66	
35	1.82	1.79	1.76	1.74	1.70	1.68	1.66	1.63	1.61	1.60	
40	1.78	1.74	1.72	1.69	1.66	1.64	1.61	1.59	1.56	1.55	
50	1.73	1.69	1.66	1.63	1.60	1.58	1.55	1.52	1.50	1.48	
60	1.69	1.65	1.62	1.59	1.56	1.53	1.51	1.48	1.45	1.44	
70	1.66	1.62	1.59	1.57	1.53	1.50	1.48	1.45	1.42	1.40	
80	1.64	1.60	1.57	1.54	1.51	1.48	1.45	1.43	1.39	1.38	
90	1.63	1.59	1.55	1.53	1.49	1.46	1.44	1.41	1.38	1.36	
100	1.62	1.57	1.54	1.52	1.48	1.45	1.42	1.39	1.36	1.34	
120	1.60	1.55	1.52	1.50	1.46	1.43	1.40	1.37	1.33	1.32	
150	1.58	1.54	1.50	1.48	1.44	1.41	1.38	1.34	1.31	1.29	
200	1.56	1.52	1.48	1.46	1.41	1.39	1.35	1.32	1.28	1.26	
250	1.55	1.50	1.47	1.44	1.40	1.37	1.34	1.31	1.27	1.25	
300	1.54	1.50	1.46	1.43	1.39	1.36	1.33	1.30	1.26	1.23	
400	1.53	1.49	1.45	1.42	1.38	1.35	1.32	1.28	1.24	1.22	
500	1.53	1.48	1.45	1.42	1.38	1.35	1.31	1.28	1.23	1.21	
600	1.52	1.48	1.44	1.41	1.37	1.34	1.31	1.27	1.23	1.20	
750	1.52	1.47	1.44	1.41	1.37	1.34	1.30	1.26	1.22	1.20	
1000	1.52	1.47	1.43	1.41	1.36	1.33	1.30	1.26	1.22	1.19	

TABLE A.3 (continued)																		
F Distribution: Critical Values of F (1% significance level)																		
v_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20			
v_2	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20			
1	4052.18	4999.30	5403.35	5624.58	5763.65	5858.99	5928.36	5981.67	6022.47	6055.85	6106.32	6142.67	6170.10	6191.53	6208.73			
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.44	99.44	99.45			
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.92	26.83	26.75	26.69			
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.25	14.15	14.08	14.02			
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.77	9.68	9.61	9.55			
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.60	7.52	7.45	7.40			
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.36	6.28	6.21	6.16			
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.56	5.48	5.41	5.36			
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	5.01	4.92	4.86	4.81			
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.60	4.52	4.46	4.41			
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.29	4.21	4.15	4.10			
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.05	3.97	3.91	3.86			
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.86	3.78	3.72	3.66			
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.70	3.62	3.56	3.51			
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.56	3.49	3.42	3.37			
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.45	3.37	3.31	3.26			
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.35	3.27	3.21	3.16			
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.27	3.19	3.13	3.08			
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.19	3.12	3.05	3.00			
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.13	3.05	2.99	2.94			
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.07	2.99	2.93	2.88			
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	3.02	2.94	2.88	2.83			
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.97	2.89	2.83	2.78			
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.93	2.85	2.79	2.74			
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.89	2.81	2.75	2.70			
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.86	2.78	2.72	2.66			
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.82	2.75	2.68	2.63			
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.79	2.72	2.65	2.60			
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.77	2.69	2.63	2.57			
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.74	2.66	2.60	2.55			
35	7.42	5.27	4.40	3.91	3.59	3.37	3.20	3.07	2.96	2.88	2.74	2.64	2.56	2.50	2.44			
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.56	2.48	2.42	2.37			
50	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78	2.70	2.56	2.46	2.38	2.32	2.27			
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.39	2.31	2.25	2.20			
70	7.01	4.92	4.07	3.60	3.29	3.07	2.91	2.78	2.67	2.59	2.45	2.35	2.27	2.20	2.15			
80	6.96	4.88	4.04	3.56	3.26	3.04	2.87	2.74	2.64	2.55	2.42	2.31	2.23	2.17	2.12			
90	6.93	4.85	4.01	3.53	3.23	3.01	2.84	2.72	2.61	2.52	2.39	2.29	2.21	2.14	2.09			
100	6.90	4.82	3.98	3.51	3.21	2.99	2.82	2.69	2.59	2.50	2.37	2.27	2.19	2.12	2.07			

TABLE A.3 (continued)										
F Distribution: Critical Values of F (1% significance level)										
v_1	25	30	35	40	50	60	75	100	150	200
v_2										
1	6239.83	6260.65	6275.57	6286.78	6302.52	6313.03	6323.56	6334.11	6344.68	6349.97
2	99.46	99.47	99.47	99.47	99.48	99.48	99.49	99.49	99.49	99.49
3	26.58	26.50	26.45	26.41	26.35	26.32	26.28	26.24	26.20	26.18
4	13.91	13.84	13.79	13.75	13.69	13.65	13.61	13.58	13.54	13.52
5	9.45	9.38	9.33	9.29	9.24	9.20	9.17	9.13	9.09	9.08
6	7.30	7.23	7.18	7.14	7.09	7.06	7.02	6.99	6.95	6.93
7	6.06	5.99	5.94	5.91	5.86	5.82	5.79	5.75	5.72	5.70
8	5.26	5.20	5.15	5.12	5.07	5.03	5.00	4.96	4.93	4.91
9	4.71	4.65	4.60	4.57	4.52	4.48	4.45	4.41	4.38	4.36
10	4.31	4.25	4.20	4.17	4.12	4.08	4.05	4.01	3.98	3.96
11	4.01	3.94	3.89	3.86	3.81	3.78	3.74	3.71	3.67	3.66
12	3.76	3.70	3.65	3.62	3.57	3.54	3.50	3.47	3.43	3.41
13	3.57	3.51	3.46	3.43	3.38	3.34	3.31	3.27	3.24	3.22
14	3.41	3.35	3.30	3.27	3.22	3.18	3.15	3.11	3.08	3.06
15	3.28	3.21	3.17	3.13	3.08	3.05	3.01	2.98	2.94	2.92
16	3.16	3.10	3.05	3.02	2.97	2.93	2.90	2.86	2.83	2.81
17	3.07	3.00	2.96	2.92	2.87	2.83	2.80	2.76	2.73	2.71
18	2.98	2.92	2.87	2.84	2.78	2.75	2.71	2.68	2.64	2.62
19	2.91	2.84	2.80	2.76	2.71	2.67	2.64	2.60	2.57	2.55
20	2.84	2.78	2.73	2.69	2.64	2.61	2.57	2.54	2.50	2.48
21	2.79	2.72	2.67	2.64	2.58	2.55	2.51	2.48	2.44	2.42
22	2.73	2.67	2.62	2.58	2.53	2.50	2.46	2.42	2.38	2.36
23	2.69	2.62	2.57	2.54	2.48	2.45	2.41	2.37	2.34	2.32
24	2.64	2.58	2.53	2.49	2.44	2.40	2.37	2.33	2.29	2.27
25	2.60	2.54	2.49	2.45	2.40	2.36	2.33	2.29	2.25	2.23
26	2.57	2.50	2.45	2.42	2.36	2.33	2.29	2.25	2.21	2.19
27	2.54	2.47	2.42	2.38	2.33	2.29	2.26	2.22	2.18	2.16
28	2.51	2.44	2.39	2.35	2.30	2.26	2.23	2.19	2.15	2.13
29	2.48	2.41	2.36	2.33	2.27	2.23	2.20	2.16	2.12	2.10
30	2.45	2.39	2.34	2.30	2.25	2.21	2.17	2.13	2.09	2.07
35	2.35	2.28	2.23	2.19	2.14	2.10	2.06	2.02	1.98	1.96
40	2.27	2.20	2.15	2.11	2.06	2.02	1.98	1.94	1.90	1.87
50	2.17	2.10	2.05	2.01	1.95	1.91	1.87	1.82	1.78	1.76
60	2.10	2.03	1.98	1.94	1.88	1.84	1.79	1.75	1.70	1.68
70	2.05	1.98	1.93	1.89	1.83	1.78	1.74	1.70	1.65	1.62
80	2.01	1.94	1.89	1.85	1.79	1.75	1.70	1.65	1.61	1.58
90	1.99	1.92	1.86	1.82	1.76	1.72	1.67	1.62	1.57	1.55
100	1.97	1.89	1.84	1.80	1.74	1.69	1.65	1.60	1.55	1.52
120	1.93	1.86	1.81	1.76	1.70	1.66	1.61	1.56	1.51	1.48
150	1.90	1.83	1.77	1.73	1.66	1.62	1.57	1.52	1.46	1.43
200	1.87	1.79	1.74	1.69	1.63	1.58	1.53	1.48	1.42	1.39
250	1.85	1.77	1.72	1.67	1.61	1.56	1.51	1.46	1.40	1.36
300	1.84	1.76	1.70	1.66	1.59	1.55	1.50	1.44	1.38	1.35
400	1.82	1.75	1.69	1.64	1.58	1.53	1.48	1.42	1.36	1.32
500	1.81	1.74	1.68	1.63	1.57	1.52	1.47	1.41	1.34	1.31
600	1.80	1.73	1.67	1.63	1.56	1.51	1.46	1.40	1.34	1.30
750	1.80	1.72	1.66	1.62	1.55	1.50	1.45	1.39	1.33	1.29
1000	1.79	1.72	1.66	1.61	1.54	1.50	1.44	1.38	1.32	1.28

TABLE A.3 (continued)																	
F Distribution: Critical Values of F (0.1% significance level)																	
v_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20		
v_2																	
1	4.05e05	5.00e05	5.40e05	5.62e05	5.76e05	5.86e05	5.93e05	5.98e05	6.02e05	6.06e05	6.11e05	6.14e05	6.17e05	6.19e05	6.21e05		
2	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39	999.40	999.42	999.43	999.44	999.44	999.45		
3	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86	129.25	128.32	127.64	127.14	126.74	126.42		
4	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47	48.05	47.41	46.95	46.60	46.32	46.10		
5	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	26.92	26.42	26.06	25.78	25.57	25.39		
6	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69	18.41	17.99	17.68	17.45	17.27	17.12		
7	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	14.08	13.71	13.43	13.23	13.06	12.93		
8	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	11.54	11.19	10.94	10.75	10.60	10.48		
9	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11	9.89	9.57	9.33	9.15	9.01	8.90		
10	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96	8.75	8.45	8.22	8.05	7.91	7.80		
11	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12	7.92	7.63	7.41	7.24	7.11	7.01		
12	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29	7.00	6.79	6.63	6.51	6.40		
13	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80	6.52	6.31	6.16	6.03	5.93		
14	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	6.40	6.13	5.93	5.78	5.66	5.56		
15	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08	5.81	5.62	5.46	5.35	5.25		
16	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	5.81	5.55	5.35	5.20	5.09	4.99		
17	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58	5.32	5.13	4.99	4.87	4.78		
18	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39	5.13	4.94	4.80	4.68	4.59		
19	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39	5.22	4.97	4.78	4.64	4.52	4.43		
20	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24	5.08	4.82	4.64	4.49	4.38	4.29		
21	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95	4.70	4.51	4.37	4.26	4.17		
22	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83	4.58	4.40	4.26	4.15	4.06		
23	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73	4.48	4.30	4.16	4.05	3.96		
24	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64	4.39	4.21	4.07	3.96	3.87		
25	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	4.56	4.31	4.13	3.99	3.88	3.79		
26	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48	4.24	4.06	3.92	3.81	3.72		
27	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41	4.17	3.99	3.86	3.75	3.66		
28	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35	4.11	3.93	3.80	3.69	3.60		
29	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29	4.05	3.88	3.74	3.63	3.54		
30	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.24	4.00	3.82	3.69	3.58	3.49		
35	12.90	8.47	6.79	5.88	5.30	4.89	4.59	4.36	4.18	4.03	3.79	3.62	3.48	3.38	3.29		
40	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02	3.87	3.64	3.47	3.34	3.23	3.14		
50	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82	3.67	3.44	3.27	3.14	3.04	2.95		
60	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69	3.54	3.32	3.15	3.02	2.91	2.83		
70	11.80	7.64	6.06	5.20	4.66	4.28	3.99	3.77	3.60	3.45	3.23	3.06	2.93	2.83	2.74		
80	11.67	7.54	5.97	5.12	4.58	4.20	3.92	3.70	3.53	3.39	3.16	3.00	2.87	2.76	2.68		
90	11.57	7.47	5.91	5.06	4.53	4.15	3.87	3.65	3.48	3.34	3.11	2.95	2.82	2.71	2.63		
100	11.50	7.41	5.86	5.02	4.48	4.11	3.83	3.61	3.44	3.30	3.07	2.91	2.78	2.68	2.59		
120	11.38	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38	3.24	3.02	2.85	2.72	2.62	2.53		
150	11.27	7.24	5.71	4.88	4.35	3.98	3.71	3.49	3.32	3.18	2.96	2.80	2.67	2.56	2.48		
200	11.15	7.15	5.63	4.81	4.29	3.92	3.65	3.43	3.26	3.12	2.90	2.74	2.61	2.51	2.42		
250	11.09	7.10	5.59	4.77	4.25	3.88	3.61	3.40	3.23	3.09	2.87	2.71	2.58	2.48	2.39		
300	11.04	7.07	5.56	4.75	4.22	3.86	3.59	3.38	3.21	3.07	2.85	2.69	2.56	2.46	2.37		
400	10.99	7.03	5.53	4.71	4.19	3.83	3.56	3.35	3.18	3.04	2.82	2.66	2.53	2.43	2.34		
500	10.96	7.00	5.51	4.69	4.18	3.81	3.54	3.33	3.16	3.02	2.81	2.64	2.52	2.41	2.33		
600	10.94	6.99	5.49	4.68	4.16	3.80	3.53	3.32	3.15	3.01	2.80	2.63	2.51	2.40	2.32		
750	10.91	6.97	5.48	4.67	4.15	3.79	3.52	3.31	3.14	3.00	2.78	2.62	2.49	2.39	2.31		
1000	10.89	6.96	5.46	4.65	4.14	3.78	3.51	3.30	3.13	2.99	2.77	2.61	2.48	2.38	2.30		

TABLE A.3 (continued)											
F Distribution: Critical Values of F (0.1% significance level)											
ν_1	25	30	35	40	50	60	75	100	150	200	
1	6.24e05	6.26e05	6.28e05	6.29e05	6.30e05	6.31e05	6.32e05	6.33e05	6.35e05	6.35e05	
2	999.46	999.47	999.47	999.47	999.48	999.48	999.49	999.49	999.49	999.49	
3	125.84	125.45	125.17	124.96	124.66	124.47	124.27	124.07	123.87	123.77	
4	45.70	45.43	45.23	45.09	44.88	44.75	44.61	44.47	44.33	44.26	
5	25.08	24.87	24.72	24.60	24.44	24.33	24.22	24.12	24.01	23.95	
6	16.85	16.67	16.54	16.44	16.31	16.21	16.12	16.03	15.93	15.89	
7	12.69	12.53	12.41	12.33	12.20	12.12	12.04	11.95	11.87	11.82	
8	10.26	10.11	10.00	9.92	9.80	9.73	9.65	9.57	9.49	9.45	
9	8.69	8.55	8.46	8.37	8.26	8.19	8.11	8.04	7.96	7.93	
10	7.60	7.47	7.37	7.30	7.19	7.12	7.05	6.98	6.91	6.87	
11	6.81	6.68	6.59	6.52	6.42	6.35	6.28	6.21	6.14	6.10	
12	6.22	6.09	6.00	5.93	5.83	5.76	5.70	5.63	5.56	5.52	
13	5.75	5.63	5.54	5.47	5.37	5.30	5.24	5.17	5.10	5.07	
14	5.38	5.25	5.17	5.10	5.00	4.94	4.87	4.81	4.74	4.71	
15	5.07	4.95	4.86	4.80	4.70	4.64	4.57	4.51	4.44	4.41	
16	4.82	4.70	4.61	4.54	4.45	4.39	4.32	4.26	4.19	4.16	
17	4.60	4.48	4.40	4.33	4.24	4.18	4.11	4.05	3.98	3.95	
18	4.42	4.30	4.22	4.15	4.06	4.00	3.93	3.87	3.80	3.77	
19	4.26	4.14	4.06	3.99	3.90	3.84	3.78	3.71	3.65	3.61	
20	4.12	4.00	3.92	3.86	3.77	3.70	3.64	3.58	3.51	3.48	
21	4.00	3.88	3.80	3.74	3.64	3.58	3.52	3.46	3.39	3.36	
22	3.89	3.78	3.70	3.63	3.54	3.48	3.41	3.35	3.28	3.25	
23	3.79	3.68	3.60	3.53	3.44	3.38	3.32	3.25	3.19	3.16	
24	3.71	3.59	3.51	3.45	3.36	3.29	3.23	3.17	3.10	3.07	
25	3.63	3.52	3.43	3.37	3.28	3.22	3.15	3.09	3.03	2.99	
26	3.56	3.44	3.36	3.30	3.21	3.15	3.08	3.02	2.95	2.92	
27	3.49	3.38	3.30	3.23	3.14	3.08	3.02	2.96	2.89	2.86	
28	3.43	3.32	3.24	3.18	3.09	3.02	2.96	2.90	2.83	2.80	
29	3.38	3.27	3.18	3.12	3.03	2.97	2.91	2.84	2.78	2.74	
30	3.33	3.22	3.13	3.07	2.98	2.92	2.86	2.79	2.73	2.69	
35	3.13	3.02	2.93	2.87	2.78	2.72	2.66	2.59	2.52	2.49	
40	2.98	2.87	2.79	2.73	2.64	2.57	2.51	2.44	2.38	2.34	
50	2.79	2.68	2.60	2.53	2.44	2.38	2.31	2.25	2.18	2.14	
60	2.67	2.55	2.47	2.41	2.32	2.25	2.19	2.12	2.05	2.01	
70	2.58	2.47	2.39	2.32	2.23	2.16	2.10	2.03	1.95	1.92	
80	2.52	2.41	2.32	2.26	2.16	2.10	2.03	1.96	1.89	1.85	
90	2.47	2.36	2.27	2.21	2.11	2.05	1.98	1.91	1.83	1.79	
100	2.43	2.32	2.24	2.17	2.08	2.01	1.94	1.87	1.79	1.75	
120	2.37	2.26	2.18	2.11	2.02	1.95	1.88	1.81	1.73	1.68	
150	2.32	2.21	2.12	2.06	1.96	1.89	1.82	1.74	1.66	1.62	
200	2.26	2.15	2.07	2.00	1.90	1.83	1.76	1.68	1.60	1.55	
250	2.23	2.12	2.03	1.97	1.87	1.80	1.72	1.65	1.56	1.51	
300	2.21	2.10	2.01	1.94	1.85	1.78	1.70	1.62	1.53	1.48	
400	2.18	2.07	1.98	1.92	1.82	1.75	1.67	1.59	1.50	1.45	
500	2.17	2.05	1.97	1.90	1.80	1.73	1.65	1.57	1.48	1.43	
600	2.16	2.04	1.96	1.89	1.79	1.72	1.64	1.56	1.46	1.41	
750	2.15	2.03	1.95	1.88	1.78	1.71	1.63	1.55	1.45	1.40	
1000	2.14	2.02	1.94	1.87	1.77	1.69	1.62	1.53	1.44	1.38	

TABLE A.4			
χ^2 (Chi-Squared) Distribution: Critical Values of χ^2			
Significance level			
Degrees of freedom	5%	1%	0.1%
1	3.841	6.635	10.828
2	5.991	9.210	13.816
3	7.815	11.345	16.266
4	9.488	13.277	18.467
5	11.070	15.086	20.515
6	12.592	16.812	22.458
7	14.067	18.475	24.322
8	15.507	20.090	26.124
9	16.919	21.666	27.877
10	18.307	23.209	29.588