

UNIVERSITY OF SWAZILAND

RE SIT EXAMINATION PAPER 2016

TITLE OF PAPER: GENERAL LINEAR MODELS
COURSE CODE: STA 215
TIME ALLOCATED: 2 (TWO) HOURS
REQUIREMENTS: STATISTICAL TABLES AND CALCULATOR
INSTRUCTION: ANSWER ANY 4 (FOUR) QUESTIONS OF YOUR CHOICE. ALL QUESTIONS CARRY THE MARKS AS INDICATED WITHIN THE PARENTHESIS

THIS PAPER IS NOT TO BE OPENED UNTIL PERMISSION HAS BEEN GRANTED BY THE INVIGILATOR.

QUESTION ONE

[2+3+6+7+7]

A study was conducted on $n = 10$ plots that had been fertilized in varies degrees to observe the changes in yield of corn. The following results were obtained from running the regression model, $Y = \beta_0 + \beta_1 X_1 + \epsilon_i$ using the study data.

ANOVA

Model		Sum of Squares	Df	Mean Square	Fo
1	Regression	964.587	1	964.587	1.478
	Residual	5221.413	8	652.677	
	Total	8186.0000	9		

Coefficients

Model		Unstandardized Coefficients		Standardized Coefficients
		B	Std. Error	Beta
1	Constant	10.115 2.784	3.108 1.926	.602

- 1.1 Identify the dependent variable and the independent variable.
- 1.2 State the fitted regression line.
- 1.3 Perform the F test and clearly state the hypothesis and the conclusion.
- 1.4 Test $\beta_0 = 10$ against $\beta_0 \neq 10$ at $\alpha = 0.05$
- 1.5 Test $\beta_1 = 3$ against $\beta_1 > 3$ at $\alpha = 0.01$

QUESTION TWO

[3+6+8+8]

Some fairly used cars were displayed for sales in an automobile sales compound and the data below shows the prices and the year in which the car was first used.

Price (000)	80	57	58	55	70	88	43	60	69	63	118
Year of first use	2005	2007	2006	2006	2005	2004	2007	2006	2005	2005	2002

- 2.1 State which is the x and y variables respectively and why.
- 2.2 Using the observed data calculate the estimates of the slope and intercept parameter of the regression model.

- 2.3 Test for significance of regression. Predict the price of buying a car that was first used in 2010 and 2013.
- 2.4 Analyze the regression model adequacy using the Lack of fit method and comment on model adequacy.

QUESTION THREE**[3+3+8+4+6+1]**

- 3.1 State 3 assumptions of any Multiple Regression Model.

A study was performed to investigate the shear strength of soil (Y) as it related to depth in feet (X_1) and moisture content (X_2). Ten observations were collected, and the following summary quantities obtained:

$$n = 10$$

$$\sum X_{i1} = 223$$

$$\sum X_{i2} = 553$$

$$\sum Y_i = 1,916$$

$$\sum X_{i1}^2 = 5,200.9$$

$$\sum X_{i2}^2 = 31,729$$

$$\sum X_{i1} X_{i2} = 12,352$$

$$\sum X_{i1} Y_i = 43,550.8$$

$$\sum X_{i2} Y_i = 104,736.8$$

$$\sum Y_i^2 = 371,595.6$$

- 3.2 Set up the least squares normal equations for the model

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \varepsilon$$

- 3.3 Estimate the parameters in the model in part (3.2) using the matrix method and give the final model for the shear strength of soil.

- 3.4 Estimate σ^2

- 3.5 Construct the t-test on each regression coefficient using $\alpha = 0.05$

- 3.6 What is the predicted strength when $X_1 = 18$ feet and $X_2 = 43\%$?

QUESTION FOUR**[6+3+5+5+2+4]**

- 4.1 Compare the Cell Means Model and Factor Effects Model for single factor studies in terms of similarities and differences in the F test analysis of Variance.

In Design and Analysis of Experiments, 5th edition (John Wiley & Sons, 2001), D. C. Montgomery describes an experiment that determined the effect of four different types of tips in a hardness tester on the observed hardness of a metal alloy. Four specimens of the alloy were obtained, and each tip was tested once on each specimen, producing the following data:

Type of Tip	Specimen			
	1	2	3	4
1	9.3	9.4	9.6	10.0
2	9.4	9.3	9.8	9.9
3	9.2	9.4	9.5	9.7
4	9.7	9.6	10.0	10.2

- 4.2 Identify the dependent variable, factor studied and factor levels.
- 4.3 Complete the computation of the ANOVA table.
- 4.4 Use the 0.05 level in determining whether the four different Types of Tips could be equally effective. Clearly state all the steps in the test between the hypotheses and the conclusion.
- 4.5 Which Tip Type would you prefer? Explain.
- 4.6 Analyze the residuals from this experiment.

QUESTION FIVE**[8+6+11]**

- 5.1 State the Cell Means Model for a single factor studies with all its important features.
- 5.2 Define the Factor effects Model for a two factor studies with all its important features.

Aircraft primer paints are applied to aluminium surfaces by two methods: dipping and spraying. The purpose of the primer is to improve paint adhesion, and some parts can be primed using either application method. The process engineering group responsible for this operation is interested in learning whether three different primers differ in their adhesion properties. A factorial experiment was performed to investigate the effect of paint primer type and application method on paint adhesion. For each combination of primer type and application method, three specimens were painted, then a finish paint was applied, and the adhesion force was measured. The data from the experiment is shown below.

Primer Type	Dipping	Spraying
1	4.0, 4.5, 4.3	5.4, 4.9, 5.6
2	5.6, 4.9, 5.4	5.8, 6.1, 6.3
3	3.8, 3.7, 4.0	5.5, 5.0, 5.0

- 5.3 Test the appropriate hypotheses and draw conclusions using the analysis of variance with $\alpha = 0.05$.

STATISTICAL TABLES

STATISTICAL TABLES

Cumulative normal distribution

Critical values of the *t* distribution

Critical values of the *F* distribution

Critical values of the chi-squared distribution




TABLE A.1
Cumulative Standardized Normal Distribution

$A(z)$ is the integral of the standardized normal distribution from $-\infty$ to z (in other words, the area under the curve to the left of z). It gives the probability of a normal random variable not being more than z standard deviations above its mean. Values of z of particular importance:

z	$A(z)$	
1.645	0.9500	Lower limit of right 5% tail
1.960	0.9750	Lower limit of right 2.5% tail
2.326	0.9900	Lower limit of right 1% tail
2.576	0.9950	Lower limit of right 0.5% tail
3.090	0.9990	Lower limit of right 0.1% tail
3.291	0.9995	Lower limit of right 0.05% tail

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998
3.5	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998	0.9998
3.6	0.9998	0.9998	0.9999							

TABLE A.2

t Distribution: Critical Values of *t*

Degrees of freedom	Two-tailed test: One-tailed test:	Significance level					
		10%	5%	2%	1%	0.2%	0.1%
5%	2.5%	1%	0.5%	0.1%	0.05%		
1	6.314	12.706	31.821	63.657	318.309	636.619	
2	2.920	4.303	6.965	9.925	22.327	31.599	
3	2.353	3.182	4.541	5.841	10.215	12.924	
4	2.132	2.776	3.747	4.604	7.173	8.610	
5	2.015	2.571	3.365	4.032	5.893	6.869	
6	1.943	2.447	3.143	3.707	5.208	5.959	
7	1.894	2.365	2.998	3.499	4.785	5.408	
8	1.860	2.306	2.896	3.355	4.501	5.041	
9	1.833	2.262	2.821	3.250	4.297	4.781	
10	1.812	2.228	2.764	3.169	4.144	4.587	
11	1.796	2.201	2.718	3.106	4.025	4.437	
12	1.782	2.179	2.581	3.055	3.930	4.318	
13	1.771	2.160	2.650	3.012	3.852	4.221	
14	1.761	2.145	2.624	2.977	3.787	4.140	
15	1.753	2.131	2.602	2.947	3.733	4.073	
16	1.746	2.120	2.583	2.921	3.686	4.015	
17	1.740	2.110	2.567	2.898	3.646	3.965	
18	1.734	2.101	2.552	2.878	3.610	3.922	
19	1.729	2.093	2.539	2.861	3.579	3.883	
20	1.725	2.086	2.528	2.845	3.552	3.850	
21	1.721	2.080	2.518	2.831	3.527	3.819	
22	1.717	2.074	2.508	2.819	3.505	3.792	
23	1.714	2.069	2.500	2.807	3.485	3.768	
24	1.711	2.064	2.492	2.797	3.467	3.745	
25	1.708	2.060	2.485	2.787	3.450	3.725	
26	1.706	2.056	2.479	2.779	3.435	3.707	
27	1.703	2.052	2.473	2.771	3.421	3.690	
28	1.701	2.048	2.467	2.763	3.408	3.674	
29	1.699	2.045	2.462	2.756	3.396	3.659	
30	1.697	2.042	2.457	2.750	3.385	3.646	
32	1.694	2.037	2.449	2.738	3.365	3.622	
34	1.691	2.032	2.441	2.728	3.348	3.601	
36	1.688	2.028	2.434	2.719	3.333	3.582	
38	1.686	2.024	2.429	2.712	3.319	3.566	
40	1.684	2.021	2.423	2.704	3.307	3.551	
42	1.682	2.018	2.418	2.698	3.296	3.538	
44	1.680	2.015	2.414	2.692	3.286	3.526	
46	1.679	2.013	2.410	2.687	3.277	3.515	
48	1.677	2.011	2.407	2.682	3.269	3.505	
50	1.676	2.009	2.403	2.678	3.261	3.496	
60	1.671	2.000	2.390	2.660	3.232	3.460	
70	1.667	1.994	2.381	2.648	3.211	3.435	
80	1.664	1.990	2.374	2.639	3.195	3.416	
90	1.662	1.987	2.368	2.632	3.183	3.402	
100	1.660	1.984	2.364	2.626	3.174	3.390	
120	1.658	1.980	2.358	2.617	3.160	3.373	
150	1.655	1.976	2.351	2.609	3.145	3.357	
200	1.653	1.972	2.345	2.601	3.131	3.340	
300	1.650	1.968	2.339	2.592	3.118	3.323	
400	1.649	1.966	2.336	2.588	3.111	3.315	
500	1.648	1.965	2.334	2.586	3.107	3.310	
600	1.647	1.964	2.333	2.584	3.104	3.307	
∞	1.645	1.960	2.326	2.576	3.090	3.291	

STATISTICAL TABLES

TABLE A.3

F Distribution: Critical Values of *F* (5% significance level)

v_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88	243.91	245.36	246.46	247.32	248.01
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.42	19.43	19.44	19.45
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.71	8.69	8.67	8.66
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	5.96	5.91	5.87	5.84	5.82	5.80	
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.64	4.60	4.58	4.56
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.96	3.92	3.90	3.87
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.53	3.49	3.47	3.44
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.24	3.20	3.17	3.15
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.03	2.99	2.96	2.94
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.86	2.83	2.80	2.77
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.74	2.70	2.67	2.65
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.64	2.60	2.57	2.54
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.55	2.51	2.48	2.46
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.48	2.44	2.41	2.39
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.48	2.42	2.38	2.35	2.33	
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.37	2.33	2.30	2.28
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.33	2.29	2.26	2.23
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.29	2.25	2.22	2.19
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.26	2.21	2.18	
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.22	2.18	2.15	2.12
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.20	2.16	2.12	2.10
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.17	2.13	2.10	2.07
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.15	2.11	2.08	2.05
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.13	2.09	2.05	2.03
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.11	2.07	2.04	2.01
26	4.22	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.09	2.05	2.02	1.99
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.08	2.04	2.00	1.97
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.06	2.02	1.99	1.96
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.05	2.01	1.97	1.94
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.04	1.99	1.96	1.93
35	4.12	3.27	2.87	2.64	2.49	2.37	2.29	2.22	2.16	2.11	2.04	1.99	1.94	1.91	1.88
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.95	1.90	1.87	1.84
50	4.03	3.18	2.79	2.56	2.40	2.29	2.20	2.13	2.07	2.03	1.95	1.89	1.85	1.81	1.78
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.86	1.82	1.78	1.75
70	3.98	3.13	2.74	2.50	2.35	2.23	2.14	2.07	2.02	1.97	1.91	1.85	1.84	1.79	1.75
80	3.96	3.11	2.72	2.49	2.33	2.21	2.13	2.06	2.00	1.95	1.88	1.82	1.77	1.73	1.70
90	3.95	3.10	2.71	2.47	2.32	2.20	2.11	2.04	1.99	1.94	1.86	1.80	1.76	1.72	1.69
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.85	1.79	1.75	1.71	1.68
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.78	1.73	1.69	1.66
150	3.90	3.06	2.66	2.43	2.27	2.16	2.07	2.00	1.94	1.89					

TABLE A.3 (continued)

F Distribution: Critical Values of F (5% significance level)

v_1	25	30	35	40	50	60	75	100	150	200
1	249.26	250.10	250.69	251.14	251.77	252.20	252.62	253.04	253.46	253.68
2	19.46	19.46	19.47	19.47	19.48	19.48	19.48	19.49	19.49	19.49
3	8.63	8.62	8.60	8.59	8.58	8.57	8.56	8.55	8.54	8.54
4	5.77	5.75	5.73	5.72	5.70	5.69	5.68	5.66	5.65	5.65
5	4.52	4.50	4.48	4.46	4.44	4.43	4.42	4.41	4.39	4.39
6	3.83	3.81	3.79	3.77	3.75	3.74	3.73	3.71	3.70	3.69
7	3.40	3.38	3.36	3.34	3.32	3.30	3.29	3.27	3.26	3.25
8	3.11	3.08	3.06	3.04	3.02	3.01	2.99	2.97	2.96	2.95
9	2.89	2.86	2.84	2.83	2.80	2.79	2.77	2.76	2.74	2.73
10	2.73	2.70	2.68	2.66	2.64	2.62	2.60	2.59	2.57	2.56
11	2.60	2.57	2.55	2.53	2.51	2.49	2.47	2.46	2.44	2.43
12	2.50	2.47	2.44	2.43	2.40	2.38	2.37	2.35	2.33	2.32
13	2.41	2.38	2.36	2.34	2.31	2.30	2.28	2.26	2.24	2.23
14	2.34	2.31	2.28	2.27	2.24	2.22	2.21	2.19	2.17	2.16
15	2.28	2.25	2.22	2.20	2.18	2.16	2.14	2.12	2.10	2.10
16	2.23	2.19	2.17	2.15	2.12	2.11	2.09	2.07	2.05	2.04
17	2.18	2.15	2.12	2.10	2.08	2.06	2.04	2.02	2.00	1.99
18	2.14	2.11	2.08	2.06	2.04	2.02	2.00	1.98	1.96	1.95
19	2.11	2.07	2.05	2.03	2.00	1.98	1.96	1.94	1.92	1.91
20	2.07	2.04	2.01	1.99	1.97	1.95	1.93	1.91	1.89	1.88
21	2.05	2.01	1.98	1.96	1.94	1.92	1.90	1.88	1.86	1.84
22	2.02	1.98	1.96	1.94	1.91	1.89	1.87	1.85	1.83	1.82
23	2.00	1.96	1.93	1.91	1.88	1.86	1.84	1.82	1.80	1.79
24	1.97	1.94	1.91	1.89	1.86	1.84	1.82	1.80	1.78	1.77
25	1.96	1.92	1.89	1.87	1.84	1.82	1.80	1.78	1.76	1.75
26	1.94	1.90	1.87	1.85	1.82	1.80	1.78	1.76	1.74	1.73
27	1.92	1.88	1.86	1.84	1.81	1.79	1.76	1.74	1.72	1.71
28	1.91	1.87	1.84	1.82	1.79	1.77	1.75	1.73	1.70	1.69
29	1.89	1.85	1.83	1.81	1.77	1.75	1.73	1.71	1.69	1.67
30	1.88	1.84	1.81	1.79	1.76	1.74	1.72	1.70	1.67	1.66
35	1.82	1.79	1.76	1.74	1.70	1.68	1.66	1.63	1.61	1.60
40	1.78	1.74	1.72	1.69	1.66	1.64	1.61	1.59	1.56	1.55
50	1.73	1.69	1.66	1.63	1.60	1.58	1.55	1.52	1.50	1.48
60	1.69	1.65	1.62	1.59	1.56	1.53	1.51	1.48	1.45	1.44
70	1.66	1.62	1.59	1.57	1.53	1.50	1.48	1.45	1.42	1.40
80	1.64	1.60	1.57	1.54	1.51	1.48	1.45	1.43	1.39	1.38
90	1.63	1.59	1.55	1.53	1.49	1.46	1.44	1.41	1.38	1.36
100	1.62	1.57	1.54	1.52	1.48	1.45	1.42	1.39	1.36	1.34
120	1.60	1.55	1.52	1.50	1.46	1.43	1.40	1.37	1.33	1.32
150	1.58	1.54	1.50	1.48	1.44	1.41	1.38	1.34	1.31	1.29
200	1.56	1.52	1.48	1.46	1.41	1.39	1.35	1.32	1.28	1.26
250	1.55	1.50	1.47	1.44	1.40	1.37	1.34	1.31	1.27	1.25
300	1.54	1.50	1.46	1.43	1.39	1.36	1.33	1.30	1.26	1.23
400	1.53	1.49	1.45	1.42	1.38	1.35	1.32	1.28	1.24	1.22
500	1.53	1.48	1.45	1.42	1.38	1.35	1.31	1.28	1.23	1.21
600	1.52	1.48	1.44	1.41	1.37	1.34	1.31	1.27	1.23	1.20
750	1.52	1.47	1.44	1.41	1.37	1.34	1.30	1.26	1.22	1.20
1000	1.52	1.47	1.43	1.41	1.36	1.33	1.30	1.26	1.22	1.19

TABLE A.3 (continued)

F Distribution: Critical Values of F (1% significance level)

v_1	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
1	4052.18	4999.50	5403.35	5624.58	5763.65	5838.99	5928.36	5981.07	6022.47	6055.85	6106.32	6142.67	6170.10	6191.53	6208.73
2	98.50	99.00	99.17	99.25	99.30	99.33	99.37	99.39	99.40	99.42	99.43	99.44	99.44	99.45	
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.92	26.83	26.75	26.69
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.53	14.37	14.25	14.15	14.08	14.02
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.77	9.68	9.61	9.55
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.60	7.52	7.45	7.40
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.36	6.28	6.21	6.16
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.56	5.48	5.41	5.36
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	5.01	4.92	4.86	4.81
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.60	4.52	4.46	4.41
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.29	4.21	4.15	4.10
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.05	3.97	3.91	3.86
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.86	3.78	3.72	3.66
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.70	3.62	3.56	3.51
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.56	3.49	3.42	3.37
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.45	3.37	3.31	3.26
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.35	3.27	3.21	3.16
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.27	3.19	3.13	3.08
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.19	3.12	3.05	3.00
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.13	3.05	2.99	2.94
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.07	2.99	2.93	2.88
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	3.02	2.94	2.88	2.83
23	7.88	5.66	4.74	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.97	2.89	2.83	2.78
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.93	2.85	2.79	2.74
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.89	2.81	2.75	2.70
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.86	2.78	2.72	2.66
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.82	2.75	2.68	2.63
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.79	2.72	2.65	2.60
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.77	2.69	2.63	2.57
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.74	2.66	2.60	2.55
35	7.42	5.27	4.40	3.91	3.59	3.37	3.20	3.07	2.96	2.88	2.74	2.64	2.56	2.50	2.44
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.56	2.48	2.42	2.37
50	7.17	5.06	4.20	3.72	3.41	3.19	3.02	2.89	2.78	2.70	2.56	2.46	2.38	2.32	2.27
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.39	2.31	2.25	2.20
70	7.01	4.92	4.07	3.60	3.29	3.07	2.91	2.78	2.67	2.5					

TABLE A.3 (continued)

F Distribution: Critical Values of *F* (1% significance level)

<i>v₁</i>	25	30	35	40	50	60	75	100	150	200
1	6239.83	6260.65	6275.57	6286.78	6302.52	6313.03	6323.56	6334.11	6344.68	6349.97
2	99.46	99.47	99.47	99.47	99.48	99.48	99.49	99.49	99.49	99.49
3	26.58	26.50	26.45	26.41	26.35	26.32	26.28	26.24	26.20	26.18
4	13.91	13.84	13.79	13.75	13.69	13.65	13.61	13.58	13.54	13.52
5	9.45	9.38	9.33	9.29	9.24	9.20	9.17	9.13	9.09	9.08
6	7.30	7.23	7.18	7.14	7.09	7.06	7.02	6.99	6.95	6.93
7	6.06	5.99	5.94	5.91	5.86	5.82	5.79	5.75	5.72	5.70
8	5.26	5.20	5.15	5.12	5.07	5.03	5.00	4.96	4.93	4.91
9	4.71	4.65	4.60	4.57	4.52	4.48	4.45	4.41	4.38	4.36
10	4.31	4.25	4.20	4.17	4.12	4.08	4.05	4.01	3.98	3.96
11	4.01	3.94	3.89	3.86	3.81	3.78	3.74	3.71	3.67	3.66
12	3.76	3.70	3.65	3.62	3.57	3.54	3.50	3.47	3.43	3.41
13	3.57	3.51	3.46	3.43	3.38	3.34	3.31	3.27	3.24	3.22
14	3.41	3.35	3.30	3.27	3.22	3.18	3.15	3.11	3.08	3.06
15	3.28	3.21	3.17	3.13	3.08	3.05	3.01	2.98	2.94	2.92
16	3.16	3.10	3.05	3.02	2.97	2.93	2.90	2.86	2.83	2.81
17	3.07	3.00	2.96	2.92	2.87	2.83	2.80	2.76	2.73	2.71
18	2.98	2.92	2.87	2.84	2.78	2.75	2.71	2.68	2.64	2.62
19	2.91	2.84	2.80	2.76	2.71	2.67	2.64	2.60	2.57	2.55
20	2.84	2.78	2.73	2.69	2.64	2.61	2.57	2.54	2.50	2.48
21	2.79	2.72	2.67	2.64	2.58	2.55	2.51	2.48	2.44	2.42
22	2.73	2.67	2.62	2.58	2.53	2.50	2.46	2.42	2.38	2.36
23	2.69	2.62	2.57	2.54	2.48	2.45	2.41	2.37	2.34	2.32
24	2.64	2.58	2.53	2.49	2.44	2.40	2.37	2.33	2.29	2.27
25	2.60	2.54	2.49	2.45	2.40	2.36	2.33	2.29	2.25	2.23
26	2.57	2.50	2.45	2.42	2.36	2.33	2.29	2.25	2.21	2.19
27	2.54	2.47	2.42	2.38	2.33	2.29	2.26	2.22	2.18	2.16
28	2.51	2.44	2.39	2.35	2.30	2.26	2.23	2.19	2.15	2.13
29	2.48	2.41	2.36	2.33	2.27	2.23	2.20	2.16	2.12	2.10
30	2.45	2.39	2.34	2.30	2.25	2.21	2.17	2.13	2.09	2.07
35	2.35	2.28	2.23	2.19	2.14	2.10	2.06	2.02	1.98	1.96
40	2.27	2.20	2.15	2.11	2.06	2.02	1.98	1.94	1.90	1.87
50	2.17	2.10	2.05	2.01	1.95	1.91	1.87	1.82	1.78	1.76
60	2.10	2.03	1.98	1.94	1.88	1.84	1.79	1.75	1.70	1.68
70	2.05	1.98	1.93	1.89	1.83	1.78	1.74	1.70	1.65	1.62
80	2.01	1.94	1.89	1.85	1.79	1.75	1.70	1.65	1.61	1.58
90	1.99	1.92	1.86	1.82	1.76	1.72	1.67	1.62	1.57	1.55
100	1.97	1.89	1.84	1.80	1.74	1.69	1.65	1.60	1.55	1.52
120	1.93	1.86	1.81	1.76	1.70	1.66	1.61	1.56	1.51	1.48
150	1.90	1.83	1.77	1.73	1.66	1.62	1.57	1.52	1.46	1.43
200	1.87	1.79	1.74	1.69	1.63	1.58	1.53	1.48	1.42	1.39
250	1.85	1.77	1.72	1.67	1.61	1.56	1.51	1.46	1.40	1.36
300	1.84	1.76	1.70	1.66	1.59	1.55	1.50	1.44	1.38	1.35
400	1.82	1.75	1.69	1.64	1.58	1.53	1.48	1.42	1.36	1.32
500	1.81	1.74	1.68	1.63	1.57	1.52	1.47	1.41	1.34	1.31
600	1.80	1.73	1.67	1.63	1.56	1.51	1.46	1.40	1.34	1.30
750	1.80	1.72	1.66	1.62	1.55	1.50	1.45	1.39	1.33	1.29
1000	1.79	1.72	1.66	1.61	1.54	1.50	1.44	1.38	1.32	1.28

TABLE A.3 (continued)

F Distribution: Critical Values of *F* (0.1% significance level)

<i>v₁</i>	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20
1	4.05e03	5.00e03	5.40e03	5.62e03	5.76e03	5.86e03	5.93e03	5.98e03	6.02e03	6.06e03	6.11e03	6.14e03	6.17e03	6.19e03	6.21e03
2	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39	999.40	999.42	999.43	999.44	999.44	999.45
3	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86	129.25	128.32	127.64	127.14	126.74	126.42
4	74.14	61.25	56.18	51.71	50.53	49.66	49.00	48.47	48.05	47.41	46.95	46.60	46.32	46.10	
5	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24	26.92	26.42	26.06	25.78	25.57	25.39
6	35.51	27.00	23.70	21.92	20.80	20.03	19.46	18.90	18.41	17.99	17.68	17.45	17.27	17.12	
7	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33	14.08	13.71	13.43	13.23	13.06	12.93
8	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77	11.54	11.19	10.94	10.75	10.60	10.48
9	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11	9.89	9.57	9.33	9.15	9.01	8.90
10	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96	8.75	8.45	8.22	8.05	7.91	7.80
11	19.69	13.81	11.56	10.35	9.58	8.66	8.35	8.12	7.92	7.63	7.41	7.24	7.11	7.01	
12	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48	7.29	7.00	6.79	6.63	6.51	6.40
13	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98	6.80	6.52	6.31	6.16	6.03	5.93
14	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58	6.40	6.13	5.93	5.78	5.66	5.56
15	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26	6.08	5.81	5.62	5.46	5.35	5.25
16	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98	5.81	5.55	5.35	5.20	5.09	4.99
17	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75	5.58	5.32	5.13	4.99	4.87	4.78
18	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56	5.39	5.13	4.94	4.80	4.68	
19	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39	5.22	4.97	4.78	4.64	4.52	4.43
20	14.82	9.95	8.10	7.10	6.46	5.99	5.44	5.24	5.08	4.82	4.64	4.49	4.38	4.29	
21	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11	4.95	4.70	4.51	4.37	4.26	4.17
22	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99	4.83	4.58	4.40	4.26	4.15	4.06
23	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89	4.73	4.48	4.30	4.16	4.05	3.96
24	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80	4.64	4.39	4.21	4.07	3.96	3.87
25	13.88	9.22	7.45	6.49	5.89	5.46	5.15	4.91	4.71	4.56	4.31	4.13	3.99	3.88	3.79
26	13.74	9.12	7.36	6.41	5.80	5.38	5.07	4.83	4.64	4.48	4.24	4.06	3.92	3.81	3.72
27	13.61	9.02	7.27	6.33	5.73	5.31	5.00	4.76	4.57	4.41	4.17	3.99	3.86	3.75	3.66
28	13.50	8.93	7.19	6.25	5.66	5.24	4.93	4.69	4.50	4.35	4.11	3.93	3.80	3.69	3.60
29	13.39	8.85	7.12	6.19	5.59	5.18	4.87	4.64	4.45	4.29	4.05	3.88	3.74	3.63	3.54
30	13.29	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39	4.08	3.82	3.69	3.58	3.49	
35	12.90	8.47	6.79	5.88	5.30	4.89	4.59	4.36	4.18	4.03	3.79	3.62	3.48	3.38	3.29
40	12.61	8.25	6.59	5.70	5.13	4.73	4.44	4.21	4.02	3.87	3.64	3.47	3.34	3.23	3.14
50	12.22	7.96	6.34	5.46	4.90	4.51	4.22	4.00	3.82	3.67	3.44	3.27	3.11	3.04	2.95
60	11.97	7.77	6.17	5.31	4.76	4.37	4.09	3							

TABLE A.3 (continued)

F Distribution: Critical Values of F (0.1% significance level)

v_1	25	30	35	40	50	60	75	100	150	200
1	6.24e05	6.26e05	6.28e05	6.29e05	6.30e05	6.31e05	6.32e05	6.33e05	6.35e05	6.35e05
2	999.46	999.47	999.47	999.47	999.48	999.48	999.49	999.49	999.49	999.49
3	125.84	125.45	125.17	124.94	124.66	124.47	124.27	124.07	123.87	123.77
4	45.70	45.43	45.23	45.09	44.88	44.75	44.61	44.47	44.33	44.26
5	25.08	24.87	24.72	24.60	24.44	24.33	24.22	24.12	24.01	23.95
6	16.85	16.67	16.54	16.44	16.31	16.21	16.12	16.03	15.93	15.89
7	12.69	(12.53)	12.41	12.33	12.20	12.12	12.04	11.95	11.87	11.82
8	10.26	10.11	10.00	9.92	9.80	9.73	9.65	9.57	9.49	9.45
9	8.69	8.55	8.46	8.37	8.26	8.19	8.11	8.04	7.96	7.93
10	7.60	7.47	7.37	7.30	7.19	7.12	7.05	6.98	6.91	6.87
11	6.81	6.68	6.59	6.52	6.42	6.35	6.28	6.21	6.14	6.10
12	6.22	6.09	6.00	5.93	5.83	5.76	5.70	5.63	5.56	5.52
13	5.75	5.63	5.54	5.47	5.37	5.30	5.24	5.17	5.10	5.07
14	5.38	5.25	5.17	5.10	5.00	4.94	4.87	4.81	4.74	4.71
15	5.07	4.95	4.86	4.80	4.70	4.64	4.57	4.51	4.44	4.41
16	4.82	4.70	4.61	4.54	4.45	4.39	4.32	4.26	4.19	4.16
17	4.60	4.48	4.40	4.33	4.24	4.18	4.11	4.05	3.98	3.95
18	4.42	4.30	4.22	4.15	4.06	4.00	3.93	3.87	3.80	3.77
19	4.26	4.14	4.06	3.99	3.90	3.84	3.78	3.71	3.65	3.61
20	4.12	4.00	3.92	3.86	3.77	3.70	3.64	3.58	3.51	3.48
21	4.00	3.88	3.80	3.74	3.64	3.58	3.52	3.46	3.39	3.36
22	3.89	3.78	3.70	3.63	3.54	3.48	3.41	3.35	3.28	3.25
23	3.79	3.68	3.60	3.53	3.44	3.38	3.32	3.25	3.19	3.16
24	3.71	3.59	3.51	3.45	3.36	3.29	3.23	3.17	3.10	3.07
25	3.63	3.52	3.43	3.37	3.28	3.22	3.15	3.09	3.03	2.99
26	3.56	3.44	3.36	3.30	3.21	3.15	3.08	3.02	2.95	2.92
27	3.49	3.38	3.30	3.23	3.14	3.08	3.02	2.96	2.89	2.86
28	3.43	3.32	3.24	3.18	3.09	3.02	2.96	2.90	2.83	2.80
29	3.38	3.27	3.18	3.12	3.03	2.97	2.91	2.84	2.78	2.74
30	3.33	3.22	3.13	3.07	2.98	2.92	2.86	2.79	2.73	2.69
35	3.13	3.02	2.93	2.87	2.78	2.72	2.66	2.59	2.52	2.49
40	2.98	2.87	2.79	2.73	2.64	2.57	2.51	2.44	2.38	2.34
50	2.79	2.68	2.60	2.53	2.44	2.38	2.31	2.25	2.18	2.14
60	2.67	2.55	2.47	2.41	2.32	2.25	2.19	2.12	2.05	2.01
70	2.58	2.47	2.39	2.32	2.23	2.16	2.10	2.03	1.95	1.92
80	2.52	2.41	2.32	2.26	2.16	2.10	2.03	1.96	1.89	1.85
90	2.47	2.36	2.27	2.21	2.11	2.05	1.98	1.91	1.83	1.79
100	2.43	2.32	2.24	2.17	2.08	2.01	1.94	1.87	1.79	1.75
120	2.37	2.26	2.18	2.11	2.02	1.95	1.88	1.81	1.73	1.68
150	2.32	2.21	2.12	2.06	1.96	1.89	1.82	1.74	1.66	1.62
200	2.26	2.15	2.07	2.00	1.90	1.83	1.76	1.68	1.60	1.55
250	2.23	2.12	2.03	1.97	1.87	1.80	1.72	1.65	1.56	1.51
300	2.21	2.10	2.01	1.94	1.85	1.78	1.70	1.62	1.53	1.48
400	2.18	2.07	1.98	1.92	1.82	1.75	1.67	1.59	1.50	1.45
500	2.17	2.05	1.97	1.90	1.80	1.73	1.65	1.57	1.48	1.43
600	2.16	2.04	1.96	1.89	1.79	1.72	1.64	1.56	1.46	1.41
750	2.15	2.03	1.95	1.88	1.78	1.71	1.63	1.55	1.45	1.40
1000	2.14	2.02	1.94	1.87	1.77	1.69	1.62	1.53	1.44	1.38

TABLE A.4

 χ^2 (Chi-Squared) Distribution: Critical Values of χ^2

Significance level

Degrees of freedom	5%	1%	0.1%
1	3.841	6.635	10.828
2	5.991	9.210	13.816
3	7.815	11.345	16.266
4	9.488	13.277	18.467
5	11.070	15.086	20.515
6	12.592	16.812	22.458
7	14.067	18.475	24.322
8	15.507	20.090	26.124
9	16.919	21.666	27.877
10	18.307	23.209	29.588